15 MARCH 2001 Supplement ISSN 0022-328X

Journal of Organometallic Chemistry

THE 2000 ANNUAL INDEXES

ELSEVIER

JOURNAL OF ORGANOMETALLIC CHEMISTRY

Emeritus Board

H.C. Brown (*Lafayette, IN, USA*)
G.P. Chiusoli (*Parma, Italy*)
C. Eaborn (*Brighton, UK*)
E.O. Fischer (*Munich, Germany*)
M. Kumada (*Osaka, Japan*)
P.M. Maitlis (*Sheffield, UK*)
P.L. Pauson (*Glasgow, UK*)
F.G.A. Stone (*Waco, TX, USA*)
M.G. Voronkov (*Irkutsk, Russian Federation*)
G. Wilke (*Mülheim/Ruhr, Germany*)

Editorial Board

R.D. Adams (*Columbia, SC, USA*)*
D.A. Atwood (*Lexington KY, USA*)
I.P. Beletskaya (*Moscow, Russian Federation*)
G. Bertrand (*Toulouse, France*)*
T. Bitterwolf (*Moscow, ID, USA*)
P. Braunstein (*Strasbourg, France*)
H. Brunner (*Regensburg, Germany*)
F. Calderazzo (*Pisa, Italy*)
E. Carmona (*Sevilla, Spain*)
A.J. Carty (*Ottawa, Ont., Canada*)
J.-T. Chen (*Taipei, Taiwan*)
R.J.P. Corriu (*Montpellier, France*)
A.H. Cowley (*Austin, TX, USA*)
A.G. Davies (*London, UK*)
C. Floriani (*Lausanne, Switzerland*)
M.L.H. Green (*Oxford, UK*)
W.A. Herrmann (*Munich, Germany*)*
G. Jaouen (*Paris, France*)
P. Jutzi (*Bielefeld, Germany*)
R.B. King (*Athens, GA, USA*)
G. van Koten (*Utrecht, The Netherlands*)*
M.F. Lappert (*Brighton, UK*)
G.J. Leigh (*Brighton, UK*)*
F. Mathey (*Palaiseau, France*)
B. Meunier (*Toulouse, France*)
D.M.P. Mingos (*Oxford, UK*)*
A. Nakamura (*Osaka, Japan*)
J.F. Normant (*Paris, France*)
G.F. Parkin (*New York, NY, USA*)
S. Pasynkiewicz (*Warsaw, Poland*)
P.P. Power (*Davis, CA, USA*)
C. Raston (*Clayton, Vic., Australia*)
M.D. Rausch (*Amherst, MA, USA*)
H. Sakurai (*Chiba, Japan*)
V.I. Sokolov (*Moscow, Russian Federation*)
N. Sonoda (*Osaka, Japan*)
H. Suzuki (*Tokyo, Japan*)
K. Tamao (*Kyoto, Japan*)*
M. Tanaka (*Tsukuba, Japan*)
K. Tatsumi (*Nagoya, Japan*)
H. Werner (*Würzburg, Germany*)
H. Yamazaki (*Tokyo, Japan*)

Publisher's Advisory Board: F.A. Cotton, J. Lewis, A. Yamamoto
* Denotes Regional Editor, Subject Reviews Editor or Book Reviews Editor.

Aims and Scope

The *Journal of Organometallic Chemistry* publishes original papers, notes and subject reviews dealing with theoretical aspects, structural chemistry, synthesis, physical and chemical properties including reaction mechanisms, and practical applications, of organoelement compounds in a sense corresponding essentially to Section 29 ("Organometallic and Organometalloidal Compounds") of *Chemical Abstracts*.

Papers on the following classes of compounds will be considered for publication:

(a) Compounds containing at least one direct bond between carbon and other elements excluding H, N, O, halogens and noble gases. Borderline cases can be expected among certain compounds containing S; these will be considered but not encouraged, and will be judged on their own merits. Carbonates and carbides will be excluded, as will also organometallic compounds in which the metal has no significant role.

(b) Metal hydrides and carbonyls.

(c) Metallocenes and similar complexes.

(d) In exceptional cases, compounds containing no direct carbon-metal (or -metalloid) bond in the sense as described in (a) but which exhibit distinct organometallic character.

(e) New uses of compounds mentioned under (a)–(d) in synthetic organic chemistry, with the exclusion of their use for well-known routine purposes.

(f) Papers consisting wholly or mainly of reports of spectroscopic data (including fragmentation patterns from mass spectral studies) will be accepted only if the interpretation of such data has clear general implications.

Publication information: *Journal of Organometallic Chemistry* (ISSN 0222-328X). For 2001, volumes 617–640 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.nl/locate/jorganchem). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.nl). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, Claims, and Product Enquiries
(no manuscript enquiries)
Please contact the Customer Support Department at the Regional Sales Office nearest you:

New York, Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA. Tel. (+1)212-633-3730. [Toll free number for North American customers: 1-888-4ES-INFO (437-4636)], Fax (+1)212-633-3680, e-mail usinfo-f@elsevier.com

Amsterdam, Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Tel. (+31)20-485-3757, Fax (+31)20-485-3432, e-mail nlinfo-f@elsevier.nl

Tokyo, Elsevier Science, 9–15 Higashi-Azabu, 1-chome Minato-ku, Tokyo 106, Japan. Tel. (+81)3-5561-5033. Fax (+81)3-5561-5047, e-mail info@elsevier.co.jp

Singapore, Elsevier Science, No. 1 Temasek Avenue #17-01 Millenia Tower, Singapore 039192. Tel. (+65)434-3727. Fax (+65)337-2230, e-mail info@elsevier.co.jp

Rio de Janeiro, Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro-RJ, Brazil. Tel.: (+55) (21) 509 5340. Fax: (55) (21) 507 1991, E-mail: elsevier@campus.com.br
[Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

US mailing notice: *Journal of Organometallic Chemistry* (ISSN 0222-328X) is published biweekly by Elsevier Science B.V. (P.O. Box 2759, 1000 CT Amsterdam, The Netherlands). Annual subscription price in the USA is US$ 8648 — (valid in North, Central and South America), including air speed delivery. Periodical postage rate paid at Jamaica, NY 11431.

USA POSTMASTER: Send address changes to *Journal of Organometallic Chemistry*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003. **AIRFREIGHT AND MAILING** in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

Journal of Organometallic Chemistry

Supplement (2001)

Journal of Organometallic Chemistry

Supplement (2001)

Emeritus Board
H.C. Brown *(Lafayette, IN, USA)*
G.P. Chiusoli *(Parma, Italy)*
C. Eaborn *(Brighton, UK)*
E.O. Fischer *(Munich, Germany)*
M. Kumada *(Osaka, Japan)*
P.M. Maitlis *(Sheffield, UK)*
P.L. Pauson *(Glasgow, UK)*
F.G.A. Stone *(Waco, TX, USA)*
M.G. Voronkov *(Irkutsk, Russian Federation)*
G. Wilke *(Mülheim/Ruhr, Germany)*

Editorial Board
R.D. Adams *(Columbia, SC, USA)**
D.A. Atwood *(Lexington, KY, USA)*
I.P. Beletskaya *(Moscow, Russian Federation)*
G. Bertrand *(Toulouse, France)**
T. Bitterwolf *(Moscow, ID, USA)*
P. Braunstein *(Strasbourg, France)*
H. Brunner *(Regensburg, Germany)*
F. Calderazzo *(Pisa, Italy)*
E. Carmona *(Sevilla, Spain)*
A.J. Carty *(Ottawa, Ont., Canada)*
J.-T. Chen *(Taipei, Taiwan)*
R.J.P. Corriu *(Montpellier, France)*
A.H. Cowley *(Austin, TX, USA)*
A.G. Davies *(London, UK)*
C. Floriani *(Lausanne, Switzerland)*
M.L.H. Green *(Oxford, UK)*
W.A. Herrmann *(Munich, Germany)**
G. Jaouen *(Paris, France)*
P. Jutzi *(Bielefeld, Germany)*
R.B. King *(Athens, GA, USA)*
G. van Koten *(Utrecht, The Netherlands)**
M.F. Lappert *(Brighton, UK)*
G.J. Leigh *(Brighton, UK)**
F. Mathey *(Palaiseau, France)*
B. Meunier *(Toulouse, France)*
D.M.P. Mingos *(Oxford, UK)**
A. Nakamura *(Osaka, Japan)*
J.F. Normant *(Paris, France)*
G.F. Parkin *(New York, NY, USA)*
S. Pasynkiewicz *(Warsaw, Poland)*
P.P. Power *(Davis, CA, USA)*
C. Raston *(Clayton, Vic., Australia)*
M.D. Rausch *(Amherst, MA, USA)*
H. Sakurai *(Chiba, Japan)*
V.I. Sokolov *(Moscow, Russian Federation)*
N. Sonoda *(Osaka, Japan)*
H. Suzuki *(Tokyo, Japan)*
H. Tamao *(Kyoto, Japan)**
M. Tanaka *(Tsukuba, Japan)*
K. Tatsumi *(Nagoya, Japan)*
H. Werner *(Würzburg, Germany)*
H. Yamazaki *(Tokyo, Japan)*

Publisher's Advisory Board: F.A. Cotton, J. Lewis, A. Yamamoto
* Denotes Regional Editor, Subject Reviews Editor or Book Reviews Editor.

ELSEVIER

Amsterdam — London — New York — Oxford — Paris — Shannon — Tokyo

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) 1865 843565; fax: (+44) 1865 843976; e-mail: r.leveson-gower@elsevier.co.uk

Abstracting Organizations
Articles in this journal will be indexed and abstracted in Chemical Abstracts, Chemischer Informationsdienst, Current Abstracts of Chemistry and Index Chemicus, Current Contents, Physical, Chemical and Earth Sciences, Pascal (Centre de Documentation Scientifique et Technique), Research Alert™ and the Science Citation Index.

International Standard Serial Number 0022-328X

© 2001 Elsevier Science B.V. All rights reserved.

This journal and the individual contributions contained in it are protected by the copyright of Elsevier Science B.V., and the following terms and conditions apply to their use:

Photocopying
Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the Publisher and payment of a fee are required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permissions may be sought directly from Elsevier Science Global Rights Department, P.O. Box 800, Oxford OX5 1DX, UK; phone: (+44) 1865 843830, fax: (+44) 1865 853333, e-mail: permissions@elsevier.co.uk. You may also contact Global Rights directly through Elsevier's homepage (http://www.elsevier.nl), by selecting 'Obtaining Permissions'.

In the USA, users may clear permissions and make payments through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA; phone: (+1) (978) 7508400; fax: (+1) (978) 7504744, and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; phone: (+44) 20 7631 5555; fax: (+44) 20 7631 5500. Other countries may have a local reprographic rights agency for payments.

Derivative Works
Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the Publisher is required for resale or distribution outside the institution. Permission of the Publisher is required for all other derivative works, including compilations and translations.

Electronic Storage or Usage
Permission of the Publisher is required to store or use electronically any material contained in this journal, including any article or part of an article.

Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the Publisher.

Address permissions requests to: Elsevier Science Global Rights Department, at the mail, fax and e-mail addresses noted above.

Notice
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

☑ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

Printed in The Netherlands

ELSEVIER

Supplement, 15 March 2001

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Cumulative Indexes of Volumes 593–616

Author Index 1

Subject Index 15

The Publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. Please refer to the online version of the Guide for Authors at http://www.elsevier.nl/locate/jorganchem

CONTENTS direct

This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**

Now Available On

http://ChemWeb.com
The World Wide Club for the Chemical Community

http://chemweb.com/gateways/elsevier.html

Elsevier Science B.V.

ELSEVIER

Journal of Organometallic Chemistry, Supplement (2001) 1–14

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Cumulative Author Index of Volumes 593–616

Abboud, K.A., **603** 213
Abd El Baky, C., **595** 285
Abd-Elzaher, M.M., **599** 288
Abdul Malik, K.M., **616** 157
Abdul Mottalib, M., **616** 157
Abe, H., **616** 74
Abe, M., **611** 386
Abernethy, C.D., **596** 3
Abras, A., **605** 82
Abri, A., **598** 222
Adams, H., **595** 199; **598** 1; **607** 175; **612** 85
Adams, R.D., **596** 102; **596** 115; **600** 1; **600** 56; **601** 43; **603** 1; **606** 1; **615** 75
Adamus, G., **595** 66
Adatia, T., **601** 271
Ader, B., **598** 24
Aeby, A., **603** 122
Agustinho, S.C.M., **607** 175
Ahlgrén, M., **595** 232
Aime, S., **594** 135
Aimeloglou, N., **604** 191
Ainscough, E.W., **609** 2
Aitola, E., **606** 112
Akasaka, T., **599** 216; **611** 78; **611** 414
Akhmedov, N.G., **598** 387
Akhter, Z., **596** 204; **615** 231
Akiba, K.-y., **611** 200
Akisanya, J., **603** 240
Alan H., **596** 3
Al-Azab, F., **599** 166
Albano, V.G., **594** 325; **594** 335; **606** 163
Albert, J., **595** 54; **603** 235
Albertin, G., **609** 10
Alberto, R., **600** 23
Albinati, A., **594** 307; **594** 403; **601** 343
Albrecht, M., **596** 84; **608** 27
Alcock, N.W., **605** 45
Alcón, M.J., **601** 284
Aldea, R., **594** 454
Aldridge, S., **615** 188
Alexandrov, G.G., **597** 196
Alexandrova, L., **603** 225
Allan, J.F., **602** 15
Allen, D.W., **601** 293
Allis, D.G., **615** 309
Al-Obaidy, F.N.K., **599** 166
Alper, H., **594** 454
Alt, H.G., **595** 303; **599** 261; **599** 275
Alvarez, J.C., **596** 152
Alvarez-Carena, A., **601** 126
Alvarez Toledano, C., **613** 132
Amberger, H.-D., **602** 65; **604** 296
Amir-Ebrahimi, V., **606** 84
Amor, F., **604** 126
Amoroso, A.J., **616** 44
Ananikov, V.P., **604** 290
Andersen, J.-A.M., **604** 7
Anderson, C., **601** 22; **604** 178
Anderson, G.B., **594** 49
Anderson, J.R., **603** 80
Andersson, P.G., **603** 13
Andrews, P.C., **600** 174; **607** 213
Andrieu, J., **601** 43
Angleitner, H., **605** 174
Antiñolo, A., **603** 194; **609** 123
Antiñolo, A., **598** 167
Antonello, S., **601** 201
Antoniutti, S., **609** 10
Anulewicz-Ostrowska, R., **613** 37
Apperley, D.C., **604** 34
Arakawa, R., **611** 364
Aramaki, K., **611** 64
Arancibia, A., **601** 126
Arancibia, V., **601** 126
Aresta, M., **605** 143
Arévalo, S., **602** 208; **610** 42
Arnold, D.P., **607** 41
Arnold, J., **607** 227
Arnold, P.L., **610** 122
Arques, A., **598** 329
Arroyo, M., **599** 170
Arroyo, N., **603** 174
Arsenyan, P., **610** 8
Artamkina, G.A., **597** 77
Asadi, M.G., **598** 222
Asahara, M., **600** 118; **601** 246
Asaro, F., **601** 114
Ashworth, N.J., **609** 83
Asselberghs, I., **607** 72
Astruc, D., **594** 494
Attwood, M.D., **615** 144
Atwood, D.A., **596** 109; **600** 186
Aucar, G.A., **598** 193
Auer, H., **612** 141
Auñón, D., **598** 329
Averina, E.B., **603** 138
Avtomonov, E.V., **598** 403

Bacchi, A., **594** 180
Baceiredo, A., **613** 33
Bachechi, F., **594** 392
Bachman, R.E., **604** 132
Back, S., **601** 93; **601** 226
Bacsa, J., **594** 361; **596** 159
Badshah, A., **602** 45
Bae, B.-J., **616** 128
Bae, J.-Y., **615** 83
Baeza, E., **608** 126
Bailey, R.D., **596** 90
Bajpai, S., **608** 96
Baker, P.K., **602** 115; **604** 191
Balakrishna, M.S., **599** 159
Balavoine, G.G.A., **595** 261
Baldoli, C., **594** 380
Ball, I.K., **599** 185
Balzano, F., **605** 68
Bandini, A.L., **595** 224
Banditelli, G., **595** 224
Bandoh, S., **599** 135
Banerjee, S., **595** 140
Bao, W., **615** 255
Baratta, W., **594** 489
Barba, V., **604** 273
Barbier-Baudry, D., **609** 21
Barckholtz, T.A., **596** 212
Barclay, T., **602** 1; **608** 106
Bardin, V.V., **598** 127
Barnes, N.A., **616** 96
Barranco, E., **601** 34
Barron, A.R., **597** 29
Barrow, M., **612** 61
Barthelat, J.-C., **612** 69
Barton, L., **615** 215; **615** 223
Basallote, M.G., **609** 29
Basato, M., **601** 201
Bashilov, V.V., **599** 28; **599** 37
Basset, J.-M., **594** 96
Bassetti, M., **594** 292
Bassindale, A.R., **606** 125
Bastl, Z., **605** 202
Bates, T.F., **595** 87
Batsanov, A.S., **597** 157; **610** 20
Bauer, C., **615** 215
Bautista, D., **598** 329
Bayler, A., **595** 296
Beatty, S.T., **594** 226; **601** 344
Beck, W., **599** 238; **604** 301; **613** 159
Becker, T.M., **599** 308; **602** 97; **610** 118; **613** 13
Beckett, M.A., **595** 241
Beckmann, J., **602** 170
Bedell, B.L., **613** 263
Bedford, R.B., **598** 20
Beerens, H.I., **603** 244
Behrens, U., **604** 59
Beletskaya, I.P., **597** 77; **604** 290; **605** 96
Belkova, N.V., **610** 58
Bellachioma, G., **594** 119
Belli Dell'Amico, D., **594** 427
Belluco, U., **600** 37
Belsky, V.K., **603** 167
Belyakov, A.V., **597** 87

PII: S0022-328X(01)00714-8

Belyakov, S., **610** 8
Bencze, É., **616** 1
Benetollo, F., **605** 28
Benito, J.M., **602** 208; **610** 42
Bennett, M.A., **601** 299
Bentabet, E., **598** 365; **613** 77
Berglund Åhman, A., **595** 102
Bergman, B., **594** 226; **601** 344
Bergman, R.G., **607** 227; **608** 172
Berke, H., **609** 196
Bernardini, R., **598** 174; **605** 68
Bernès, S., **599** 170
Bertani, R., **600** 37; **605** 28
Bertermann, R., **613** 19
Berthet, J.C., **604** 83; **610** 49
Bertilsson, S.K., **603** 13
Bertrand, G., **600** 112; **613** 33
Bhaduri, S., **606** 151
Bhargava, S.K., **607** 93
Bhattacharyya, N.K., **600** 63
Bhukta, G., **601** 16
Bianchini, C., **594** 485
Bickelhaupt, F., **594** 369
Bickley, J.F., **598** 409
Biesemans, M., **608** 63
Bikrani, M., **601** 311
Birk, U., **599** 247
Birri, A., **596** 46
Bisello, A., **594** 315; **600** 94
Biswas, B., **611** 288
Bitterwolf, T.E., **605** 7; **605** 168
Black, C., **601** 305
Blackburn, H., **594** 27
Blacque, O., **598** 365
Blais, M.S., **594** 142
Blake, A.J., **600** 71
Blanc, D., **603** 128
Blaurock, S., **595** 126; **608** 21
Blechta, V., **597** 200
Blosser, P.W., **597** 125
Blum, O., **594** 479
Boccaleri, E., **594** 36
Boersma, J., **608** 27
Boeyens, J.C.A., **596** 159
Boga, C., **601** 233
Böhm, V.P.W., **600** 12
Böhm, V.P.W., **595** 186
Böhme, U., **602** 193; **612** 133
Bombieri, G., **605** 28
Boncella, J.M., **603** 213
Bondarev, O.G., **608** 89; **613** 148
Bonnet, M.C., **616** 37
Borbaruah, M., **606** 125
Bordignon, E., **609** 10
Borgmann, C., **600** 7
Börner, A., **603** 61
Borns, S., **603** 61
Borowski, S., **606** 108
Bosque, R., **595** 54
Boss, K., **612** 18
Bossek, U., **606** 132
Botek, E.L., **598** 193
Bott, S.G., **597** 29
Boukherroub, R., **604** 141
Bould, J., **615** 223
Bown, M., **615** 269
Boyer, P., **598** 365
Boys, D., **606** 197; **608** 126
Bozkurt, Ç., **603** 252
Braddock-Wilking, J., **615** 223
Braga, D., **594** 101
Brammer, L., **609** 36
Brand, H., **601** 126
Brandsma, L., **601** 341
Brantin, K., **602** 5
Branton, P.M., **613** 200
Brauer, D.J., **598** 116; **604** 43; **613** 86
Braun, M., **605** 109
Braunschweig, H., **615** 18
Braunstein, P., **601** 43
Braussaud, N., **607** 78
Bregadze, V.I., **597** 48; **615** 27
Breher, F., **608** 54
Bremberg, U., **603** 2
Breschi, C., **607** 57
Bresolin, D., **609** 10
Bressan, M., **594** 416
Breunig, H.J., **608** 60
Breuzard, J.A.J., **616** 37
Brianso, J.L., **599** 170
Brisdon, A.K., **616** 96
Brodie, A.M., **609** 2
Broussier, R., **598** 365; **613** 7; **613** 77
Brown, K.J., **607** 120
Brown, M., **613** 111
Brown, M.A., **603** 203
Bruce, M.I., **604** 150; **607** 137
Bruhn, C., **597** 10; **598** 286
Brunner, H., **601** 211; **603** 135; **609** 44
Bu, H.-B., **611** 26
Bu, W., **613** 68
Buchalski, P., **597** 133
Buchholz, D., **594** 494
Buchmeiser, M.R., **605** 174; **612** 1
Budzelaar, P.H.M., **594** 211
Bui, V.P., **613** 263
Buika, G., **595** 66
Bukowska, L., **604** 241
Bulychev, B.M., **603** 167
Buncel, E., **604** 208
Bunz, U., **615** 75
Bunz, U.H.F., **600** 56; **606** 1; **606** 13
Buono, G., **599** 304
Burini, A., **594** 392
Burlakov, V.V., **598** 243
Burrell, A.K., **609** 2
Burschka, C., **613** 19
Bursten, B.E., **596** 212
Busetto, L., **594** 335; **606** 163
Butcher, R.J., **605** 39; **608** 96
Butin, K.P., **599** 37
Butler, I.R., **598** 111
Butler, I.S., **616** 1
Butt, A., **594** 202
Byrne, L.T., **598** 28

Cadena, J.M., **603** 235
Cadierno, V., **594** 292
Cai, R., **612** 176
Cai, R.-F., **604** 260
Caiazzo, A., **599** 298; **601** 320
Calder, R.J., **615** 188
Calderazzo, F., **596** 144
Calhorda, M.J., **601** 34; **609** 53
Callahan, R.P., **596** 6
Calligaris, M., **594** 465
Camacho-Camacho, C., **604** 229; **615** 283
Camiletti, C., **594** 335
Cammell, E.J., **604** 7
Campi, E.M., **603** 80
Campo, J.A., **605** 117
Canales, S., **613** 50
Cano, M., **605** 117
Canovese, L., **601** 1
Canty, A.J., **595** 296; **599** 195; **607** 194
Captain, B., **615** 75
Carano, M., **599** 62
Carcelli, M., **594** 180
Cardaci, G., **594** 119
Carlson, T.F., **596** 237
Carlton, L., **609** 60
Carmona, D., **594** 299; **606** 197; **607** 3
Carpenter, J.P., **596** 252
Carrillo, D., **608** 126
Carrillo-Hermosilla, F., **603** 194; **609** 123
Carroll, P.J., **615** 125
Carty, A.J., **600** 84
Carvalho, M.F.N.N., **598** 318
Casarin, M., **594** 307; **601** 343
Casas, J.M., **594** 421
Castillo, D., **604** 273
Castro, A., **595** 36
Castro-Juiz, S., **598** 71
Catellani, M., **594** 240
Caubet, A., **598** 87
Caulton, K.G., **594** 342
Cauzzi, D., **594** 431
Cave, G.W.V., **601** 305
Cavell, K.J., **607** 78
Cavigiolio, G., **596** 242
Cazin, C.S.J., **598** 20
Cea-Olivares, R., **598** 160
Ceccon, A., **594** 315; **600** 94; **601** 267
Celli, N., **594** 416
Cenini, S., **594** 109; **608** 34
Čermák, J., **598** 318
Ceroni, P., **599** 62
Cesar, A., **605** 82
Chabanas, M., **594** 96
Chadha, R.K., **606** 176
Chakravarty, A.R., **596** 232
Chan, E.Y.Y., **608** 139
Chan, H.-S., **601** 160
Chan, K.S., **598** 80
Chang, C.-J., **599** 128
Chang, F.-C., **596** 226
Chang, H.Y., **599** 49
Chang, S.-C., **599** 128
Chantler, J., **596** 27; **604** 219
Chao, Y.-C., **598** 13
Charrue, P., **598** 187
Chaudhari, R.V., **601** 100
Chávez, I., **601** 126
Che, C.-M., **595** 114
Chen, B.-H., **598** 348
Chen, C., **613** 68
Chen, H., **603** 189
Chen, J., **601** 57
Chen, J.-D., **596** 226
Chen, L., **596** 70
Chen, T., **611** 99

Chen, W., **598** 409
Chen, Z.-N., **598** 63; **615** 131
Cheng, C.-H., **601** 253
Chessa, G., **601** 1
Cheung, K.-K., **595** 114; **598** 55
Cheung, S.-H., **596** 36
Chiang, M.Y., **613** 231
Chicote, F.O., **606** 176
Chien, J.C.W., **599** 107
Chisholm, M.H., **615** 238
Chistyakov, A.L., **599** 18
Chiu, K.-y., **615** 107
Chiusoli, G.P., **594** 409
Choe, H.-S., **610** 1
Choi, J.-C., **602** 144
Choi, M.-G., **599** 49
Choi, M.-Y., **595** 114
Choi, N.-S., **616** 67
Choi, S.-H., **608** 42
Chtchian, S., **613** 208
Chung, J.-H., **615** 83
Chung, K.-G., **603** 40
Churakov, A.V., **603** 86
Cicogna, F., **594** 251
Cifuentes, M.P., **605** 184; **605** 193; **607** 72; **610** 71
Ciruelos, S., **604** 103
Claramunt, R.M., **605** 117
Clark, A.M., **598** 262; **601** 299
Clarke, L.P., **609** 169
Clase, H.J., **605** 45
Claver, C., **608** 115
Clegg, W., **598** 248; **602** 15; **613** 128; **615** 57
Click, D.R., **615** 238
Cocker, T.M., **604** 132
Coles, S.J., **598** 111
Colligan, P.B., **603** 86
Colling, M., **615** 18
Collomb, M.-N., **608** 146
Colonna, M., **594** 251
Comte, V., **615** 131
Conole, G., **601** 271
Consiglio, G., **603** 122
Contel, M., **601** 299; **607** 129
Contreras, R., **604** 229; **606** 197; **607** 3; **615** 283
Conway, S.L.J., **609** 83
Cook, L.M., **616** 112
Cooke, P.A., **615** 57
Copéret, C., **594** 96
Cordes, W., **602** 1; **608** 106
Cory, M.G., **598** 193
Costa, I., **594** 267
Costa, M., **594** 180; **594** 409; **594** 431
Cote-Bruand, I., **609** 66
Cotton, F.A., **594** 1; **595** 300; **596** 130
Coville, N.J., **616** 112
Cowley, **596** 3
Cowley, A.H., **600** 168
Cox, M.G., **612** 18
Crabtree, R.H., **600** 7; **608** 146
Crespo, M., **601** 22; **604** 178
Crespo, O., **613** 50
Criado, R., **605** 117
Crisp, M.G., **607** 222
Crociani, B., **605** 28
Crociani, L., **600** 94
Cromhout, N.L., **612** 61
Cross, W.I., **601** 164; **616** 96
Cruz-Almanza, R., **598** 160
Cucci, N., **594** 431
Cuenca, T., **604** 103
Cunningham, D., **612** 53; **612** 61
Cunningham, M.H., **615** 188
Curto, M.J.M., **604** 157

Dąbrowski, M., **613** 93
Dąbrowski, M., **597** 190
da Costa, M.R.G., **604** 157
Dahlenburg, L., **616** 19
Dahrouch, M., **595** 153; **612** 69
Dakternieks, D., **598** 49; **605** 209
d'Alessandro, N., **594** 416
Dalil, H., **608** 63
Dallemer, F., **595** 261
Damodaran, K., **601** 100
Dandekar, S.A., **595** 87
Daniel, C., **609** 66
Danks, T.N., **603** 240; **613** 200
Daran, J.-C., **595** 261
Darensbourg, D.J., **615** 305
Da Ros, T., **599** 62
Das, B.C., **615** 255
Das, P.K., **604** 248
Das, S., **615** 255
Dash, A.K., **604** 83; **610** 49
Dastrù, W., **594** 135; **594** 226; **601** 344
Davankov, V.A., **608** 89; **613** 148
Davidsson, Ö., **608** 153
Davies, J.E., **609** 169
Davies, N.A., **604** 34
Davies, S.G., **604** 157
Day, C.S., **598** 150
Díaz, L., **605** 202
Díaz, S., **610** 25
Deacon, G.B., **607** 112
de Araújo Felix, L., **603** 203
Deeney, T., **595** 191
De Felice, V., **594** 445
de Jesús, E., **602** 208; **610** 42
de Kanter, F.J.J., **594** 369
de Koning, C.B., **616** 112
de la Mata, F.J., **602** 208; **610** 42
Delaude, L., **606** 55
Del Buttero, P., **594** 380
Delfs, C.D., **607** 208
Delgado, S., **603** 235
del Hierro, I., **598** 167
de Lima, G.M., **601** 142
Dell'Amico, D.B., **596** 144
Della Pergola, R., **594** 63
de los Ríos, I., **594** 485
del Río, I., **608** 115
Del Vecchio, E., **601** 233
del Villar, A., **602** 91
Demartin, F., **594** 325; **608** 34; **615** 294
Demonceau, A., **606** 55; **615** 48
de Montauzon, D., **598** 215
Deng, M.-Z., **603** 189
Denisov, F.S., **597** 196; **612** 9
Denisovich, L.I., **599** 87
Denk, M.K., **608** 122
de Oliveira, C.A.F., **603** 203
De Pascali, F., **594** 409
De Renzi, A., **594** 445
DeShong, P., **594** 49
de Sousa, A.P.G., **605** 82
Devi, A., **602** 29
de Vos, D., **608** 63
Díez, J., **594** 292
Diana, E., **594** 36
Dibenedetto, A., **605** 143
Dickson, P.M., **597** 105
Dickson, R.S., **603** 80; **607** 156
Diéguez, M., **608** 146
Dikarev, E.V., **596** 130
Dinjus, E., **597** 139
Di Vaira, M., **594** 127
Diversi, P., **594** 154
Djakovitch, L., **606** 101
Dohmaru, T., **611** 45
Dolgushin, F.M., **597** 48; **613** 60; **616** 106
Dolmella, A., **601** 1
Done, M.C., **607** 78
Dong, G., **605** 234
Dong, T.-Y., **601** 253
Dong, Y.-B., **598** 55
Dörfler, U., **615** 215
Dormond, A., **609** 21
Dötz, K.H., **602** 37
Dötz, K.H., **606** 26
Doufou, P., **603** 213
Dowling, C., **612** 18
Drake, J.E., **613** 244
Draper, S.M., **615** 202
Drent, E., **594** 211
Dreos, R., **601** 114
Drew, M.G.B., **601** 34; **602** 115; **604** 191
Driver, J., **607** 72
Drogunova, G.I., **597** 164
Duarte, M.T., **604** 157
Dübner, F., **604** 12
Duesler, E.N., **611** 99
Duncalf, D.J., **605** 45
Dunina, V.V., **603** 86; **603** 138
Dunn, K., **605** 209
Durán, J., **609** 29
Durà-Vilà, V., **600** 198
Dyker, G., **606** 108
Dyson, P.J., **607** 203

Eaborn, C., **597** 3
Eagle, C.T., **596** 90
Edelstein, N.M., **604** 296
Edwards, A., **615** 120
Edwards, A.J., **596** 204; **607** 129
Eglin, J.L., **596** 136
Egorov, M.P., **601** 324
Ehses, M.P., **594** 127
Eichele, K., **601** 220
Eisen, M.S., **595** 126; **604** 83; **604** 116; **610** 49
Eisentraeger, F., **594** 307; **601** 343
Eisenträger, F., **606** 88
Elango, V., **594** 49
Elbayed, K., **604** 27
Elgafi, S., **607** 97
El-Hamruni, S.M., **597** 3
Elias, A.J., **602** 125
Elipe, S., **607** 3
El-khateeb, M., **612** 14

Ellert, O.G., **612** 9
Ellis, B.G., **607** 137
Ellis, D.D., **615** 208
Ellis, J.E., **594** 354
El Mail, R., **601** 311
El-Qisairi, A., **603** 50
Elsagir, A.R., **597** 139
Elsegood, M.R.J., **598** 248; **602** 15
Elsevier, C.J., **597** 146
Endo, T., **611** 570
Englich, U., **598** 202; **605** 22; **613** 139
Enokido, T., **611** 433
Enright, G.D., **600** 84
Ephritikhine, M., **598** 313; **604** 83; **610** 49
Epstein, L.M., **610** 58
Erabi, T., **601** 246
Eremenko, I.L., **610** 58
Eriksson, H., **595** 102; **602** 133
Erker, G., **594** 388; **595** 307
Ermini, V., **594** 154
Escarpa Gaede, P., **616** 29
Esquius, G., **605** 226
Esteruelas, M.A., **599** 178
Estevan, F., **596** 248
Eujen, R., **613** 86
Exner, O., **597** 200

Fache, F., **603** 30
Fackler, J.P., Jr., **596** 1; **596** 237
Fajardo, M., **598** 167
Fakhri, S.A., **608** 6
Faleschini, P., **594** 465
Fallon, G.D., **607** 156
Falloon, S.B., **604** 52
Falomir, E., **616** 80
Falvello, L.R., **594** 421
Fandos, R., **606** 156
Fang, H., **615** 223
Fang, M., **598** 42
Fang, X., **609** 95
Fanwick, P.E., **596** 27; **604** 219
Faraoni, M.B., **613** 236
Farfán, N., **604** 273
Fargeas, V., **598** 187
Farooq, O., **613** 239
Farrar, D.G., **596** 90
Farwell, J.D., **603** 185
Fattakhova, D.S., **613** 170; **613** 220
Favero, G., **605** 127
Favresse, F., **598** 187
Fawzi, R., **595** 166; **601** 220
Fay, J.G., **616** 96
Fehlhammer, W.P., **613** 159
Fehlner, T.P., **609** 77; **614** 1; **615** 92
Félix, V., **601** 34
Femoni, C., **594** 325; **615** 294
Fernández, A., **612** 85
Fernández, A., **595** 199; **598** 1; **598** 71
Fernández, F.J., **594** 147
Fernández, J.J., **612** 85
Fernández, J.J., **595** 199; **598** 1; **598** 71
Fernández, S., **602** 151
Fernández-Baeza, J., **603** 194; **609** 123
Fernández-Trujillo, M.J., **609** 29
Ferrand, V., **601** 78
Ferrence, G.M., **596** 95
Ferrer, J., **606** 197
Ferrer, M., **598** 215
Fettinger, J.C., **594** 27
Fey, O., **595** 285
Fiaschi, R., **596** 242
Fiedler, J., **598** 136; **604** 267
Field, L.D., **607** 97; **615** 195
Fillebeen, T., **596** 22
Fink, M.J., **616** 10
Finke, R.G., **610** 112
Fischer, C., **603** 116
Fischer, H., **599** 288
Fischer, J., **607** 12
Fischer, R.A., **602** 29; **606** 132
Fischer, R.D., **604** 34
Flay, M.-L., **615** 131
Flores, J.C., **594** 202; **602** 208; **610** 42
Flores, M.A., **615** 48
Floriani, C., **594** 86; **596** 77
Flower, K.R., **601** 164
Fochi, A., **594** 180
Fölsing, H., **606** 132
Fontaine, X.L.R., **615** 269
Fontani, M., **594** 7
Font-Bardía, M., **601** 22; **604** 178; **605** 226
Font-Bardía, M., **598** 215
Font-Bardía, M., **598** 87
Foos, E.E., **598** 182
Forlani, L., **601** 233
Fornasier, R., **605** 127
Forniés, J., **594** 421
Forsyth, C.M., **607** 112
Fox, M.A., **597** 157; **610** 20; **615** 262
Fox, T., **609** 196
Frackowiak, M., **609** 189
Franceschi, F., **594** 86
Francis, J.A., **597** 29
Franke, H., **598** 127
Franken, A., **615** 208
Fredin, L., **595** 248
Frenzel, U., **606** 8
Fridgen, J., **603** 69
Fries, G., **607** 182
Fritzen, P., **598** 127
Fröhlich, R., **602** 51
Fröhlich, R., **594** 388; **595** 307
Frohn, H.-J., **598** 127
Froneck, T., **599** 288
Frosch, W., **601** 226; **602** 91
Fu, E., **598** 42
Fu, W., **615** 75
Fuchs, J., **613** 159
Fuentealba, M., **608** 126
Fugami, K., **611** 433
Fugger, C., **597** 116
Fujihara, H., **611** 566
Fujii, I., **604** 20
Fujii, T., **611** 272
Fujimori, T., **611** 272
Fujita, M., **611** 4557
Fujita, T., **605** 134
Fujitsuka, M., **599** 216; **611** 414
Fujiue, N., **611** 45
Fujiwara, Y., **611** 509
Fukaya, N., **611** 228
Fukuhara, Y., **611** 26
Fukuoka, H., **611** 543; **611** 547
Furin, G.G., **598** 243; **613** 60
Fürstner, A., **606** 75
Furukawa, I., **603** 6
Furukawa, N., **611** 116
Furukawa, S., **611** 36
Furuta, H., **611** 551
Futako, W., **611** 525

Gabbaï, F.P., **604** 132
Gabel, D., **615** 215
Gabriele, B., **594** 409
Galakhov, M.V., **594** 147; **595** 36
Galan-Fereres, M., **595** 126
Galán-Mascarós, J.R., **596** 248
Galassi, R., **594** 392
Gałdecka, E., **597** 20
Gałdecki, Z., **597** 20
Galeotti, F., **594** 232
Gallagher, J.F., **596** 204; **615** 231
Gallagher, S., **605** 168
Gallo, E., **594** 109
Gallucci, J.C., **594** 465; **597** 125
Galvão, A.M., **598** 318
Gamasa, M.P., **594** 292
Gambaro, A., **594** 315; **600** 94
Ganis, P., **594** 315; **600** 94; **601** 267
Gao, C., **598** 42
García, M., **603** 225
García, M.M., **598** 254; **605** 89
García-Báez, E.V., **599** 313
García-Bernabé, A., **596** 248
García Fidalgo, E., **602** 188
García-Vázquez, J.A., **595** 59
García y García, P., **598** 160
García-Yuste, S., **603** 194; **609** 123
García-Yuste, S., **598** 167
Gardès-Gariglio, H., **604** 186
Garland, M., **608** 76; **613** 124
Garlaschelli, L., **594** 63
Garman, R.N., **603** 240
Garralda, M.A., **601** 311
Garrido, J., **607** 129
Garrioch, R.M., **615** 153
Gary Newton, M., **600** 63
Gashti, A.N., **615** 120
Gaßner, F., **597** 139
Gatilov, Y.V., **604** 1
Gauch, E., **594** 175
Gautheron, B., **598** 365; **613** 7; **613** 77
Gautier, R., **609** 196
Gavrilov, K.N., **608** 89; **613** 148
Gebert, S., **615** 158
Geetha, K., **596** 232
Geisbauer, A., **599** 238; **604** 301
Gelbrich, T., **595** 21; **597** 92
Gelinsky, M., **595** 140
Gemel, C., **594** 342
Genêt, J.-P., **603** 1; **603** 128
Geprägs, M., **602** 173
Gerisch, M., **597** 10; **598** 286
Ghose, S., **595** 140; **606** 176
Ghosh, S., **615** 92
Gielen, M., **608** 63
Gillespie, K.M., **606** 141
Gillet, J.-P., **603** 128
Gil-Rubio, J., **612** 125
Gilson, D.F.R., **616** 1
Gimeno, J., **594** 292

Gimeno, M.C., **596** 10; **613** 50
Ginzburg, A.G., **599** 37
Giovannitti, B., **594** 445
Gladysz, J.A., **604** 52; **616** 44; **616** 54
Glaeser, B., **604** 191
Gleiter, R., **610** 80
Glynn, S.J., **606** 125
Göbel, A., **610** 102
Gobetto, R., **594** 135; **594** 226; **601** 344
Goh, L.Y., **607** 64
Gollas, B., **602** 75
Gomez, J., **594** 421
Gómez, M., **595** 36
Gómez, R., **602** 208; **610** 42
Gómez-de la Torre, F., **603** 174
Gómez-Lor, B., **599** 8
Gómez-Sal, P., **604** 103
Gómez-Sal, P., **595** 36
González, A., **610** 25
González de Riancho, S., **610** 25
Goodgame, D.M.L., **594** 161; **596** 16
Goodgame, M., **596** 16
Görls, H., **597** 116; **597** 139; **598** 103
Gorman, J.D., **607** 93
Gornitzka, H., **595** 153; **600** 112; **613** 33
Gorunova, O.N., **603** 138
Gossage, R.A., **608** 164
Goto, K., **611** 146
Goto, M., **611** 146; **611** 577
Gouygou, M., **595** 261
Grachvogel, D.A., **596** 16
Graf, V.W., **604** 72
Graiff, C., **594** 431
Granata, G., **608** 34
Grandi, F., **594** 431
Granell, J., **595** 54; **603** 235
Granger, P., **604** 27
Graschy, S., **598** 202
Grattan, T.C., **607** 120
Gray, G., **595** 191
Gražulevičius, J.V., **595** 66
Greatrex, R., **615** 61; **615** 144; **615** 262
Green, J.C., **609** 83
Green, M.L.H., **609** 83
Greenall, J.A., **616** 96
Greenwood, N.N., **615** 144
Grepioni, F., **594** 101
Griffith, W.P., **607** 146
Grimmer, N.E., **616** 112
Grishin, Y.K., **603** 138
Grobelny, Z., **595** 66; **604** 283
Gross, J.H., **606** 88
Gross, T., **598** 395
Gruet, K., **600** 7
Grün, K., **595** 285
Grüner, B., **615** 269
Gsponer, A., **603** 122
Gstöttmayr, C.W.K., **595** 186
Gu, H., **605** 234
Guerchais, V., **595** 81
Guerret, O., **600** 112
Guillaumont, D., **609** 66
Guiry, P.J., **603** 110
Güizado-Rodríguez, M., **615** 283
Güizado-Rodríguez, M., **604** 229
Gukdi, D.M., **599** 2; **599** 62
Guo, D.-S., **616** 140
Guo, M.-P., **603** 249
Guo, Y.-L., **612** 172
Gupta, B.D., **602** 1; **608** 106
Gutiérrez, J.A., **599** 147
Gutsul, E.I., **610** 58
Guttenberger, C., **602** 65
Guzei, I., **596** 70
Guzei, I.A., **605** 168
Guzman-Jimenez, I.Y., **615** 243
Gvozdev, V., **599** 288

Haagenson, D.C., **603** 86
Haaland, A., **597** 87
Hackler, U.E., **599** 32
Hada, Y., **611** 488
Hafner, A., **606** 65
Hagadorn, J.R., **607** 227
Hagen, H., **608** 27
Hagisawa, S., **611** 449
Hagiwara, S., **611** 433
Hagu, H., **601** 341
Haider, J.J., **603** 69
Haiduc, I., **607** 64
Håkansson, M., **602** 5; **602** 133
Håkansson, M., **595** 102
Hallberg, A., **603** 2
Halterman, R.L., **604** 12
Hamada, Y., **611** 78
Hamasaki, A., **611** 577
Hamilton, J.G., **606** 8; **606** 37; **606** 84
Hammud, J.A., **599** 166
Hamon, J.-R., **608** 126
Hamon, P., **608** 126
Hampel, F., **616** 54
Hanaoka, Y., **616** 89
Handmann, V.I., **613** 19
Hanna, J.-i., **611** 531
Hansen, S.M., **606** 88
Haquette, P., **604** 52
Hara, R., **611** 299
Harding, C.J., **606** 84
Hardman, N.J., **609** 152
Harima, Y., **611** 537
Harris, C.B., **596** 183
Harris, P.W.R., **601** 172
Harris, R.K., **604** 34
Harrison, P.G., **599** 185
Hart, S.L., **605** 45
Hartmann, H., **604** 267
Hascall, T., **596** 22
Hashizume, T., **603** 40
Hattersley, A.D., **615** 202
Haukka, M., **598** 235; **612** 106; **613** 257
Häusler, T., **598** 116
Hayashi, S., **611** 178
He, R., **599** 143
Healy, P.C., **607** 41
Hecht, E., **595** 21
Heiermann, J., **606** 108
Heikkinen, V., **598** 235
Heitz, M.C., **609** 66
Heller, D., **603** 61
Henderson, K.W., **602** 15
Hengge, E., **598** 202; **605** 22
Henkel, G., **595** 166; **606** 108
Henry, P.M., **603** 50
Henry, W.P., **613** 111
Heras, J.V., **605** 117
Herberhold, M., **598** 142; **604** 170
Herber, R.H., **605** 174; **612** 1
Herbst, K., **616** 19
Herdtweck, E., **596** 177; **602** 158
Hermann, U., **598** 202; **605** 22
Hernandes, M.Z., **603** 203
Hernández, C., **606** 156
Hernández, R., **594** 202
Herranz, M.A., **599** 2
Herrero, J., **599** 178
Herrmann, W.A., **594** 489; **595** 186; **600** 12; **601** 138; **603** 69; **606** 8
Herzig, C., **606** 3
Herzog, U., **602** 193; **612** 133
Hesschenbrouck, J., **596** 77
Hey-Hawkins, E., **595** 126; **604** 116; **608** 21
Hibbs, D.E., **595** 241
Hidai, M., **599** 221
Higuchi, T., **611** 586
Hihara, G., **598** 276
Hill, M.S., **597** 3
Hiller, J., **597** 146
Hiraki, K., **601** 69
Hirano, M., **607** 18
Hirao, T., **599** 135
Hiratsuka, H., **604** 20; **611** 71
Hirayama, N., **604** 20
Hirobe, M., **611** 586
Hirunuma, Y., **611** 433
Hiscox, W.C., **615** 314
Hitchcock, P.B., **597** 3; **601** 142; **601** 335; **605** 221; **613** 105
Hiyama, T., **611** 1; **611** 12
Ho, D.M., **599** 308; **613** 13
Ho, P.-H., **601** 253
Hobbold, M., **595** 12; **610** 123; **613** 56
Hodgson, M.J., **607** 41
Hoffman, D.M., **599** 112
Hoffmann, D., **598** 395
Hoffmann, T., **598** 286
Hofmann, M., **615** 262
Hofmann, P., **606** 88
Hogarth, G., **595** 134
Holden, M.S., **613** 263
Holder, G.N., **596** 90
Holland, F., **604** 191
Holle, S., **605** 157
Hollman, A., **609** 44
Holt, H.L., Jr., **601** 147
Holub, J., **615** 57
Holz, J., **603** 61
Homrighausen, C.L., **602** 97
Honda, E., **611** 4557
Honda, Z., **609** 184
Hong, B., **596** 53
Hong, H., **613** 68
Hopman, M., **597** 3
Hoppe, H., **594** 175
Hor, T.S.A., **595** 276
Horáček, M., **597** 146
Hori, K., **603** 6
Horiuchi, H., **604** 20; **611** 71
Horn, E., **608** 63; **611** 414
Horner, G.M., **595** 215
Horrocks, B.R., **598** 248
Hos, J.P., **598** 28

Hosmane, N.S., **614** 1; **615** 10
Hossain, M.M., **606** 176
Houben, J.L., **594** 251
Houbrechts, S., **605** 184; **605** 193; **610** 71
Houlton, A., **598** 248
Hourihane, R., **595** 191
Housecroft, C.E., **609** 89; **615** 202
Howard, J.A.K., **597** 157; **603** 138; **610** 20
Howells, M.E., **613** 200
Hsu, H.-F., **599** 97
Hu, H., **605** 234
Hu, Q.-M., **613** 42; **616** 140
Hu, Z., **595** 268; **613** 1
Huang, H., **599** 42
Huang, J., **598** 339
Huang, S.-P.D., **598** 374
Huang, X., **595** 268; **603** 249; **613** 1
Huang, X.-Y., **605** 234
Huang, Z.-E., **604** 260
Huffman, J.C., **594** 342; **605** 82; **615** 120; **615** 238
Huhmann-Vincent, J., **609** 95
Humphrey, M.G., **605** 184; **605** 193; **607** 72; **607** 208; **610** 71
Hupfer, H., **606** 26
Hurley, A.L., **598** 150
Hursthouse, M.B., **595** 241; **598** 111; **607** 129; **613** 244
Husebye, S., **612** 46
Hussain, I., **596** 16
Hussein, K., **612** 69
Huttner, G., **594** 494
Hutton, A.T., **602** 213; **606** 188
Hwang, C.-S., **609** 152
Hwang, W.-S., **613** 231
Hyde, J., **606** 188
Hydrio, J., **595** 261
Hyla-Kryspin, I., **610** 80
Hynes, R.C., **598** 276
Hyun Kim, J., **605** 239

Iapalucci, M.C., **594** 325; **615** 294
Ibarlucea, L., **601** 311
Ichikawa, K., **596** 121
Ichinohe, M., **611** 228
Igau, A., **599** 304
Iglesias, M., **599** 8; **601** 284
Ihara, E., **613** 26
Iikura, H., **599** 32
Iimori, H., **611** 172
Iiskola, E.I., **606** 169
Imae, I., **611** 20
Imhof, W., **610** 102
Imoto, H., **611** 547
Incarvito, C.D., **601** 191
Ingrosso, G., **594** 251
Inoue, H., **611** 40; **611** 593
Inoue, S., **606** 147
Iovel, I., **608** 1
Isaac, C.J., **598** 248
Ishifune, M., **611** 26
Ishiguro, A., **611** 558
Ishii, A., **611** 127
Ishii, T., **596** 121
Ishii, Y., **599** 221
Ishikawa, M., **611** 248; **611** 280
Ishioka, T., **596** 121
Ishiyama, T., **611** 392
Isobe, K., **611** 386
Israel, G., **598** 286
Ito, J., **603** 6
Ito, O., **599** 216; **611** 414
Ito, T., **611** 308
Ito, Y., **603** 18; **611** 403
Ivanov, Y.V., **601** 324
Ivin, K.J., **606** 37
Ivushkin, V.A., **597** 77
Iwama, T., **611** 4557
Iwamoto, T., **611** 236
Iwamura, T., **611** 4557
Iwaoka, M., **611** 164
Iwase, K., **611** 488
Izod, K., **613** 128

Jackson, W.R., **603** 80; **607** 156
Jaeger, M., **616** 44
Jafarpour, L., **606** 49
Jagner, S., **595** 102; **602** 5; **602** 133
Jalón, F.A., **603** 174
Jamis, J., **603** 80
Jan, D., **606** 55
Jang, E.K., **599** 232
Jankowski, S., **595** 109
Jaouen, G., **594** 167; **594** 232; **596** 242; **600** 23
Jastrzebski, J.T.B.H., **603** 244
Jawad, J.K., **599** 166
Jayasimhulu, K., **610** 118
Jayasree, S., **601** 100
Jeges, G., **595** 93
Jerzykiewicz, L., **594** 245
Jerzykiewicz, L.B., **597** 133; **604** 241
Jeske, J., **595** 12; **610** 123
Jia, C.-S., **601** 108
Jia, G., **598** 228; **601** 330
Jiang, C., **595** 276
Jiao, H., **616** 54
Jimenez-Perez, V.M., **604** 229
Jiménez Tenorio, M., **609** 161
Jin, X.-P., **605** 234
Jin, Y.-N., **611** 127
Jimenez-Pérez, V.M., **615** 283
Johans, A.W., **602** 115
Johansson, A., **608** 153
Johnson, B.F.G., **596** 221
Jolly, P.W., **605** 157
Jones, C., **607** 105
Jones, P.G., **595** 12; **596** 10; **610** 123; **613** 50
Jones, R.A., **596** 3
Jónsson, M., **608** 60
Joó, F., **594** 299
Jouet, R.J., **598** 182; **601** 191
Jouikov, V.V., **613** 170; **613** 220
Jung, I., **599** 208
Jung, J., **595** 147
Jung, J.-H., **599** 112
Jung, T.S., **599** 232
Junk, P.C., **604** 116; **607** 105; **607** 112
Jurkschat, K., **602** 170
Jutzi, P., **600** 127; **608** 86
Juvaste, H., **606** 169

Kaagman, J.-W.F., **597** 146
Kabalka, G.W., **615** 255
Kabir, S.E., **616** 157
Kaczorek, M., **601** 133
Kadarkaraisamy, M., **605** 39
Kadlecek, D.E., **615** 125
Kadyrov, R., **603** 61
Kahlal, S., **615** 243
Kai, Y., **613** 26
Kaim, W., **596** 84; **598** 136; **604** 267
Kaiser, N.-F.K., **603** 2
Kajitani, M., **611** 376
Kakimoto, M., **611** 537
Kako, M., **599** 216; **611** 78; **611** 85; **611** 414; **611** 420
Kalck, P., **613** 77
Kalina, O.G., **599** 28
Kameyama, M., **611** 433
Kamigata, N., **611** 106
Kamiguchi, S., **609** 184
Kamiya, T., **611** 525
Kanehisa, N., **613** 26
Kanemitsu, Y., **611** 40
Kang, B.-S., **598** 63
Kang, S.-K., **610** 38
Kang, S.O., **615** 83
Kang, S.-Y., **611** 280
Kang, Y.S., **615** 83
Karim, M.M., **599** 261; **599** 275
Karlou-Eyrisch, K., **606** 3
Karlov, S.S., **598** 387
Karsch, H.H., **604** 72
Karty, J.A., **615** 120
Kashimura, S., **611** 26
Kastner, G., **598** 381
Kataeva, N.A., **603** 86
Kataoka, T., **611** 4557
Katayama, H., **606** 16
Katayama, T., **610** 31
Kathó, Á., **594** 299
Kato, S., **611** 190
Kato, T., **611** 26; **613** 33
Kawabata, K., **611** 32
Kawachi, A., **601** 259
Kawaguchi, A., **611** 136
Kawai, Y., **611** 136
Kawakami, Y., **611** 20
Kawano, H., **601** 69; **611** 370
Kawashima, T., **611** 256
Kawata, K., **611** 433
Kayamori, T., **601** 324
Kazankov, G.M., **601** 51
Kégl, T., **595** 93
Keglevich, G., **595** 109
Kelly, B.D., **604** 150
Kemmer, M., **608** 63
Kemp, R.A., **596** 70
Kempe, R., **598** 395; **613** 208
Kempgens, P., **604** 27
Keng, T.-C., **596** 226
Kennedy, J.D., **615** 57; **615** 61; **615** 215; **615** 269
Kennedy, S.M.F., **609** 2
Kenwright, A.M., **606** 37
Kerzina, Z.A., **616** 106
Keun Park, S., **595** 147
Keuseman, K.J., **603** 86
Khabashesku, V.N., **595** 248
Khosravi, E., **606** 37

Kiae, H., **598** 222
Kiefer, W., **612** 125
Kiesewetter, J., **595** 81
Kikuchi, K., **611** 586
Kikuchi, T., **611** 136
Kilner, M., **607** 78
Kim, B., **616** 128
Kim, C., **599** 123; **599** 208
Kim, D.H., **599** 232; **608** 133
Kim, H., **595** 147
Kim, H.-J., **616** 67
Kim, H.S., **615** 83
Kim, J.H., **599** 232
Kim, S.-J., **615** 83
Kim, Y.-J., **603** 152
Kimura, M., **602** 144
Kimura, T., **611** 136
Kinart, C.M., **608** 49
Kinart, W.J., **608** 49
King, C.M., **600** 63
King, J.D., **601** 271
King, R.B., **597** 54; **600** 63
King, S.J., **607** 213
Kinnunen, T.-J.J., **613** 257
Kinoshita, H., **611** 4557
Kinoshita, I., **611** 386
Kira, M., **611** 236; **612** 117
Kirchner, K., **594** 342; **602** 59
Kirin, V.P., **604** 1
Kirner, H.-J., **606** 65
Kisch, H., **604** 300
Kisko, J.L., **596** 22
Kitagawa, S., **596** 121
Kitamura, T., **611** 509
Kitaoka, N., **611** 190
Kivekäs, R., **606** 183
Klaman, A., **599** 159
Klankermayer, J., **601** 211
Klein, A., **601** 22
Klimova, E.I., **598** 254; **602** 105; **605** 89; **613** 132
Klimova, T., **598** 254; **602** 105; **605** 89
Klinga, M., **606** 112
Kloppenburg, L., **606** 13
Klunduk, M.C., **596** 221
Kluwe, K., **604** 68
Knizek, J., **615** 168
Knoesen, O., **598** 103
Knör, G., **610** 16
Knüppel, S., **595** 307
Ko, B.-T., **598** 13
Ko, J., **615** 83
Kobayashi, K., **611** 116; **611** 264; **611** 414
Kobiro, K., **605** 134
Koch, T., **595** 126; **604** 116
Köckerling, M., **606** 108
Kodama, H., **603** 6
Kogai, Y., **611** 26
Kohl, F.J., **606** 8
Köhler, K., **601** 226; **606** 101
Köhn, R.D., **599** 317
Kojima, Y., **616** 149
Kolehmainen, E., **613** 7
Koll, L.C., **613** 236
Kollár, L., **595** 93
Kolly, R., **606** 65
Komatsu, H., **611** 164
Komiya, S., **607** 18
Komoriya, H., **611** 420
Kondo, M., **596** 121
Kondo, T., **611** 78
Konishi, T., **599** 216
Kooijman, H., **598** 24
Körning, J., **606** 108
Korostylev, A.V., **608** 89; **613** 148
Kort, D.A., **596** 27
Koshino, H., **595** 208
Koskinen, A.M.P., **598** 235
Kosugi, M., **611** 433
Kotz, K.T., **596** 183
Koutsantonis, G.A., **598** 28
Kovács, I., **596** 193
Kovács, J., **594** 299
Kovalevsky, A.Y., **613** 148
Kowalewska, A., **597** 111
Kowalska, M.W., **597** 20
Kowalski, A., **597** 20
Kownacki, I., **597** 175
Koy, C., **603** 116
Koyama, D., **611** 433
Kozitsyna, N.Y., **594** 274
Kraatz, H.-B., **594** 27
Krause, W., **609** 189
Krause Bauer, J.A., **602** 97
Kravchuk, D.N., **599** 37
Kravtsov, D.N., **597** 164
Kreindlin, A.Z., **616** 106
Krempner, C., **613** 208
Krishnan, A., **604** 248
Kross, R.K., **603** 203
Krska, S.W., **608** 172
Kryza-Niemiec, B., **594** 245; **613** 37
Kubas, G.J., **609** 95
Kubicki, M.M., **598** 365
Kuczkowski, A., **604** 202
Kudin, K.N., **595** 248
Kühl, O., **604** 116
Kühn, F.E., **596** 177
Kumar, G.R., **595** 140
Kumar Rai, S., **605** 102
Kunai, A., **611** 537
Kuncheria, J., **594** 77
Kunimi, Y., **611** 64
Kunkely, H., **606** 207
Kunugi, Y., **611** 537
Kurata, N., **607** 18
Kurihara, H., **601** 246
Kuroda, S., **611** 304
Kurosaki, H., **611** 577
Kurosawa, H., **616** 135
Kusama, Y., **616** 74
Kuwano, R., **603** 18
Kuwata, S., **599** 221
Kuz'mina, L.G., **613** 77
Kuz'mina, L.G., **603** 138
Kuz'mina, L.G., **603** 86
Kuz'mina, L.G., **601** 51
Kvíčalová, M., **597** 200
Kwak, Y.-S., **603** 152
Kwon, O.-S., **596** 102
Kyun Noh, S., **595** 147
Kyushin, S., **611** 52

Labella, L., **594** 427; **596** 144
Lafleur, D., **616** 1
Lagow, R.J., **596** 6
Laguna, A., **596** 10; **613** 50
Laguna, M., **607** 129
Lahiri, G.K., **606** 151
Lahoz, F.J., **598** 329; **607** 3
Lahuerta, P., **596** 248; **612** 36
Lai, W., **604** 197
Laihia, K., **613** 7
Laikov, D.N., **597** 182
Laine, T.V., **606** 112
Laios, I., **596** 242
Laitinen, R.H., **598** 235
Laitinen, R.S., **595** 232
Laly, M., **613** 77
Lam, H.-Y., **595** 70
Lam, T.C.H., **608** 139
Lamata, M.P., **606** 197
Lamba, J.J.S., **607** 120
Lance, M., **598** 313
Landers, E.M., **612** 53
Lanfranchi, M., **594** 380
Lang, H., **601** 93; **601** 226; **602** 72; **602** 91; **602** 193
Langlotz, J., **597** 92
Lappalainen, K., **606** 112
Lappert, M.F., **600** 144; **601** 142; **603** 185; **605** 221; **612** 182; **613** 105
Larhed, M., **603** 2
Laschi, F., **594** 7
Lath, R., **608** 96
Latif, L.A., **602** 115
Lavender, M.H., **595** 134
Lawless, G.A., **601** 142
Lazzaroni, R., **598** 174; **599** 298; **601** 320; **605** 68
Le, T.X., **594** 49
Le Borgne, T., **598** 313
Le Bozec, H., **601** 78
Le Bras, J., **616** 44; **616** 54
Lebret, B., **598** 187
Lebuis, A.-M., **598** 276
Leclercq, G., **596** 242
Lee, D.-h., **595** 147; **600** 7
Lee, F.-W., **595** 114
Lee, G.-H., **598** 353
Lee, H.-J., **605** 239
Lee, H.M., **601** 330
Lee, H.-S., **615** 83
Lee, J.-C., **611** 570
Lee, K., **599** 49
Lee, K.-B., **605** 239
Lee, S.-M., **595** 70; **596** 36
Lee, S.W., **616** 67
Lee, S.-W., **603** 152; **610** 38
Lee, T.R., **599** 112
Lee, V.Y., **611** 228
Lefort, L., **594** 96
Le Gendre, P., **605** 151
Leggett, G., **598** 36
Le Gouic, A., **597** 3
Lehmann, C.W., **605** 109
Lehn, J.-S., **594** 167
Leirer, M., **610** 16
Lemaire, M., **603** 30; **616** 37
Leng, M., **598** 339
Lentz, D., **612** 96
Lenze, N., **608** 86

Leong, W.K., **607** 64; **609** 104
Leoni, P., **594** 12
Lescop, C., **594** 167
Leshina, T.V., **601** 324
Leskelä, M., **606** 112
Lessen, T.A., **594** 49
Letov, A.V., **598** 243
Leung, P.-H., **607** 64
Leung, S.-Y., **596** 36
Leung, W.-H., **604** 197; **608** 139
Lewis, J., **596** 204; **615** 231
Li, G., **615** 255
Li, R., **599** 143
Li, Z., **598** 339
Liable-Sands, L., **605** 168
Liang, Y.-m., **612** 172
Liao, M.-S., **598** 374
Liberatore, L., **594** 416
Licandro, E., **594** 380
Licence, P., **598** 111
Licht, E.H., **599** 261; **599** 275
Lickiss, P.D., **594** 161; **597** 111
Liddle, S.T., **613** 128
Light, M.E., **613** 244
Lin, C.-C., **598** 13
Lin, S.-T., **610** 1
Lin, Z., **608** 42
Lindner, E., **595** 166; **601** 220; **602** 173
Linnanto, J., **613** 7
Little, C.A., **607** 120
Liu, C.-M., **598** 348; **612** 172
Liu, G., **608** 76; **613** 124
Liu, H., **595** 276
Liu, L.K., **595** 276
Liu, L.-S., **610** 1
Liu, S., **596** 109; **599** 74
Liu, W.-Y., **598** 348
Llusar, R., **616** 80
Lobanova, I.A., **597** 48
Lobmaier, G.M., **603** 69
Loch, J.A., **600** 7
Lohner, P., **607** 12
Lombardi, A., **615** 294
Londesborough, M.G.S., **615** 57
Longlet, J.J., **595** 87
Longo, E., **603** 203
Longoni, G., **594** 325; **615** 294
Lopes, P.E.M., **609** 53
López, C., **598** 87
López, C., **594** 485
López-Solera, I., **598** 167
López-Torres, M., **612** 85
López-Torres, M., **595** 199; **598** 1; **598** 71
Lorberth, J., **598** 387
Lorenz, I.-P., **602** 24
Lork, E., **608** 60
Lotz, S., **598** 103
Louattani, E., **604** 234
Lough, A.J., **609** 110
Loukova, G.V., **606** 203
Love, J.B., **602** 211
Lu, G.-L., **601** 237
Lucas, N.T., **605** 184; **605** 193
Lucas, R., **597** 111
Luft, G., **608** 71
Lukehart, C.M., **596** 252
Lukevics, E., **608** 1; **610** 8
Lukmanova, D., **605** 168
Luliński, S., **597** 190
Luna, R., **604** 273
Lunin, V.V., **597** 182
Luther-Davies, B., **607** 72; **610** 71
Lyakina, A.Y., **597** 196
Lydon, D.P., **601** 305
Lyssenko, K.A., **597** 196; **612** 9

Ma, J.-F., **616** 149
Ma, R., **611** 445
Ma, Y., **613** 1
Ma, Y.-X., **598** 348; **612** 172
MacBride, J.A.H., **610** 20
Maccato, C., **594** 307; **601** 343
Macchioni, A., **594** 119; **594** 392
Macgregor, S.A., **607** 164
Mach, K., **597** 146
Machnitzki, P., **602** 158
Maciejewski, H., **597** 175; **605** 221
Madura, I., **597** 190; **613** 119
Maeda, Y., **599** 216; **611** 414
Mäeorg, U., **601** 341
Maercker, A., **604** 283
Maes, J., **610** 71
Magdesieva, T.V., **599** 37
Mague, J.T., **616** 10
Maguire, J.A., **615** 10
Mahieu, B., **608** 63
Mahon, M.F., **615** 113
Maichle-Mössmer, C., **602** 75
Maini, L., **594** 101
Maiorana, S., **594** 380
Maisel, H., **602** 45
Maisse-François, A., **609** 196
Mak, T.C.W., **598** 80; **601** 160; **605** 15; **615** 107
Makabe, I., **611** 100
Makino, O., **611** 514
Makioka, Y., **611** 509
Makropoulos, N., **615** 70
Maksakov, V.A., **604** 1
Maldanis, R.J., **599** 107
Malik, K.M.A., **595** 241; **615** 188
Malisch, W., **595** 285
Malone, Y.M., **603** 110
Malyshev, O., **597** 42
Malyugina, S., **597** 42
Manassero, M., **594** 63
Mandal, S.K., **599** 308; **613** 13
Mandolesi, S.D., **613** 236
Máñez, M.A., **609** 29
Maniukiewicz, W., **601** 126
Manivannan, R., **601** 16
Mann, B.E., **607** 175
Manning, A.R., **612** 18; **612** 61
Manoli, F., **594** 315; **600** 94; **601** 267
Mansilla, N., **602** 72
Manuel, G., **604** 141
Manuel Manríquez, J., **601** 126
Manzanero, A., **604** 103
Manzano, B.R., **603** 174
Manzur, C., **608** 126
Maran, F., **601** 201
Marchetti, F., **594** 12; **594** 154; **594** 251; **596** 144
Marchi, C., **599** 304
Marciniec, B., **597** 175
Marcuzzi, F., **605** 127
Mareque Rivas, J.C., **609** 36
Margrave, J.L., **595** 248
Maria Caporusso, A., **607** 57
Marin, C., **615** 294
Marini, S., **594** 292
Marschner, C., **598** 202; **603** 185; **605** 22
Martin, A., **595** 36
Martin, C.M., **596** 221
Martin, M., **599** 178
Martin, N., **599** 2
Martinengo, S., **594** 63
Martins, J.C., **608** 63
Martinez, A., **603** 225
Martinez, F., **598** 329
Martínez García, M., **602** 105
Marton, D., **605** 127; **612** 78
Martyn, L.J.P., **603** 98
Maruo, T., **613** 26
Maruyama, Y., **609** 130
Marx, T., **615** 137
Masaki, Y., **601** 69
Mashima, K., **594** 69; **607** 51
Mason, M.R., **599** 200
Mata, J.A., **616** 80
Matano, Y., **611** 89
Mathur, P., **595** 140; **606** 176
Matsubara, T., **611** 12
Matsubayashi, G.-e., **611** 364
Matsukawa, K., **611** 40
Matsumoto, H., **611** 52
Matsumoto, K., **611** 514
Matsunaga, T., **601** 69
Matsuo, Y., **594** 69; **607** 51
Matsushige, K., **611** 85
Matsuzaka, H., **596** 121; **599** 221
Matteoni, S., **594** 154
Matteson, D.S., **615** 314
Mattheis, C., **602** 51
Maury, O., **594** 96
Mauthner, K., **594** 342
Mavunkal, I.J., **594** 361
Maynard, N.P., **595** 215
Mayoral, E., **599** 170
Mayr, A., **598** 55
Mays, M.J., **601** 271
McArdle, P., **612** 53; **612** 61
McCamley, A., **605** 45
McCormack, P.J., **605** 45
McDonagh, A.M., **605** 184; **605** 193; **607** 208; **610** 71
McDonald, R., **596** 95
McEachin, C., **599** 308
McGrady, J.E., **607** 203; **607** 213
McGrath, T.D., **615** 208
McKeown, A.E., **602** 15
Mechtler, C., **598** 202
Meehan, M.M., **604** 191
Mellet, P., **598** 365
Mendez Stivalet, J.M., **602** 105
Meneghetti, F., **605** 28
Menzer, S., **594** 161
Mereiter, K., **595** 93; **602** 59
Merz, K., **606** 132
Messerle, B.A., **607** 97
Meunier, D., **594** 96
Meurig Thomas, J., **596** 221

Meyer, W.E., **616** 44; **616** 54
Miao, S.-B., **601** 87; **604** 214
Michalik, D., **603** 116
Michaut, M., **606** 93
Michelin, R.A., **600** 37
Mifflin, J.P., **601** 293
Mifune, H., **611** 190
Mikata, Y., **611** 100
Milius, W., **598** 142; **602** 45; **604** 170
Millan, L., **608** 126
Miller, S.M., **610** 112
Milone, L., **594** 226; **594** 232; **601** 344
Milstein, D., **594** 479
Mimura, S., **611** 40
Minacheva, M.K., **598** 243
Minato, M., **611** 308
Minghetti, G., **595** 224
Mingos, D.M.P., **600** 198
Mink, J., **616** 1
Mirkin, C.A., **606** 79
Mirza, H.A., **594** 77
Mishiba, Y., **611** 433
Mishnev, A., **608** 1
Mitchell, A.C., **613** 13
Mitchenko, S.A., **604** 290
Mityuk, D., **597** 42
Miyaji, Y., **599** 135
Miyake, Y., **611** 475
Miyaki, Y., **616** 135
Miyaura, N., **595** 31; **611** 392
Miyazaki, H., **603** 18
Miyoshi, S., **611** 272
Mo, C.-Y., **601** 271
Moberg, C., **603** 2
Mochida, K., **601** 324; **611** 420
Mohammadpour, A., **598** 222
Möhlen, M., **594** 458
Mohr, F., **607** 93
Mohr, M., **595** 166
Moigno, D., **612** 125
Moiseev, I.I., **594** 274
Mok, K.F., **595** 276
Molapisi, J.J., **609** 60
Molina, P., **598** 329
Molins, E., **601** 126
Molla, E., **602** 45; **616** 157
Monari, M., **594** 325; **606** 163
Monici, C., **594** 180
Montalti, M., **594** 267
Morales, D., **596** 64
Moran, P.H., **602** 15
Moran, P.J.S., **603** 220
Moreno-Lara, B., **603** 174
Mori, K., **603** 40
Mori, M., **611** 304
Moriguchi, H., **611** 445
Morino, A., **611** 551
Morissette, M., **596** 95
Morita, H., **611** 272
Moriuchi, T., **599** 135
Morley-Smith, N., **607** 146
Morris, R.H., **609** 110
Morton, C., **606** 141
Morvillo, A., **594** 416
Moïse, C., **605** 151
Moss, J.R., **594** 361; **602** 213
Moszner, M., **595** 178
Motevalli, M., **598** 36
Mottalib, A., **602** 45
Motti, E., **594** 240
Mountford, P., **600** 71
Moya Cabrera, M., **613** 132
Mozzon, M., **600** 37
Mu, Y., **613** 68
Mühle, S.H., **609** 189
Mühlebach, A., **606** 65
Müller, B.K.M., **606** 3
Müller, C., **600** 127
Müller, F.W., **598** 286
Müller, T., **615** 125
Mullins, S.M., **607** 227
Munoz-Hernandez, M.-A., **596** 109
Munshi, P., **606** 151
Murafuji, T., **611** 100
Murai, Y., **611** 26
Murase, H., **611** 26
Murfee, H.J., **596** 53
Murillo, C.A., **594** 1
Murotani, S., **611** 272
Murthy, G.S., **605** 39
Musashi, Y., **611** 288

Nachtigal, C., **595** 166; **602** 173
Nagano, T., **611** 586
Nagao, Y., **611** 172
Nagase, S., **611** 264; **611** 414
Naito, H., **611** 40
Naka, A., **611** 248; **611** 280
Nakabayashi, M., **611** 127
Nakadaira, Y., **599** 216; **611** 78; **611** 85; **611** 414; **611** 420
Nakahara, S., **594** 69
Nakai, H., **611** 566
Nakajo, S., **611** 136
Nakamura, E., **599** 32
Nakamura, K., **611** 514
Nakamura, T., **607** 51
Nakanishi, S., **611** 45
Nakanishi, W., **611** 178
Nakano, M., **611** 364
Nakata, T., **595** 208
Nakatani, H., **606** 147
Nakayama, J., **611** 127
Nakazawa, H., **611** 349
Nam Jung, I., **605** 239
Nand Sahay, A., **613** 250
Napolitano, E., **596** 242
Nardin, G., **601** 114
Naris, **611** 71
Narisu, **604** 20
Natsume, S., **601** 246
Naud, F., **601** 43
Navarro, R., **602** 151
Nawar, N., **602** 137; **605** 1
Ní Chonchubhair, N., **612** 53
Neander, S., **604** 59
Neels, A., **602** 188
Nefedov, O.M., **601** 324
Nefedov, S.E., **610** 58; **612** 9
Nelson, J., **606** 84
Nelson, J.H., **613** 177
Nemoto, H., **611** 445
Nervi, C., **594** 232
Nesterenko, P., **597** 42
Neumann, B., **608** 86
Neumüller, B., **604** 68
Nguyen, S.B.T., **606** 79
Niedermayer, W., **612** 141
Nieger, M., **602** 37; **604** 202; **606** 26
Nierlich, M., **598** 313
Nieuwenhuyzen, M., **595** 292
Niizuma, S., **611** 136
Nishida, K., **611** 64
Nishida, M., **611** 593
Nishida, R., **611** 26
Nishijima, H., **611** 172
Nishimoto, E., **611** 370
Nishio, K., **611** 100
Nishio, M., **599** 221
Nishioka, T., **611** 386
Nishiyama, K., **604** 20; **611** 71
Nishiyama, Y., **611** 488
Nissinen, M., **613** 7
Nixon, D.M., **609** 89
Nixon, J.F., **595** 304; **601** 335
Noels, A.F., **606** 55
Nogueira, H.I.S., **607** 146
Nolan, S.P., **599** 159; **606** 49
Nomura, H., **611** 89
Nomura, M., **611** 376
Norton, D.M., **615** 318
Nöth, H., **602** 24; **611** 99; **612** 141; **615** 70; **615** 168; **615** 283
Novikov, Y.N., **599** 87
Novotortsev, V.M., **612** 9
Nuber, B., **609** 44; **610** 80
Núñez, R., **615** 48
Nuyken, O., **606** 3; **606** 8

Oba, M., **604** 20; **611** 71
Obora, Y., **595** 1; **611** 343
Ochiai, M., **611** 494
O'Connell, J., **598** 49
Oda, M., **611** 475
O'Dowd, C., **615** 57
Oehme, H., **598** 395
Ogawa, A., **611** 463
Ogawa, S., **611** 136
Ogawa, T., **611** 551
Ogino, H., **611** 314
Ogio, K.-i., **599** 221
Ogoshi, S., **616** 135
Ohama, T., **599** 32
Ohe, K., **603** 40; **611** 475
Ohkubo, M., **611** 272
Ohmiya, T., **611** 136
Ohmori, Y., **611** 403
Ohshita, J., **611** 537
Ohta, T., **603** 6
Ohyama, N., **611** 136
Oilunkaniemi, R., **595** 232
Oka, K., **611** 45
Okamoto, M., **616** 74
Okamura, M., **611** 78; **611** 414
Okazaki, M., **611** 314
Okazaki, R., **611** 146
O'keiffe, L.K.S., **613** 13
Okubo, T., **596** 121
Okuda, J., **594** 202; **598** 179; **604** 126; **605** 55
Okutsu, T., **604** 20

Olah, G.A., **615** 195
Olbrich, F., **604** 59
Oliver, J.P., **597** 105
Omote, M., **611** 20
Omotowa, B., **609** 189
Onishi, M., **601** 69; **611** 370
Onishi, T., **616** 135
Onitsuka, K., **610** 31
Ono, S., **611** 272
Ono, T., **611** 308
Ono, Y., **616** 74
Onyszchuk, M., **598** 276
Oprunenko, Y., **597** 42
Opwis, K., **606** 108
Orchin, M., **602** 97; **610** 118
Orellana, E.M., **606** 197
Ormsby, D.L., **615** 61
Oro, L.A., **594** 299; **599** 178; **606** 197; **607** 3
Ortigueira, J.M., **595** 199; **598** 1; **598** 71; **612** 85
Osakada, K., **602** 144; **611** 323
Osawa, E., **599** 57
Osella, D., **594** 232; **596** 242
Otero, A., **598** 167; **603** 194; **606** 156; **609** 123
Otsuka, M., **611** 577
Ovejero, P., **605** 117
Owen, P., **595** 241
Oyamada, A., **611** 475
Ozawa, F., **606** 16; **609** 130; **611** 1; **611** 332
Ozawa, M., **599** 57

Paavola, S., **606** 183
Padwa, A., **610** 88
Paine, R.T., **611** 99
Pakkanen, T.A., **612** 106; **613** 257
Pakkanen, T.T., **606** 169; **613** 257
Pakuła, K., **601** 133
Pal, S.K., **604** 248
Pallavicini, P., **594** 267
Palmisano, G., **608** 34
Palomares, E., **603** 194
Pàmies, O., **608** 115
Pampaloni, G., **594** 19
Pan, Y., **595** 268; **605** 234
Panda, R., **599** 159
Pandey, A., **608** 106
Pandey, D.S., **605** 74
Pandiaraju, S., **603** 98
Pandolfo, L., **594** 307; **601** 343
Panunzi, A., **594** 445
Panyashkina, I.M., **601** 51
Paolucci, F., **599** 62
Papagni, A., **594** 380
Pápai, I., **616** 1
Papucci, S., **594** 12
Parish, R.V., **596** 165
Park, B., **599** 232
Park, D.-S., **608** 133
Park, J.E., **616** 128
Park, J.T., **599** 49; **616** 128
Park, S.H., **609** 110
Parker, D.J., **606** 125
Parkin, G., **596** 22
Parrain, J.-L., **606** 93
Parry, R.W., **615** 5
Pascale, M., **605** 143
Pasquali, M., **594** 12
Passler, T., **598** 292; **598** 304
Pasynkiewicz, S., **594** 245; **604** 241; **613** 37
Pasynskii, A.A., **597** 196; **612** 9
Patel, J., **599** 195; **607** 194
Paterlini, L., **594** 240
Pathak, D.D., **606** 188
Patrocinio, A.F., **603** 220
Pawelke, G., **604** 43
Payne, C.K., **596** 183
Payra, P., **606** 176
Paz-Sandoval, M.A., **599** 147
Peacock, E.J., **607** 78
Pearson, C., **596** 193
Pelagatti, P., **594** 180
Peldo, M.A., **609** 77
Pelizzi, C., **594** 180
Pelizzi, G., **594** 180
Pellizer, G., **601** 114
Peng, S.-M., **598** 353
Penieres Carrillo, G., **613** 132
Pennington, W.T., **596** 90
Penoni, A., **608** 34
Peppe, C., **603** 203
Peregudov, A.S., **597** 164; **605** 96
Peregudova, S.M., **599** 87
Pereira, I., **612** 36
Pereira, L., **609** 104
Pereira, T., **598** 1
Peressini, S., **601** 114
Pérez-Lourido, P., **595** 59
Pérez-Prieto, J., **612** 36
Periasamy, M., **609** 137
Peris, E., **616** 80
Perjéssy, A., **613** 7
Perkins, A.M., **599** 200
Péron, V., **601** 78
Perotti, A., **594** 267
Perrin, J.L., **596** 102; **596** 115
Persoons, A., **605** 184; **605** 193; **607** 72; **610** 71
Pertici, P., **607** 57
Peruzzini, M., **594** 127; **594** 485
Petőlz, G., **595** 93
Petrauskas, E., **613** 86
Petrovskii, P.V., **597** 48; **599** 37; **605** 96; **608** 89; **613** 60; **616** 106
Petrukhina, M.A., **594** 1; **596** 130
Pettersson, A., **608** 153
Petukhov, P.A., **604** 1
Petz, W., **598** 403
Pfeffer, M., **607** 12
Philip, R., **595** 140
Pierre Majoral, J., **599** 304
Pierssens, L.J.-M., **601** 142
Pietrzykowski, A., **594** 245; **597** 1; **597** 133; **604** 241; **613** 37
Piironen, U., **606** 112
Pilar Lamata, M., **607** 3
Pinhas, A.R., **601** 147
Pinilla, E., **601** 311; **605** 117
Pinter, E., **598** 202
Pinto, P., **601** 34
Piotrowski, H., **615** 70
Piparo, L., **607** 57
Piteau, M., **598** 187
Plasseraud, L., **609** 196
Plat, D., **595** 126; **604** 116
Pleune, B., **596** 64
Plutino, M.R., **594** 403
Plyusnin, V.F., **601** 324
Podestá, J.C., **613** 236
Podlaha, J., **598** 318
Poignant, G., **595** 81
Pola, J., **605** 202
Polas, A., **607** 156
Polborn, K., **598** 292; **599** 238; **604** 301; **612** 141
Poli, R., **0** ; **594** 27; **596** 64
Polishchuk, O., **613** 33
Polosukhin, A.I., **608** 89; **613** 148
Polyakov, V.A., **601** 51
Pombeiro, A.J.L., **598** 318
Ponikwar, W., **602** 24
Ponomarev, S.V., **598** 211
Pons, J., **605** 226
Pontorno, L., **599** 298; **601** 320
Popelis, J., **608** 1; **610** 8
Porhiel, E., **601** 78
Pornet, J., **604** 186
Potter, C.D., **615** 144
Povey, D.C., **613** 200
Power, P.P., **609** 152
Prashar, S., **613** 105
Prato, M., **599** 62
Predieri, G., **594** 431
Price, C., **598** 248
Priemer, S., **613** 56
Princet, B., **604** 186
Pritchard, R.G., **596** 165; **601** 164; **616** 96
Pritzkow, H., **602** 29; **615** 158
Prodi, L., **594** 267
Protasiewicz, J.D., **608** 12
Pruchnik, F.P., **597** 20
Puddephatt, R.J., **594** 77
Pudova, O., **610** 8
Puerta, M.C., **605** 74; **609** 161
Pursiainen, J., **598** 235
Pyke, S.M., **607** 222

Qanungo, K., **602** 1; **608** 106
Qian, M., **599** 143
Qian, Y., **598** 339
Qingmin, W., **604** 287
Quaranta, E., **605** 143
Queisser, J.A., **596** 115; **602** 173
Quintard, J.-P., **598** 187

Ragaini, F., **594** 109
Raithby, P.R., **596** 204; **601** 271; **609** 169; **615** 231
Rakov, I.M., **602** 15
Ramakrishna, T.V.V., **602** 125
Ramirez, L.R., **605** 89
Rampf, F.A., **601** 138
Ramírez, L.R., **598** 254
Randaccio, L., **601** 114
Raston, C.L., **600** 174; **607** 213
Rasul, G., **615** 195
Rath, N.P., **615** 215
Rath, R.K., **596** 232
Ratovelomanana-Vidal, V., **603** 128

Rau, A., **608** 71
Rausch, M.D., **594** 142; **599** 107
Raya, J., **604** 27
Re, N., **594** 86; **596** 77
Real, V.M., **599** 178
Reddmann, H., **602** 65; **604** 296
Redwine, K.D., **613** 177
Reetz, M.T., **603** 105
Reger, D.L., **607** 120
Reid, S.M., **616** 10
Reilly, J.P., **615** 120
Reinoso, S., **608** 27
Remacha, C.D., **594** 299
Ren, T., **596** 152
Rendina, L.M., **607** 222
Rennie, M.-A., **609** 169
Rennie, M.A., **601** 271
Rentsch, D., **594** 49
Rep, M., **597** 146
Resende, C., **604** 157
Retboll, M., **599** 221
Reuter, H., **598** 381
Rheingold, A.L., **596** 70; **601** 191; **605** 168; **607** 120; **609** 89; **615** 202
Rheinwald, G., **601** 93; **602** 72; **602** 193; **612** 133
Richard, P., **596** 64; **605** 151; **613** 77
Richards, R.L., **599** 170; **616** 165
Richardson, G.N., **594** 44; **597** 38
Rickard, C.E.F., **594** 458; **595** 215; **598** 262; **601** 172; **601** 299; **607** 27; **609** 177
Rigo, P., **594** 489
Rime, F., **606** 65
Rius, J., **599** 170
Rivière, P., **612** 69
Rivière-Baudet, M., **598** 276; **612** 69
Rivière-Baudet, M., **595** 153
Robert, F., **604** 99
Roberts, B.A., **607** 213
Robinson, G.H., **597** 54
Robles, J., **599** 147
Rodezno, J.M., **608** 122
Rodriguez, A., **606** 156; **610** 25
Rodríguez, A., **598** 167
Rodríguez, A.M., **603** 174
Rodríguez Jiménez, A., **613** 132
Rodríguez, A.M., **603** 194
Roers, R., **610** 80
Roesky, P.W., **603** 161
Roewer, G., **602** 193
Roffia, S., **599** 62
Rogers, R.D., **594** 142; **596** 115
Roidl, G., **600** 56
Roig, A., **601** 126
Rombach, M., **595** 140
Romeo, R., **594** 403
Romero, J., **595** 59
Romerosa, A., **594** 485
Rominger, F., **610** 80
Rooke, S.J., **594** 161
Rooney, A.D., **606** 84
Rooney, J.J., **606** 8; **606** 84
Roper, W.R., **594** 458; **598** 262; **601** 299; **607** 27; **609** 177
Ros, J., **605** 226
Rosair, G.M., **615** 153
Rosales-Hoz, M.J., **599** 313
Rosa Pietroni, B., **594** 392
Rosas Espinosa, N., **613** 132
Rosé, J., **604** 27
Rosenberg, E., **594** 226; **601** 344
Rosenthal, U., **598** 243
Rösler, R., **608** 60
Rossell, O., **598** 215
Roßenbach, S., **598** 116
Rossetti, R., **594** 36
Rot, N., **594** 369
Roth, A., **613** 86
Roth, G., **599** 288
Rourke, J.P., **601** 305
Royo, P., **594** 147; **594** 202; **597** 61; **604** 103; **604** 126
Rudolf, B., **597** 17
Rudzinski, J., **595** 109
Rueda, A., **594** 421
Rufińska, A., **613** 93
Ruhlandt-Senge, K., **598** 202; **605** 22; **613** 139
Ruiz, M.J., **606** 156
Runqiu, H., **604** 287
Russo, T., **601** 147
Russo, U., **595** 59; **605** 127
Rust, J., **605** 109
Rüther, T., **607** 78
Ryabov, A.D., **601** 51
Ryabova, V., **610** 8
Rybalova, T.V., **604** 1
Rybczynski, P.J., **594** 49
Rybinskaya, M.I., **616** 106
Ryszard Kunicki, A., **613** 119
Ryu, H.-C., **610** 38

Saak, W., **604** 211
Šabata, S., **598** 318
Sabatino, P., **594** 335
Saccomando, D.J., **601** 305
Saeki, T., **600** 118
Safa, K.D., **598** 222
Sahay, A.N., **605** 74
Sai, A., **611** 136
Saiki, T., **611** 146
Saillard, J.-Y., **609** 196; **615** 243
Saito, K., **611** 364
Saito, S., **611** 136
Saito, T., **609** 184; **611** 547
Sakaki, S., **611** 288
Sakarya, N., **601** 335
Sakurai, H., **611** 32
Salcedo, R., **603** 225
Salerno, G., **594** 409
Salter, D.M., **594** 458
Saluzzo, C., **603** 30
Salvadori, P., **598** 174; **605** 68
Samoc, M., **607** 72; **610** 71
Samuelson, A.G., **604** 248
Sanaú, M., **612** 36
Sanaú, M., **596** 248
Sánchez, F., **595** 36; **601** 284
Sánchez, L., **599** 2
Sánchez-Barba, L.F., **603** 194
Sánchez-Cabrera, G., **599** 313
Sánchez-Nieves, J., **597** 61
Sánchez-Prada, J., **609** 123
Sanders, C.J., **606** 141
Sanji, T., **611** 32
Sanjuan Roca, L.M., **594** 180
Sankar, G., **596** 221
Sano, S., **611** 172
Sansoni, M., **594** 63
Sansores, L.E., **603** 225
Santa Maria, M.D., **605** 117
Santelli, M., **606** 93
Santi, S., **594** 315; **600** 94
Santillan, R., **604** 273
Santos, A., **599** 8
Santos, M., **605** 202
Sarroca, C., **596** 10
Sasaki, Y., **599** 216; **611** 370
Satake, A., **595** 208
Sato, H., **596** 121
Sato, R., **611** 136; **611** 414
Sato, S., **611** 116
Sato, T., **611** 314
Sato, Y., **611** 304
Satyanarayana, C.V.V., **606** 176
Saunders, G.C., **595** 292
Sawamura, M., **599** 32
Sazonov, P.K., **597** 77
Scallorn, W.B., **605** 7
Schäfer, H., **604** 211
Scheiring, T., **596** 84; **598** 136; **604** 267
Schenk, S., **598** 116
Schenk, W.A., **612** 14
Scherer, W., **604** 72
Schiesser, C.H., **605** 209
Schmid, M., **602** 173
Schmid, R., **602** 59
Schmidt, H., **597** 10
Schmitz, S., **608** 71
Schottenberger, H., **605** 174; **612** 1
Schraml, J., **597** 200
Schröder, M., **600** 71
Schultze, H., **604** 296
Schulz, E., **603** 30
Schulz, S., **604** 202
Schumann, H., **604** 12; **609** 189
Schürmann, M., **602** 170
Schutte, S., **609** 189
Schwarz, I., **605** 109
Schwarz, J., **594** 489
Schwenk-Kircher, H., **612** 141
Scolaro, L.M., **594** 403
Scoles, L., **600** 84
Scopelliti, R., **594** 86; **596** 77
Scott, B.L., **609** 95
Scott, P., **606** 141
Seayad, A., **601** 100
Sebastián, A., **604** 103
Seco, M., **598** 215
Sedmera, P., **597** 146
Segerer, U., **608** 21
Segnitz, O., **606** 132
Seidel, G., **606** 75
Seip, M.A., **598** 387
Seki, S., **611** 64
Sekiguchi, A., **611** 228
Semenova, N.I., **612** 9
Sensato, F.R., **603** 203
Seoane, C., **599** 2
Serp, P., **613** 77

Serwatowski, J., **597** 190; **613** 93
Sesto, B., **601** 201
Settambolo, R., **599** 298; **601** 320
Shah, S., **608** 12
Shang, M., **609** 77; **615** 92
Shankar Pandey, D., **613** 250
Shapley, J.R., **599** 97
Shaver, A., **596** 193
Sheldrick, W.S., **598** 116
Shen, Q., **598** 359
Shen, Y., **599** 143
Shen, Y.-Z., **605** 234
Sherrington, J., **616** 96
Shi, M., **605** 134
Shi, Y.-C., **613** 42
Shibuya, M., **611** 445
Shields, G.P., **596** 204; **609** 169; **615** 231
Shim, Y.-B., **599** 232; **608** 133
Shimada, K., **611** 308
Shimizu, I., **611** 525
Shimizu, K., **611** 376; **611** 531
Shimizu, M., **611** 12
Shimizu, T., **611** 106
Shimizu, Y., **611** 20
Shimomura, H., **611** 386
Shin, S.C., **599** 232; **608** 133
Shirakawa, E., **611** 20
Shiro, M., **611** 172
Shoair, A.G.F., **607** 146
Shorokhov, D.J., **597** 87
Shriver, D.F., **615** 318
Shubina, E.S., **610** 58
Shukri, K., **595** 134
Shur, V.B., **598** 243; **613** 60
Shutov, P.L., **598** 387
Shvo, Y., **601** 153
Sidler, D.R., **594** 49
Siebel, E., **604** 34
Siebert, W., **615** 125
Siedle, A.R., **615** 120
Siega, P., **601** 114
Sieler, J., **595** 21; **597** 92; **608** 21
Sigeev, A.S., **605** 96
Silva, R.M., **605** 82
Simal, F., **606** 55
Simanko, W., **602** 59
Singh, A., **605** 74
Singh, A.K., **605** 39; **612** 46; **613** 244
Singh, N., **605** 102
Singh, V., **602** 1; **608** 106
Sinnema, P.-J., **598** 179
Sinou, D., **604** 99
Sisak, A., **604** 68
Sivaev, I.B., **615** 27
Sixt, T., **596** 84
Sizov, A.I., **603** 167
Sizun, C., **604** 27
Skabara, P.J., **601** 293
Skelton, B.W., **595** 296; **598** 28; **599** 195; **604** 150; **607** 78; **607** 137; **607** 194; **607** 213
Slanina, Z., **599** 57
Slough, G.A., **594** 49
Słupecki, K., **604** 241
Smeets, W.J.J., **594** 369
Smith, G.W., **613** 200
Smith, J.D., **597** 3
Smith, J.M., **616** 112
Smith Jr., D.C., **599** 159
Smith, L.T., **596** 136
Smith, S., **607** 175
Smithies, N.A., **607** 105
Smoliakova, I.P., **603** 86
Snader, B.M., **613** 263
Sneddon, L.G., **615** 125
Snee, P.T., **596** 183
Soheili, S., **599** 247
Sokolov, M., **611** 370
Sokolov, V.I., **599** 1; **599** 28; **599** 37
Solan, G.A., **601** 271
Solans, X., **598** 87; **598** 215; **601** 22; **604** 178; **605** 226
Solari, E., **594** 86; **596** 77
Solé, S., **600** 112
Soler, M., **598** 215
Soli, E.D., **594** 49
Somech, I., **601** 153
Sommer, R.D., **607** 120
Somoza, F.B., Jr., **604** 116
Son, S., **599** 123
Song, H., **599** 49
Song, H.-B., **605** 15
Song, L.-C., **594** 7; **613** 42; **616** 140
Sonoda, N., **611** 488
Sooriyakumar, J., **612** 46; **613** 244
Sorkau, A., **604** 68
Sostmann, S., **603** 105
Soukupová, L., **597** 200
Souma, Y., **606** 147
Sousa, A., **595** 59
Spalding, T., **595** 191
Spaniol, T.P., **594** 202; **598** 179; **604** 126; **605** 55
Sparr, E., **609** 169
Spee, M.P.R., **598** 24
Speiser, B., **602** 75
Spek, A.L., **594** 369; **598** 24; **608** 27
Spencer, J.T., **615** 309
Sperrle, M., **603** 122
Spiegler, M., **603** 69
Spilling, C.D., **609** 36
Srinivas, J., **605** 39
Srivastava, P.C., **608** 96
Srivastava, R.R., **615** 255
Stammler, H.-G., **608** 86
Stańczyk, W.A., **597** 111
Stange, A.F., **612** 117
Stanghellini, P.L., **594** 36
Stankevich, I.V., **599** 18
Staples, R.J., **596** 136
Starikova, Z.A., **597** 48; **597** 164; **613** 60
Stark, O., **602** 29
Starosta, R., **597** 20
Starowieyski, K.B., **601** 133
Štibr, B., **615** 57; **615** 61; **615** 269
Steed, J.W., **596** 46; **615** 113; **615** 188
Steenwinkel, P., **598** 24
Steffen, W., **615** 75
Steinborn, D., **597** 10; **598** 286
Steiner, A., **598** 409
Stelzer, O., **598** 116; **602** 158
Stengel, K., **606** 88
Stern, C., **594** 86
Stevens, E.D., **606** 49
Stiriba, S.-E., **595** 300; **612** 36
Stock, S.R., **596** 252
Stoeckli-Evans, H., **602** 188; **609** 196
Stolarzewicz, A., **595** 66; **604** 283
Stoll, C., **602** 24
Stone, F.G.A., **615** 208
Stoppioni, P., **594** 127
Strähle, J., **594** 175
Stramm, C., **599** 247
Stranger, R., **607** 208
Straub, T., **612** 106
Strauch, H.C., **594** 388
Strelets, V.V., **606** 203
Streubel, R., **595** 12; **610** 123; **613** 56
Strissel, C., **603** 185
Strunkina, L.I., **598** 243
Sturm, T., **595** 93
Stürmer, R., **605** 55
Suades, J., **604** 234
Suárez, A., **612** 85
Suárez, A., **595** 199; **598** 1; **598** 71
Šubrt, J., **605** 202
Suen, M.-C., **596** 226
Sugawara, T., **611** 525
Sugihara, Y., **611** 100
Sugimori, A., **611** 376
Sugimori, M., **611** 547
Sugimoto, M., **611** 288
Suginome, M., **611** 403
Sugiyama, T., **611** 376
Sullivan, A.C., **598** 36
Sültemeyer, J., **606** 26
Sumi, K., **611** 449
Sun, C., **601** 237; **612** 160
Sun, H., **595** 268; **613** 1
Sun, J., **613** 99; **616** 140
Sun, S., **599** 74
Sundararajan, G., **601** 16
Sünkel, K., **599** 247
Suo, Z., **599** 69
Suriaatmaja, M., **607** 146
Surya Prakash, G.K., **615** 195
Sussek, H., **602** 29
Süss-Fink, G., **602** 188; **609** 196
Suzuki, E., **616** 74
Suzuki, H., **611** 89
Suzuki, I., **611** 445
Suzuki, T., **611** 78
Svensson, P.H., **615** 294
Szafert, S., **604** 52
Szekeley, G., **615** 120
Szelke, H., **595** 109
Szumacher, S., **613** 119

Taber, D.F., **612** 36
Tachibana, A., **611** 514
Tacke, R., **613** 19
Tada, H., **611** 85
Tada, M., **616** 89
Tagawa, S., **611** 64
Takada, H., **611** 475
Takagi, H., **604** 20
Takagi, N., **611** 264
Takahashi, K., **611** 593
Takahashi, M., **611** 551; **611** 558
Takahashi, S., **610** 31
Takahashi, T., **611** 299
Takata, A., **611** 537

Takata, T., **611** 45
Takats, J., **596** 95
Takayama, C., **611** 376
Takeda, K., **611** 449
Takeda, M., **611** 558
Tamao, K., **600** 118; **601** 259; **611** 1; **611** 3; **611** 5
Tam, K.-H., **601** 237
Tamura, M., **611** 586
Tanaka, M., **595** 1; **611** 71; **613** 26
Tanaka, R., **611** 52
Tani, K., **594** 69; **607** 51; **611** 190
Taraban, M.B., **601** 324
Tari, M., **612** 78
Taube, R., **597** 92
Tauzher, G., **601** 114
Tavagnacco, C., **601** 114
Tavera, R., **595** 54
Taylor, P.C., **605** 45
Taylor, P.G., **606** 125
Taylor, R.E., **604** 132
Teat, S.J., **615** 57
Teate, S.J., **596** 221
Teijido, B., **598** 71
Teixeira, F.C., **604** 157
Teixidor, F., **606** 183; **615** 48
Teng, X., **595** 268
Teo, B.K., **615** 66
Tepper, M., **598** 116; **602** 158
ter Halle, R., **603** 30
Terreros, P., **606** 156
Terroba, R., **607** 129
Tesauro, D., **594** 445
Teuber, R., **599** 247
Tewari, U., **608** 106
Thewalt, U., **597** 146
Thiel, R., **613** 159
Thiele, K.-H., **595** 21; **604** 68
Thirumalaikumar, M., **609** 137
Thivolle-Cazat, J., **594** 96
Thomas, R.D., **595** 87
Thornton-Pett, M., **615** 57; **615** 269
Tiekink, E.R.T., **598** 49; **605** 209; **608** 63
Tikhonova, I.A., **613** 60
Tillack, A., **603** 116
Tilley, T.D., **603** 185
Timofeev, S.V., **597** 48
Tiripicchio, A., **594** 380; **594** 431
Tittes, K., **597** 92
Tjarks, W., **615** 37
Tkachev, A.V., **604** 1
Tobita, H., **611** 314
Tocher, D.A., **596** 46
Todd, L.J., **615** 120
Todesco, P.E., **601** 233
Tojo, T., **611** 85
Tokita, T., **611** 20
Tokitoh, N., **611** 146; **611** 217
Tokura, S., **612** 117
Toledano, C.A., **598** 254; **605** 89
Tollari, S., **608** 34
Tomita, I., **611** 570
Tommasi, I., **605** 143
Tommasino, M.L., **616** 37
Tomoda, S., **611** 164
Tong, Y.-X., **598** 63
Toniolo, L., **601** 100
Tonucci, L., **594** 416
Top, S., **594** 167; **600** 23
Tornroos, K.W., **612** 46
Torr, A., **599** 185
Torralba, R.C., **594** 27
Torrens, H., **599** 170
Torres, M.R., **601** 311; **605** 117
Tortorella, F., **594** 292
Torubaev, Y.V., **597** 196; **612** 9
Toscano, R.A., **598** 254; **605** 89
Toscano, R.-A., **598** 160
Toshimitsu, A., **600** 118
Touchard, F., **603** 30
Trinquier, G., **600** 112
Tripepi, G., **594** 19; **594** 354
Trivedi, R., **595** 140
Trösch, A., **595** 178
Troyanov, S.I., **598** 243
Trzeciak, A.M., **597** 69; **602** 59
Tsang, C.-W., **613** 99
Tsang, K.-Y., **601** 237
Tschinkl, M., **604** 132
Tse, M.K., **598** 80
Tsubomura, T., **601** 69
Tsuji, Y., **611** 343
Tsujiyama, S., **611** 4557
Tsurukami, Y., **611** 4557
Tuck, D.G., **603** 203
Tumanskii, B.L., **599** 28
Twamley, B., **609** 152
Tylak, I., **608** 49

Ubeda, M.A., **596** 248
Uccello-Barretta, G., **598** 174; **605** 68
Udachin, K.A., **600** 84
Ueda, M., **595** 31
Uemura, S., **603** 40; **611** 475
Ueno, K., **611** 543
Uguagliati, P., **601** 1
Uhl, W., **608** 54
Uhlig, F., **598** 202; **605** 22; **613** 139
Uhlik, F., **599** 57
Ulrich, K., **601** 78
Umakoshi, K., **611** 370
Uneyama, K., **611** 158
Unno, M., **611** 52
Uno, H., **611** 551
Ura, Y., **611** 299
Urano, Y., **611** 586
Urbańczyk-Lipkowska, Z., **604** 241
Urbanová, M., **605** 202
Urriolabeitia, E.P., **602** 151
Urushima, H., **606** 16
Usatov, A.V., **599** 87
Ushirogochi, H., **611** 172
Ustynyuk, L.Y., **597** 182
Ustynyuk, Y.A., **597** 182

Vahrenkamp, H., **594** 44; **595** 140; **595** 178; **597** 38; **615** 131
Valavi, S.G., **596** 232
Valderrama, M., **606** 197; **607** 3
Valente, E.J., **596** 136; **613** 111
Valerga, P., **605** 74; **609** 161
Valiullina, R.I., **597** 196
Valle, G., **601** 201
Valli, L., **599** 62
van den Ancker, T.R., **607** 213
van der Schaaf, P.A., **606** 65
van der Veer, W.E., **596** 53
van der Zeijden, A.A.H., **602** 51
van Koten, G., **598** 24; **603** 244; **608** 27
van Leeuwen, P.W.N.M., **608** 115
Vargaftik, M.N., **594** 274
Varghese, B., **605** 39
Varma, K.S., **595** 241
Vázquez-García, D., **595** 199
Velasco, M.D., **598** 329
Velder, J., **609** 189
Venkatachalam, T.K., **604** 208
Venzo, A., **594** 315; **600** 94; **601** 267
Verch, S., **605** 55
Verdonck, L., **603** 244
Verkruijsse, H.D., **601** 341
Verpoort, F., **603** 244
Vessières, A., **600** 23
Vessières, A., **594** 232; **596** 242
Viale, A., **594** 135; **594** 226; **601** 344
Viani, I., **601** 284
Viguri, F., **594** 299; **607** 3
Viirlaid, S., **601** 341
Vij, A., **602** 125
Vijaikanth, V., **602** 1; **608** 106
Vila, J.M., **595** 199; **598** 1; **598** 71; **612** 85
Vilaplana, M.J., **598** 329
Vilar, R., **600** 198
Villaseñor, E., **609** 123
Viñas, C., **606** 183; **615** 48
Vincenti, M., **596** 242
Vinogradova, L.E., **599** 87
Visentin, F., **601** 1
Visseaux, M., **609** 21
Vittadini, A., **594** 307; **601** 343
Vittal, J.J., **594** 77
Vitulli, G., **607** 57
Vogler, A., **606** 207; **610** 16
Vöhler, M., **594** 49
Vojtíšek, P., **598** 318
Volkova, O.S., **601** 324
Volland, M.A.O., **606** 88
von Philipsborn, W., **594** 49
von Ragué Schleyer, P., **615** 262
Voronkov, M.G., **613** 170
Vorontsov, E.V., **599** 87
Vos, D., **600** 127
Vosejpka, L.J.S., **594** 49
Vosekalna, I., **608** 1
Vyater, A., **597** 10

Wachter, J., **603** 135
Wada, M., **601** 246
Wade, K., **597** 157; **610** 20
Wadepohl, H., **615** 158
Wagner, S., **598** 292; **598** 304
Wakahara, T., **599** 216; **611** 78; **611** 414
Walawalkar, M.G., **613** 250
Wald, J., **601** 220; **602** 173
Walkden, A., **606** 188
Walther, D., **597** 116
Walton, R.A., **596** 27; **604** 219
Wang, D.-L., **613** 231
Wang, G., **598** 42
Wang, J.-C., **596** 226; **610** 1

Wang, J.X., **604** 83; **610** 49
Wang, M., **599** 143
Wang, Q.-M., **605** 15
Wang, Y., **598** 359; **601** 253
Wang, Z.-X., **595** 158; **599** 256; **601** 87; **601** 108; **604** 214
Wanninger, R., **603** 135
Warchhold, M., **615** 70
Wardell, J.L., **605** 82
Wassermann, B.C., **609** 189
Watanabe, S.-i., **611** 4557
Watson, K.J., **606** 79
Weberndörfer, B., **607** 182
Wecker, U., **594** 192
Wegner, P., **602** 173
Wehlan, M., **613** 159
Wei, X., **599** 69
Weidenbruch, M., **604** 211
Weiner, H., **610** 112
Weiss, C.A., **605** 7
Weissensteiner, W., **595** 93
Welch, A.J., **615** 153
Welker, M.E., **598** 150
Weller, A.S., **615** 113
Weller, F., **598** 403
Wellmann, D.M., **603** 86
Wells, R.L., **598** 182; **601** 191
Weng, L., **612** 176
Weng, L.-H., **604** 260; **613** 42
Weng, Z., **607** 64
Wenger, E., **607** 164
Wenz, K., **602** 158
Werner, H., **594** 192; **607** 182; **612** 125
Wesemann, L., **615** 137
Weskamp, T., **595** 186; **600** 12; **606** 8
West, R., **597** 87; **611** 45
Westerhausen, M., **615** 70
Weyershausen, B., **602** 37
Wharf, I., **598** 276
Wheatley, N., **613** 77
White, A., **607** 78
White, A.H., **595** 296; **598** 28; **599** 195; **604** 150; **607** 137; **607** 194; **607** 213
White, A.J.P., **600** 198; **607** 146
White, C., **606** 188
White, P.S., **598** 182
Whitmire, K.H., **615** 243
Wiberg, N., **598** 292; **598** 304; **612** 141
Widegren, J.A., **610** 112
Wijkens, P., **603** 244
Willem, R., **608** 63
Willemsen, S., **612** 96
Williams, D.J., **594** 161; **596** 16; **600** 198; **607** 146
Williams, I.D., **604** 197; **608** 139
Williams, M.L., **607** 41
Williams, M.T., **599** 308
Williams, R.E., **615** 195
Willis, R.R., **594** 465
Wilson, P.J., **600** 71
Winter, M., **606** 132
Woisetchläger, O.E., **599** 238; **604** 301
Wojcicki, A., **594** 465; **597** 125
Wolfsberger, B., **612** 14
Wołowiec, S., **595** 178
Wong, S.Y., **609** 104
Wong, W.-K., **612** 160
Wong, W.-T., **612** 160; **616** 44
Wong, W.T., **598** 228
Wong, W.-Y., **595** 70; **596** 36; **601** 237; **612** 160
Woo, L.K., **601** 57
Wood, K.A., **595** 87
Woodgate, P.D., **595** 215; **601** 172
Woodgate, S.D., **607** 27; **609** 177
Wrackmeyer, B., **598** 211; **602** 45; **604** 170; **604** 229
Wright, J.P., **596** 165
Wright, L.J., **594** 458; **598** 262; **601** 299; **607** 27; **609** 177
Wu, C., **598** 42
Wu, D.-D., **598** 80
Wu, Q.-J., **604** 260
Wu, T., **605** 234
Wu, X.-L., **598** 348; **612** 172
Wurst, K., **605** 174

Xiao, J., **598** 409
Xie, Z., **601** 160; **613** 99; **615** 107
Xu, D., **596** 53
Xu, L., **598** 409
Xu, Q., **606** 147
Xu, Z., **599** 69
Xue, F., **598** 359
Xue, P., **598** 42
Xue, W.-M., **596** 177

Yagisawa, T., **611** 376
Yamabe, T., **611** 12; **611** 280
Yamada, K., **611** 190
Yamaguchi, S., **611** 3; **611** 5
Yamaguchi, T., **601** 246
Yamaguchi, Y., **611** 308
Yamamoto, A., **600** 159
Yamamoto, J.H., **600** 84
Yamamoto, Y., **611** 200; **616** 149
Yamanaka, S., **611** 543
Yamashita, K., **611** 537
Yamashita, M., **596** 121
Yamashita, N., **611** 26
Yamuna, R., **602** 1; **608** 106
Yan, H., **598** 142; **604** 170
Yan, Y.K., **595** 276
Yáñez, R., **605** 226
Yang, C., **601** 330
Yang, C.-C., **598** 353
Yang, G.-Z., **613** 111
Yang, H., **596** 183
Yang, J., **613** 1
Yang, L., **598** 55
Yang, P.-Y., **596** 226
Yang, Q., **601** 160
Yang, S., **599** 42
Yano, S., **611** 100
Yanovsky, A.I., **597** 164; **613** 60; **616** 106
Yao, J., **598** 228
Yao, T., **598** 339
Yap, G.P.A., **608** 12; **609** 110
Yarbrough, J.C., **615** 305
Yasuda, H., **613** 26
Yearwood, B.C., **600** 186
Yeh, M.-C.P., **599** 128
Yeh, W.-Y., **598** 353
Yeo, J.S.L., **595** 276
Yin, G., **599** 69
Yin, X., **602** 213
Yokochi, A., **595** 300
Yokoyama, Y., **611** 376
Yonamine, T., **611** 364
Yonehara, K., **603** 40
Yoo, B.R., **605** 239
Yoshifuji, M., **611** 1; **611** 210
Yoshimura, T., **611** 272
Yoshinaga, T., **611** 71
Yoshiuchi, K., **609** 130
Yoshizawa, K., **611** 280
Young, V.G., Jr., **594** 354
Youngstrom, C.R., **596** 6
Yu, K., **598** 359
Yu, K.-B., **598** 63
Yudin, A.K., **603** 98

Zabel, M., **601** 211; **603** 135; **609** 44
Zaccheroni, N., **594** 267
Zachara, J., **597** 190; **613** 93; **613** 119
Zagos, I., **602** 75
Zahl, A., **616** 19
Zaitseva, G.S., **598** 387
Zakrzewski, J., **597** 17
Zanello, P., **594** 7; **594** 325
Zanoni, R., **594** 431
Zanotti, V., **594** 335; **606** 163
Zanotto, L., **605** 28
Zecca, M., **601** 201
Zenouz, A.M., **608** 6
Zerbe, O., **594** 49
Zerner, M.C., **598** 193
Zhai, H., **613** 68
Zhang, F., **613** 68
Zhang, G., **596** 177
Zhang, H., **615** 66
Zhang, H.-X., **598** 63
Zhang, L., **612** 176
Zhang, L.-B., **604** 260
Zhang, Y., **613** 68
Zhang, Z., **615** 107
Zhang, Z.-Y., **604** 214
Zhang, Z.-Z., **605** 15
Zhao, H., **595** 158; **599** 256
Zhao, L., **613** 68
Zhao, X., **599** 57
Zhong, P., **603** 249
Zhou, X., **598** 80; **612** 176
Zhou, X.-G., **595** 158; **599** 256; **601** 87; **601** 108; **604** 260
Zhou, Z.-Y., **595** 158; **599** 256; **601** 87; **601** 108
Zhu, W.-F., **613** 42
Zhu, Y.-H., **594** 7
Ziarelli, F., **594** 392
Ziołkowski, J.J., **602** 59
Ziółkowski, J.J., **597** 69
Zou, G., **596** 152
Zsolnai, L., **594** 494
Zubieta, J., **595** 59
Zubkowski, J.D., **596** 136; **613** 111
Zuccaccia, C., **594** 119; **594** 392
Zuckerman, R.L., **608** 172
Zúñiga, A.E., **613** 236
Zvukova, T.M., **603** 167

ELSEVIER

Journal of Organometallic Chemistry, Supplement (2001) 15–111

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Cumulative Subject Index of Volumes 593–616

Ab initio calculation
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Ab initio calculations
An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds, **609**, 53
Dimethylaluminium enolates and alkoxides derived from trimethylaluminium and aromatic ketones: a synthetic, structural and theoretical investigation, **602**, 15
Ab initio HF
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio HF and DFT/B3LYP calculations, **613**, 7
Ab initio HF/3-21G method
Endohedral analogs of ferrocene: ab initio theoretical predictions, **599**, 18
Ab initio MO calculations
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, **611**, 178
Absorption spectrum
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, **611**, 577
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-Cp})_3Er\text{-}CNC_6H_{11}$, **604**, 296
Acetate
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), **601**, 226
Acetone azine
Reactions of methyl-substituted titanocene–bis(trimethylsilyl)-acetylene complexes with acetone azine: crystal structures of $(\eta^5{:}\eta^1\text{-}C_5HMe_3CH_2CMe_2NH)_2Ti$ and $(C_5Me_5)_2Ti(N{=}CMe_2)_2$, **597**, 146
Acetonitrile
New metallapyrrole complexes from $[M_2(\mu\text{-}CNMe_2)(\mu\text{-}CO)(CO)_2(Cp)_2]SO_3CF_3$ (M = Fe, Ru) and acetonitrile anions; structure of $[(Cp)(CO)FeC(NMe_2)N(H)C(Me)C(CN)]$, **593–594**, 335
Reactions of acetonitrile di-iron μ-aminocarbyne complexes; synthesis and structure of $[Fe_2(\mu\text{-}CNMe_2)(\mu\text{-}H)(CO)_2(Cp)_2]$, **606**, 163
Structural properties of the metallointercalator cationic complex (2,2′:6′,2″-terpyridine)methylplatinum(II) ion, **593–594**, 403
Acetonitrile solvate of ruthenium
Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4-1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1 −)], **610**, 112
Acetylacetonate
$Rh(acac)(CO)(PR_3)$ and $Rh(oxinate)(CO)(PR_3)$ complexes—substitution chemistry and structural aspects, **602**, 59
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), **601**, 226
Acetylacetonato zirconium complexes
Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_3Zr\text{–}OCCo_3(CO)_9]$, **604**, 68
Acetylene
Photochemical studies of $Co_2(CO)_6$(acetylene) complexes and their phosphine derivatives in frozen Nujol matrices, **605**, 7
Acetylene π-complex
Synthesis and molecular structures of $Co_2(CO)_{6-n}(PPh_3)_n[\mu\text{-}C_2(CH_2R)_2]$ (R = CH_2OH or CH_2SCMe_3) derivatives containing chelated $[CpFe(CO)_2]_2Sn$ or $W(CO)_4$ fragments, **597**, 196
Acetylene complexes
Interaction of bis(trimethylsilyl)acetylene complex of titanocene with tris(pentafluorophenyl)borane. Synthesis and structure of a new type of zwitterionic metallocene $(\eta^5\text{-}C_5H_5)\{\eta^5\text{-}[C_5H_4B(C_6F_5)_3]\}Ti$, **598**, 243
Acetylene derivatives
Synthesis of coupling dinuclear iron complexes from μ-*N*-(2-oxo-2-methylethanaminato)-μ-*N*′-(dimethylamino)-$Fe_2(CO)_5$ complex with acetylene derivatives, **613**, 132
Acetylenes
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, **611**, 89
Acetylide
Reactivity of $[Re(\eta^2\text{-}H_2)(CO)_2P_2]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, **609**, 10
Acetyl ligand
Geometrical and electronic structures of the acetyl complex $Re(bpy)(CO)_3(COCH_3)$ and of $[M(bpy)(CO)_4](OTf)$, M = Mn,Re, **598**, 136
Acidity
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, **604**, 208
Acrylic acid thioester
Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, **611**, 4557
Active catalyst species
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, **611**, 343
Acyclic diyne metathesis
Alkyne metathesis with in situ catalysts: $W(CO)_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, **606**, 13
Acyl-complex
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, **607**, 164
Acyl complexes
Synthesis, characterization and decomposition behavior of novel acyl(hydrido)platinum(IV) complexes, **597**, 10

PII: S0022-328X(01)00715-X

Acyl cyanides
Synthesis of optically active phenylglycine derivatives from *S*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, **611**, 445
Acylpolysilane
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris(trimethylsilyl)silane with mono(silyl)acetylenes, **611**, 248
Addition
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, **596**, 193
Stable cyclic and acyclic persilyldisilenes, **611**, 236
1,2-Addition
Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, **604**, 211
Additives
Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis, **609**, 137
Adduct
Triphenylphosphine oxide adducts of diphenylantimony(V) and diorganotin(IV) Lewis acids: structures of $SnPh_2Cl_2{\cdot}OPPh_3$, $SnPh_2Cl_2{\cdot}2OPPh_3$, $SnPh_2Br_2{\cdot}OPPh_3$ and $SbPh_2Cl_3{\cdot}OPPh_3$, **612**, 53
Affinity
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates $[(RCSS)_xMPh_{4-x}]$, M = Ge, Sn, Pb; $x = 1–3$]: affinity between thiocarbonyl sulfur and Group 14 elements, **611**, 190
Aggregation
Syntheses of cationic four-coordinated aluminum complexes: counter-ion induced aggregation through the N–H···I hydrogen bonds, **598**, 13
AIM
An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds, **609**, 53
Aldehydes
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, **607**, 57
The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, **593-594**, 211
Aldol condensation
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$/UV system, **603**, 252
Aldol reaction
Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles, **603**, 18
Alkali
Anionic dichlorolanthanocene compounds. X-ray crystal structures of $[\{(Me_3Si)_2C_5H_3\}_2LnCl_2][Li(THF)_4]$ (Ln = Er, Yb) and $\{(Me_3Si)_2C_5H_3\}_2Yb(\mu\text{-}Cl)_2Li(THF)_2$, **601**, 160
Alkali-metal fullerides
Alkali-metal fullerides $MC_{60}(THF)_x$ (M = Li, Na, K): a new solution-phase method for the preparation and characterization with ESR, UV–NIR and IR spectroscopy, **599**, 69
Alkali metal salts
Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, **613**, 239
Alkaline earth metal stannides
Novel triphenyltin substituted derivatives of heavier alkaline earth metals, **613**, 139
Alkene
Copper(I) complexes with conjugated dienes, **602**, 5
Alkenes
On the in situ trimethylsilylation of zinc acetylides, **601**, 341
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, **611**, 433
Synthesis and decomposition of bis(alkoxyethynyl)dimethyltin, **598**, 211
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274
Alkenyl
Alkyne insertion reactions of $[RuH(\kappa^2\text{-}S_2CNEt_2)(CO)(PPh_3)_2]$: synthesis of alkenyl, alkynyl and enynyl complexes, **598**, 20
Reactivity of vinyl and alkynyl zirconium complexes with the di-*ansa*-[1,1',2,2'-bis(dimethylsilanediyl) dicyclopentadienyl] ligand, **593–594**, 147
Alkenylcarbene
Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, **601**, 78
Alkenyl ligand
Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[Ir_4(CO)_{11}(CPh{=}CHPh)]^-$ and $[Ir_6(CO)_{14}(COOMe)_2]^{2-}$, **593–594**, 63
Reactions of $[\{\mu\text{-}\eta^2\text{-}C(R^1){=}CHR^2\}(\mu\text{-}CO)Fe_2(CO)_6]^-$ with $(\mu\text{-}S_2)Fe_2(CO)_6$: synthesis and structures of $[\mu\text{-}\eta^2\text{-}C(R^1){=}CHR^2](\mu\text{-}RS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ (R = alkyl, phenyl or acyl), **595**, 158
Reactions of $(\mu\text{-}\eta^2\text{-}RCH{=}CH)(\mu\text{-}Cl)Fe_2(CO)_6$ with $[(\mu\text{-}E)(\mu\text{-}R^1E^1)Fe_2(CO)_6]^-$ (E, E^1 = S or Se). Synthesis and characterization of $(\mu\text{-}\eta^2\text{-}RCH{=}CH)(\mu\text{-}R^1S)[Fe_2(CO)_6]_2(\mu_4\text{-}E)$ and $[(\mu\text{-}\eta^2\text{-}PhCH{=}CH)Fe_2(CO)_6]_2(\mu_4\text{-}Se)$, **599**, 256
Alkoxide
Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, **593–594**, 479
Synthesis and characterisation of Group 4 metallocene alkoxide complexes. X-ray crystal structure of $Cp^*_2ZrCl(OCH_2CH_2SPh)$, **606**, 156
Alkoxides
Monomeric organoaluminium complexes $RAl(OR^*)_2$ and R_2AlOR^* with an optically active amino alkoxide ligand, **595**, 21
Alkoxy
Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)[dialkyl(aryl)dithiocarbamato] complexes of niobium(V), **603**, 194
Alkoxyborohydrides
Organonickel chemistry in the catalytic hydrodechlorination of polychlorobiphenyls (PCBs): ligand steric effects and molecular structure of reaction intermediates, **600**, 63
Alkoxyphosphinidene clusters
Precursors of quadruply bridging phosphorus monoxide ligands: synthesis and structural characterization of a new family of anionic fluoro and alkoxyphosphinidene clusters $Ru_5(CO)_{15}(\mu_4\text{-}PR)$ (R = N^iPr_2, NCy_2, F, OMe, OEt, O^iPr): generation and structure of $[H_2NCy_2][Ru_5(CO)_{15}(\mu_4\text{-}PO)]$, **600**, 84
Alkoxysilanes
Regiospecific synthesis of alpha-lithiated alkoxysilanes, **595**, 87
Alkyl
Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, **606**, 141
Synthesis and crystal structures of $[Rh(TTP)(CH_3)]_2(\mu\text{-}CNpy)$ and $[Rh(TTP)(C_8H_{11})]$ (TTP = 5,10,15,20-tetra(*p*-tolyl)-porphyrin dianion; CNpy = 4-cyanopyridine; C_8H_{11} = (5-norbornen-2-yl)methyl), **604**, 197
The synthesis and structural characterization of phenyl tris(3-*t*-butylpyrazolyl)borato alkyl complexes of magnesium and zinc, $[PhTp^{Bu^t}]MgR$ (R = Me, Et) and $[PhTp^{Bu^t}]ZnMe$, **596**, 22

Alkylalanes
Syntheses of some bulky alkylalanes and alkyltrihydroaluminates: crystal structures of $[Li(THF)_2AlH_3C(SiMe_3)_2(SiMe_2NMe_2)]_2$, $Li(THF)_2Al_2H_5\{C(SiMe_3)_3\}_2$, $(Me_3Si)_3CAlH_2\cdot THF$ and the pyrazolato derivative $[LiAlH(C_3H_3N_2)_2C(SiMe_3)_3]_2$ (THF = tetrahydrofuran), **597**, 3
Alkyl and acyl oxo niobocene
Synthesis and reactivity of new oxo alkyl or oxo acyl niobocene complexes and crystal structure of $Cp'_2Nb(=O)(OC(O)CF_3)$ ($Cp' = \eta^5$-$C_5H_4SiMe_3$), **598**, 167
Alkylation
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, **605**, 239
Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, **608**, 153
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
Alkylation of nickelocene
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, **604**, 241
Alkylations
Dimethylaluminium enolates and alkoxides derived from trimethylaluminium and aromatic ketones: a synthetic, structural and theoretical investigation, **602**, 15
Alkylation to benzene
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, **605**, 239
Alkyl complexes
A series of mono- and dihydrido- as well as mono- and dimethylosmium(II) complexes containing [(mes)Os(CNR)] as a building block, **593–594**, 192
Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, **599**, 112
Alkyl halides
Intramolecular N···E interactions in N-functionalised alkyl complexes $R'ECl_2$ (E = P, As, Sb; R = 6-Me-2-Pyr$(SiMe_3)_2C^-$), **607**, 213
Alkylidene
Binuclear hydrido platinum(II) complexes: syntheses of $[\{Pt(P\text{–}P)\}_2(\mu\text{-}CHCH_2R)(\mu\text{-}H)][BF_4]$ (R = C_6H_5, H) and easy cleavage of a P–C bond in a chelating 1,4-bis (diphenyl)phosphinobutane (P–P), **595**, 224
Alkylidene complex
1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $TaCl_2(\eta^5$-$C_5Me_5)(\eta^4$-1-aza-1,3-butadiene), **593–594**, 69
Alkylidynes
Ring closing alkyne metathesis: stereoselective synthesis of civetone, **606**, 75
Alkyl migration
Alkyl migration reactions — the direct observation of the preferential migration of branched over linear alkyl groups, **604**, 7
Alkyltin
Wurtz-type reductive coupling reaction of primary alkyl iodides and haloorganotins in cosolvent/$H_2O(NH_4Cl)$/Zn media as a route to mixed alkylstannanes and hexaalkyldistannanes, **612**, 78
Alkylzirconacycles
Reactivity of vinyl and alkynyl zirconium complexes with the di-*ansa*-[1,1′,2,2′-bis(dimethylsilanediyl) dicyclopentadienyl] ligand, **593–594**, 147
Alkyne
A mononuclear alkyne-stabilized $Mo^{(IV)}O_2$ moiety, **602**, 72
Copper(I) complexes with conjugated dienes, **602**, 5
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, **614–615**, 75
Reactions of cationic dirhodium and diiridium complexes $[Cp^*M(\mu\text{-}Cl)(\mu\text{-}SPr')_2MCp^*][OTf]$ (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, **599**, 221
Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex $[(OC)_4Fe(\mu\text{-}PPh_2)Co(CO)_3]$, **601**, 271
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **610**, 88
Synthesis and structure of 1,12-diethynyl-*para*-carborane, **610**, 20
Synthesis, electrochemistry and structural characterization of new dimeric cobalt η^2-alkyne carbonyl complexes, **595**, 70
Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $Cp^*Ru(CO)_2(\mu_2\text{-}CO)Co(CO)_3$, $Cp^*Ru(\mu_2\text{-}CO)_2(\mu_2\text{-dppm})Co(CO)_2$, $Cp^*Ru(CNBu')(CO)(\mu_2\text{-}CO)Co(CO)_3$, and $Cp^*(CO)Ru\{\eta^2\text{:}\eta^4\text{-}\mu_2\text{-}C(Tol)CHC(Tol)CH\}Co(CO)_2$ ($Cp^* = \eta^5$-C_5Me_5, dppm = $Ph_2PCH_2PPh_2$, Tol = C_6H_4Me-4), **596**, 121
2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-}PhC_2Ph)]I$ and $[WI(terpy)(\eta^2\text{-}PhC_2Ph)_2]I\cdot CDCl_3$, **604**, 191
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2\{P(OPh)_3\}_2(\eta^2\text{-}PhCCPh)$, $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1\text{:}\eta^1\text{-}C(O)C(Me)C[CH(OEt)_2]C(O)\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2(PhCCH)_2$, **612**, 61
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), **601**, 226
Alkyne complexes
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C'Bu)(\eta^2\text{-}HC{\equiv}C'Bu)][BPh_4]$, **604**, 83
Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, **599**, 112
Alkyne coupling
Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes, **593–594**, 489
Alkyne cyclotrimerisation
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, **607**, 57
Alkyne diruthenium
Alkyne diruthenium chemistry, **593–594**, 77
Alkyne insertion
Reaction of phenylacetylene with (butadiene)tantalocene cation, **593–594**, 388
Alkyne metathesis
Alkyne metathesis with in situ catalysts: $W(CO)_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, **606**, 13
Alkyne(pentacarbonyl)chromium
Addition of *N*-aryl imines to alkyne(pentacarbonyl)chromium and tungsten — a novel route to alkenyl(amino)carbene complexes, **599**, 288
Alkyne(pentacarbonyl)tungsten
Addition of *N*-aryl imines to alkyne(pentacarbonyl)chromium and tungsten — a novel route to alkenyl(amino)carbene complexes, **599**, 288
Alkynes
Alkyne insertion reactions of $[RuH(\kappa^2\text{-}S_2CNEt_2)(CO)(PPh_3)_2]$: synthesis of alkenyl, alkynyl and enynyl complexes, **598**, 20
1-Azadienes as bridging ligands in nickel(0) complexes of the type $[(1\text{-aza-}1.3\text{-diene})Ni(L)]_2$ (L = 1-aza-1.3-diene, alkyne, triphenylphosphine), **597**, 116
Heterobimetallische Komplexe von Titan(IV)–Quecksilber(II) und Platin(II)–Quecksilber(II), **602**, 91

Platinum–alkynyl and –alkyne complexes: old systems with new chemical and physical perspectives, **600**, 37

Reactivity studies of $[Pd_2(\mu\text{-}X)_2(PBu^t_3)_2]$ (X = Br, I) with CNR (R = 2,6-dimethylphenyl), H_2 and alkynes, **600**, 198

Ring closing alkyne metathesis: stereoselective synthesis of civetone, **606**, 75

Synthesis and decomposition of bis(alkoxyethynyl)dimethyltin, **598**, 211

Alkynols

Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, **601**, 78

Organotransition metal-modified sugars: Part 16. Diastereoselective synthesis of carbohydrate-derived spirocyclic 2-oxacyclohexylidene chromium and tungsten complexes, **602**, 37

Alkynyl

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, **605**, 184

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-$HC{\equiv}CC_6H_2N{=}NC_6H_4NO_2$, **605**, 193

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, **610**, 71

Reactivity of vinyl and alkynyl zirconium complexes with the di-*ansa*-[1,1′,2,2′-bis(dimethylsilanediyl) dicyclopentadienyl] ligand, **593–594**, 147

Ru-σ-alkynyl compounds of tetraanilinopyridinato-diruthenium-(II,III) core: synthesis and structural characterization, **596**, 152

Alkynylborates

Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates, **603**, 189

Alkynyl complex

π-Allyliridium(I) complexes, $Ir(\eta^3\text{-}CH_2CHCHAr)(CO)(PPh_3)_2$ (Ar = Ph, C_6H_4Me-*p*, C_6H_4Br-*p*). Comparison of their structures and chemical properties with analogous Rh complexes, **602**, 144

Alkynyl complexes

Reactions of transition-metal η^1-propargyl complexes with sulfur dioxide and sulfur trioxide: transition-metal–carbon bond cleaving reactions of the cycloadducts which yield 1,2-oxathiole-2-oxides and -2,2-dioxides, **598**, 150

Selectivity in alkynylation: the reaction between $Ru_2(LL)_4Cl$ and $Me_3SnC{\equiv}CR$ (LL = 2-anilinopyridine, 2-chloro- and 2-bromo-oxypyridine), **595**, 300

Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, **593–594**, 180

Alkynyls

Platinum–alkynyl and –alkyne complexes: old systems with new chemical and physical perspectives, **600**, 37

Alkynylstannane

Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, **603**, 249

Allene

π-Allyliridium(I) complexes, $Ir(\eta^3\text{-}CH_2CHCHAr)(CO)(PPh_3)_2$ (Ar = Ph, C_6H_4Me-*p*, C_6H_4Br-*p*). Comparison of their structures and chemical properties with analogous Rh complexes, **602**, 144

Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403

$\mu\text{-}\eta^1{:}\eta^2_{\alpha,\beta}$-Allenyl

Reactions of binuclear ruthenium–platinum μ-allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $L(PPh_3)Pt(\mu\text{-}\eta^1{:}\eta^2_{\alpha,\beta}\text{-}C(Ph){-}C{=}CH_2)Ru(CO)Cp$ (L = PPh_3, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, **593–594**, 465

η^3-Allenyl

Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, **613**, 26

Allyl

Amino-substituted cyclopentadienyl cobalt complexes, **605**, 157

Komplexkatalyse LVI: Zur Kation-Anion-Wechselwirkung in den C_{12}-Allylnickel(II)-Komplexen $[Ni(\eta^3,\eta^2,\eta^2\text{-}C_{12}H_{19})]X$ als Steuergröße für die Katalyse der stereospezifischen Butadienpolymerisation. Synthese des Tetrakis(pentafluorphenyl)borats (X = $B(C_6F_5)_4$) und Charakterisierung des Tetrafluoroborats sowie des Trifluor-methansulfonats (X = BF_4, CF_3SO_3) durch Röntgenkristallstrukturanalyse und Leitfähigkeitsmessungen, **597**, 92

Allylation

Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, **611**, 433

Allylation/alkylation-RCM

Efficient synthesis of spirolactones from cyclic anhydrides via an allylation/alkylation-RCM sequence, **606**, 93

Allyl carbonate

Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates, **603**, 189

Allyl complexes

Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η^3-propenyl- and η^3-2-methylpropenylbis(triphenylphosphine)platinum(II)perchlorates, **605**, 28

From molecules to aggregates: crystal structures of molybdenum binuclear complexes, **601**, 34

π-Allyl complex

π-Allyliridium(I) complexes, $Ir(\eta^3\text{-}CH_2CHCHAr)(CO)(PPh_3)_2$ (Ar = Ph, C_6H_4Me-*p*, C_6H_4Br-*p*). Comparison of their structures and chemical properties with analogous Rh complexes, **602**, 144

π-Allyl complexes

Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, **604**, 241

η^3-Allyl complexes

A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)-methanes as ligands, **607**, 182

Allyl compounds

Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D_2O, **593–594**, 485

Allylic alcohol

Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, **611**, 4557

Allylic alkylation

Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, **603**, 2

Allylic amination

The application of Pd-complexes of diphenylphosphinoferrocenyl-oxazoline ligands to catalytic enantioselective allylic amination, **603**, 110

Allylic substitution

Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, **603**, 105

Allyl ligands

Novel η^3-allyl complexes of titanium, **593–594**, 1

1-Allylpyrrole

Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, **601**, 320

η^1-Allyl reductive elimination

Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288

Allyl rotation

Synthesis, crystal structure, and NMR investigation of methyl α,α-dimethyl acetate-substituted π-allylpalladium complexes, **605**, 109

Allyltin
On the behaviour of organotin compounds with cyclodextrins: Part 1. The complex between allyl-di-*n*-butyltin chloride and β-cyclodextrin, **605**, 127
Alpha-lithiated alkoxysilanes
Regiospecific synthesis of alpha-lithiated alkoxysilanes, **595**, 87
Alpha-lithiation
Regiospecific synthesis of alpha-lithiated alkoxysilanes, **595**, 87
Alpha-silyl carbanions
Regiospecific synthesis of alpha-lithiated alkoxysilanes, **595**, 87
Aluminium
Dimethylaluminium enolates and alkoxides derived from trimethylaluminium and aromatic ketones: a synthetic, structural and theoretical investigation, **602**, 15
Isolation of new polynuclear aluminium amides; trinuclear [Al-Cl(MeNCH$_2$CH$_2$NMe)$_2$(Al(NMe$_2$)Cl)(Al(NMe$_2$)$_2$)] and fluxional adamantane-like [Al$_4$Cl$_2$(NMe$_2$)$_8$(NMe)O], **598**, 36
Monomeric organoaluminium complexes RAl(OR*)$_2$ and R$_2$AlOR* with an optically active amino alkoxide ligand, **595**, 21
Syntheses of some bulky alkylalanes and alkyltrihydroaluminates: crystal structures of [Li(THF)$_2$AlH$_3$C(SiMe$_3$)$_2$(SiMe$_2$-NMe$_2$)]$_2$, Li(THF)$_2$Al$_2$H$_5$[C(SiMe$_3$)$_2$]$_2$, (Me$_2$Si)$_3$CAlH$_2$·THF and the pyrazolato derivative [LiAlH(C$_3$H$_3$N$_2$)$_2$-C(SiMe$_3$)$_2$]$_2$ (THF = tetrahydrofuran), **597**, 3
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of {[(η^5-C$_5$H$_5$)$_2$Ti(μ-H)]$_2$-[(η^5-C$_5$H$_5$)Ti(μ-H$_2$)Al$_2$(μ-H$_2$)(H)]}$_2$·C$_6$H$_6$, a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of LiAlEt$_4$, **603**, 167
Synthesis and structure of adduct stabilized Group III metal transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, **606**, 132
The cyclopentadienylaluminium etheralkoxide derivative [(η^5-C$_5$H$_5$)$_2$Al(μ-OCH$_2$CH$_2$O-^{n}Pr)]$_2$: synthesis and structure, **613**, 119
The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, **608**, 54
Aluminum
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, **599**, 200
First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, **604**, 202
Precursor chemistry of Group III nitrides: Part XVI. Synthesis and structure of monomeric penta-coordinated intramolecularly adduct-stabilized amidobisazides of aluminum, gallium and indium with an all-nitrogen coordination sphere: OM-CVD of GaN using (N$_3$)$_2$Ga{N[CH$_2$CH$_2$(NEt$_2$)]$_2$}, **602**, 29
Sterically crowded aryloxides of aluminum: intramolecular coordination of bidentate ligands, **597**, 29
Syntheses of cationic four-coordinated aluminum complexes: counter-ion induced aggregation through the N–H···I hydrogen bonds, **598**, 13
Synthesis and structural characterization of polymeric dimethylaluminum phenylthiolate, **597**, 105
Synthesis and structure of fluorinated dialacycles, **604**, 132
The future of aluminum chemistry, **600**, 186
Aluminum chloride
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, **605**, 239
Amide
Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, **606**, 141
Precursor chemistry of Group III nitrides: Part XVI. Synthesis and structure of monomeric penta-coordinated intramolecularly adduct-stabilized amidobisazides of aluminum, gallium and indium with an all-nitrogen coordination sphere: OM-CVD of GaN using (N$_3$)$_2$Ga{N[CH$_2$CH$_2$(NEt$_2$)]$_2$}, **602**, 29
Preparation and characterization of immobilized constrained-geometry hafnium complexes, **606**, 169
Amides
Isolation of new polynuclear aluminium amides; trinuclear [Al-Cl(MeNCH$_2$CH$_2$NMe)$_2$(Al(NMe$_2$)Cl)(Al(NMe$_2$)$_2$)] and fluxional adamantane-like [Al$_4$Cl$_2$(NMe$_2$)$_8$(NMe)O], **598**, 36
Progress report, **600**, 144
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, **604**, 229
Amidinate complexes
Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of [PhC(NSiMe$_3$)$_2$]$_2$TaF$_3$ and [PhC(NSiMe$_3$)$_2$]$_2$TaFPh$_2$, **607**, 227
Amido cyclopentadienyl
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of Hf{(η^5-C$_5$H$_4$)SiMe$_2$OSiMe$_2$(η^5-C$_5$H$_4$)}Cl$_2$ and Zr(η^5-1,3-^{t}Bu$_2$C$_3$H$_3$)(η^5-C$_5$H$_4$SiMe$_2$-η-N^{t}Bu)Cl, **604**, 103
Amido ligand
Non-bridged amido cyclopentadienyl complexes of titanium: synthesis, characterization, and olefin polymerization catalysis, **598**, 179
Amine elimination
Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination, **603**, 213
Amine ligands
Solution and solid–gas reactivity of unsaturated [RuCp(tmeda)]$^+$ (tmeda = Me$_2$NC$_2$H$_4$NMe$_2$), **593–594**, 342
Amines
Dehydrocoupling reactions of amines with silanes catalyzed by [(Et$_2$N)$_3$U][BPh$_4$], **610**, 49
Monomeric organoaluminium complexes RAl(OR*)$_2$ and R$_2$AlOR* with an optically active amino alkoxide ligand, **595**, 21
Amino acid
Synthesis of a water soluble boron neutron capture therapy agent: 1-amino-3-{2-(7-{3-[2-(2-hydroxymethyl-ethoxy)-1-(2-hydroxy-1-hydroxymethyl-ethoxymethyl)ethoxy]propyl}-1,7-di-carba-*closo*-dodecaboran-1-yl)ethyl}cyclobutane-carboxylic acid, **614–615**, 255
Amino acids
Chiral cyclopalladated liquid crystals from amino acids, **601**, 305
Enantioselective hydride transfer hydrogenation of ketones catalyzed by [(η^6-*p*-cymene)Ru(amino acidato)Cl] and [(η^6-*p*-cymene)Ru(amino acidato)]$_n$(BF$_4$)$_n$ complexes, **593–594**, 299
Amino acids and peptides
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, **611**, 445
Aminoalkylation of pyrazoles
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, **605**, 226
Aminoborylphosphanes
Synthesis and coordination behavior of a zirconocene bis(borylphosphane), **611**, 99
Aminocarbene complexes
Synthese und Struktur von {[*N*-[Bis(diisopropylamino)-phosphanyl]amino(phenyl)carben]dicarbonyl(η^5-methylcyclopentadienyl)mangan(0)} und versuchte Darstellung von {[2-Bis(trimethylsilyl)methyl-3-phenyl-2*H*-azaphosphiren-κ*P*]-dicarbonyl(η^5-methylcyclopentadienyl)mangan(0)}, **595**, 12
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, **613**, 56

Aminocyclopentadienyl complexes
Koordinationschemie perhalogenierter Cyclopentadiene und Alkine, XXVI. Umsetzung von lithiierten Halogencymantrenen mit N-Elektrophilen. Molekülstrukturen von $(OC)_3Mn[\eta^5\text{-}C_5Cl_4\text{–}NH\text{–}N{=}C_5Cl_4]$ und $(OC)_3Mn[\eta^5\text{-}C_5H_3Cl(NH_2)\text{-}1,2]$, **599**, 247
Aminoethyl ferrocene
Synthesis and reactions of the ferrocene derived hydroxymethyl phosphine $FcCH(CH_3)P(CH_2OH)_2$ and its sulfide: crystal structures of $[FcCH(CH_3)P(S)R_2]$ R = CH_2OH, CH_2CH_2CN and $FcCH(CH_3)P(S)(CH_2O)_2PPh$ (Fc = ferrocenyl), **602**, 125
Aminomethylation–desilylation
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)-β-aminovinylsilanes, **604**, 186
Aminophosphines
Preparation, properties and reactions of metal-containing heterocycles: Part C: tetraazatetraphosphadimolybdacyclophanes: synthesis, isolation, characterization, and X-ray crystal structures, **595**, 166
Aminophosphites
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, **608**, 89
8-Aminoquinoline
Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, **607**, 105
Aminotroponiminate
Bridged aminotroponiminate complexes of lutetium, **603**, 161
2-Anilinopyridinate
Ru-σ-alkynyl compounds of tetraanilinopyridinato-diruthenium-(II,III) core: synthesis and structural characterization, **596**, 152
Anion
Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies, **593–594**, 119
Anionic dinuclear
Convenient synthesis of anionic dinuclear ruthenium(II) complexes $[NR_3H_2][\{RuCl(diphosphine)\}_2(\mu\text{-}Cl)_3]$ [diphosphine = 2,2′ - bis(diphenylphosphino) - 1,1′ - binaphthyl, 2,2′-bis-(di(*p*-tolyl)phosphino)-1,1′-binaphthyl, and 1,2-bis(diphenylphosphino)benzene]: crystal structure of $[NEt_3H_2][\{RuCl\text{-}(1,2\text{-bis(diphenylphosphino)benzene})\}_2(\mu\text{-}Cl)_3]$, **607**, 51
Anionic phosphane ligands
Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp'_2LnX with phosphanoethyl substituted cyclopentadienyl ligands, **604**, 72
Anionic polymerization
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, **611**, 32
ansa-Bis(tetrahydroindenyl)metal
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, **604**, 12
Ansa-ligands
Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study, **609**, 83
ansa-Metallocene
Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination, **603**, 213
Anthracene
Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, **601**, 237
Anthracenyl
Future prospects in organometallic chemistry of the Main Group metals: small molecules — supramolecular chemistry, **600**, 174
Antiferromagnetic interaction
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, **609**, 184
Antimony
Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-(tris(trimethylsilyl)stibine)chromium, **608**, 60
First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, **604**, 202
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, **611**, 551
Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of $[NEt_3CH_2Ph]_2[Ni_{15}(\mu_{12}\text{-}Sb)(CO)_{24}]$ and $[NEt_4]_3[Ni_{10}Sb_2\text{-}(\mu_{12}\text{-}Ni)(CO)_{18}]$, **593–594**, 325
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, **611**, 200
Antimony-transition metal bond
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, **611**, 558
Antitumour activity
Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, **608**, 63
Application to organic synthesis
Organotransition-metal chemistry: past development and future outlook, **600**, 159
Aqueous carbonyl complexes
New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23
Aqueous organometallic catalysis
Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, **593–594**, 416
Aqueous solution
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, **603**, 80
Arene
Al_2O_3-mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, **613**, 263
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, **607**, 203
Synthesis, structure, and reactivity of osmium π-thiophene complexes, **596**, 46
Arene complexes
A series of mono- and dihydrido- as well as mono- and dimethylosmium(II) complexes containing [(mes)Os(CNR)] as a building block, **593–594**, 192
Novel synthesis of indazoles from (η^6-arene)tricarbonylchromium complexes, **604**, 157
Reactivity of dinuclear arene ruthenium complexes: reactions of the hydrido complex $[(p\text{-}Me\text{-}C_6H_4\text{-}Pr^i)_2Ru_2Cl_2(\mu\text{-}Cl)(\mu\text{-}H)]$ with NaX and HX (X = F, Cl, Br, I), **602**, 188
Arenehydrazine–iron complex
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, **608**, 126
Arenehydrazone–iron complex
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, **608**, 126
Arene ligands
Transformation of cyclohexadiene on an Fe_3P frame: cluster complexes with hexadiene, cyclohexadiene and arene ligands, **614–615**, 158
Arene-ruthenium
Synthesis, structure and properties of cycloruthenated complexes: crystal structure of mono-chloro-(η^6-*p*-cymene)-{(phenylazo)phenyl}ruthenium(II), **596**, 232

Arene ruthenium complexes
Co-catalyst dependent cycloisomerization or ring closing metathesis of α,ω-dienes catalyzed by arene ruthenium complex with side-arm alcohol, **616**, 135
Arenes
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, **607**, 57
Areneselenenyl bromide
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, **611**, 164
Areneselenenyl chloride
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, **611**, 164
Arenetricarbonylchromium complexes
The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a,e*]cyclooctatetraene: $Cr(CO)_3$ orientation controlled by short C–H···O hydrogen bonding, **613**, 111
Aromatic bridge
Convenient routes to mono- and dinuclear (C_5Me_5)iron(II) complexes bearing acyl, alkynyl, aryl and thienyl ligands, **595**, 81
Aromatic ditellurides
The X-ray crystallographic study of the reaction of bis(2-thienyl)ditelluride with tetrakis(triphenylphosphine)platinum or -palladium, **595**, 232
Aromatic heterocycles
Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, **601**, 233
Aromaticity
Stable aromatic compounds containing heavier Group 14 elements, **611**, 228
1,2,4-Triazolium-5-ylidene and 1,2,4-triazol-3,5-diylidene as new ligands for transition metals, **600**, 112
Aromatic ketones
Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, **601**, 172
Aromatic nucleophilic substitution
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, **608**, 126
Aromatic phosphines
Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, **616**, 149
Aromatic rings
Structural and electronic properties of (2,2-*trans*)-dirhodium(II) tetrakis(*N*-phenylacetamidate), **596**, 90
Aromatic π–π stacking interaction
Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, **596**, 226
Aroylsilanes
Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide, **603**, 220
Arsenic
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, **614–615**, 70
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, **611**, 200
Arylation
Aromatic arylation via palladacycles: interception of reaction intermediates, **593–594**, 240
First intermolecular palladium catalyzed arylation of an unfunctionalized aromatic hydrocarbon, **606**, 108
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, **611**, 433
Arylboronic acids
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, **613**, 236
Aryldiazonium salts
New approaches to the synthesis of unsymmetrical diaryl selenides, **605**, 96
Aryl halides
First heterogeneously palladium catalysed α-arylation of diethyl malonate, **606**, 101
Aryl iodide
New approaches to the synthesis of unsymmetrical diaryl selenides, **605**, 96
Aryl iodides
Reactivity of $[Pd_3(\mu\text{-}OAc)_3(\mu,\eta^2\text{-}MeSCHCO_2Et\text{-}C,S)_3]$ in the presence of triphenylphosphine: a model of the early steps of the Pd/PR_3-catalysed Heck reaction, **601**, 201
Aryloxide
Sterically crowded aryloxides of aluminum: intramolecular coordination of bidentate ligands, **597**, 29
Aryloxides
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, **607**, 112
Aryloxy–zirconocene complex
Dehydrocoupling polymerization of arylsilanes with chloro(aryloxy)bis(cyclopentadienyl)zirconium complex catalysts, **595**, 1
Arylselenides
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, **613**, 220
Arylsilanes
Dehydrocoupling polymerization of arylsilanes with chloro(aryloxy)bis(cyclopentadienyl)zirconium complex catalysts, **595**, 1
Aryltrialkyltins
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, **613**, 236
Aryl triflate
New approaches to the synthesis of unsymmetrical diaryl selenides, **605**, 96
β-Arylvinyl azides
P,N-Heterodifunctional ligands by selective Staüdinger reaction of β-substituted vinylazides with (*Z*)-1,2-bis(diphenylphosphanyl)ethene and formation of cyclometalled complexes of palladium(II) of these ligands — crystal and molecular structure of a new chiral cyclometallaphosphoraniminophosphane of palladium(II), **598**, 329
a-Si:H
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, **611**, 525
A sisyl-Grignard reagent
The first structurally characterised oligosilylmagnesium compound, **603**, 185
Asymmetric
Asymmetric synthesis of the Japanese beetle pheromone via boronic esters, **614–615**, 314
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, **603**, 50
Asymmetric catalysis
A rigid dirhodium(II) carboxylate as an efficient catalyst for the asymmetric cyclopropanation of olefins, **603**, 13
Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethyldiphosphine rhodium catalysts, **601**, 138
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, **603**, 69

Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, **616**, 37

Enantioselective hydride transfer hydrogenation of ketones catalyzed by [(η^6-*p*-cymene)Ru(amino acidato)Cl] and [(η^6-*p*-cymene)Ru(amino acidato)]$_3$(BF_4)$_3$ complexes, **593–594**, 299

Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, **603**, 105

New mono- and polyazafulleroids $C_{60}(NR)_n$ (n = 1, 2, 4, 6) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with [$RhCl(CO)_2$]$_2$, **599**, 8

Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine, **603**, 40

Recent progress in asymmetric heterogeneous catalysis: use of polymer-supported catalysts, **603**, 30

Asymmetric hydrogenation

Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, **603**, 80

Rh and Ir complexes containing multidentate, C_2-symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation, **601**, 284

Rhodium-catalyzed reduction of α-amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, **604**, 99

Asymmetric hydrosilylation

A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, **603**, 116

Asymmetric imidation

Asymmetric imidation of organic selenides into selenimides, **611**, 475

Asymmetric reaction

Complexes *cis*-[$PdCl_2$(OSMeR)$_2$] (R = Me, Ph, and C_6H_4Me-4) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, **601**, 51

Asymmetric syntheses

Organotransition-metal chemistry: past development and future outlook, **600**, 159

Asymmetric synthesis

Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, **603**, 61

Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, **611**, 445

Atom Fe

Endohedral analogs of ferrocene: ab initio theoretical predictions, **599**, 18

Atomic parameters

Implementation of the IPPP–CLOPPA–INDO/S method for the study of indirect nuclear spin coupling constants and its application to molecules containing tin nuclei, **598**, 193

Aurophilic

Aurophilic association in *endo*-dicyclopentadienechlorogold(I), **602**, 133

Avalanche multiplication

High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, **611**, 525

Axial ligands

Synthesis and characterization of [*trans*-di(μ-acetato)(μ-bis(diphenylphosphino)methylamine)bis(pyridine)dimolybdenum(II)]bis(tetrafluoroborate) and derivatives, **596**, 177

1-Azaallyl

Progress report, **600**, 144

Azaborane

Synthesis of N-substituted derivatives of the *hypho*-(amine)(amino)B_5H_{11} system, **614–615**, 215

1-Aza-1,3-butadiene

1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $TaCl_2(\eta^5$-$C_5Me_5)(\eta^4$-1-aza-1,3-butadiene), **593–594**, 69

1-Azabuta-1,3-diene

Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, **613**, 200

(1-Azabuta-1,3-diene)tricarbonyliron(0)

Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions, **603**, 240

1-Aza-1,3-dienes

1-Azadienes as bridging ligands in nickel(0) complexes of the type [(1-aza-1,3-diene)Ni(L)]$_2$ (L = 1-aza-1,3-diene, alkyne, triphenylphosphine), **597**, 116

Azametallatrane

Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, **606**, 141

Azapentadienyl compounds

Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, **599**, 147

Azide

Precursor chemistry of Group III nitrides: Part XVI. Synthesis and structure of monomeric penta-coordinated intramolecularly adduct-stabilized amidobisazides of aluminum, gallium and indium with an all-nitrogen coordination sphere: OM-CVD of GaN using (N$_3$)$_2$Ga{N[CH_2CH_2(NEt_2)]$_2$}, **602**, 29

Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3$-2,6-$Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), **609**, 152

Azides

Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, **616**, 128

Azido

Synthesis and properties of arylpalladium(II) azido complexes PdAr(N$_3$)(PR_3)$_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, **603**, 152

Azido complexes

New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), **613**, 159

Azidocyclopentadienyl complexes

Koordinationschemie perhalogenierter Cyclopentadiene und Alkine, XXVI. Umsetzung von lithiierten Halogencymantrenen mit N-Elektrophilen. Molekülstrukturen von $(OC)_3$Mn[η^5-C_5Cl_4–NH–N=C_5Cl_4] und $(OC)_3$Mn[η^5-C_5H_3Cl(NH_2)-1,2], **599**, 247

Azido–isocyanide complexes

New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), **613**, 159

Azobenzene

Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2−) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium [$Ti_2(\mu$-OH)$_2$(CO)$_8$]$^{2-}$, **593–594**, 354

Synthesis and characterisation of cyclometallated orthoazobenzene complexes of Ru(II): crystal and molecular structure of [$RuCl(CO)(\eta^2$-*C,N*-C_6H_4N=NPh)(PPh_3)$_2$]·0.5$CHCl_3$·0.5Et_2O. Is there a similarity to the hydroxyazo/ketohydrazone tautomerisation in *ortho*-hydroxyazobenzenes?, **601**, 164

Synthesis, structure and properties of cycloruthenated complexes: crystal structure of mono-chloro-(η^6-*p*-cymene)-[(phenylazo)phenyl]ruthenium(II), **596**, 232

Azo enophile
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, **608**, 49
Azo ligands
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$. $n = 1$, 2: abpy = 2,2′-azobispyridine, **604**, 267
Azulene
First intermolecular palladium catalyzed arylation of an unfunctionalized aromatic hydrocarbon, **606**, 108

π-Backbonding
Structural and electronic properties of (2,2-*trans*)-dirhodium(II) tetrakis(*N*-phenylacetamidate), **596**, 90
π-Back donation
The chemistry of transition metal complexes containing a phosphenium ligand, **611**, 349
Band gap tuning
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, **611**, 525
Barbiturate
$(\eta^5$-Cyclopentadienyl)$Fe(CO)_2$ complexes of barbiturate anions, **597**, 17
'Barf' anion
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex $[(\eta^5\text{-}C_5Me_5)Re(NO)(P(4\text{-}C_6H_4CH_3)_3)(CH_3)]^+$ $B(3,5\text{-}C_6H_3(CF_3)_2)_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, **616**, 54
Barium
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, **607**, 112
High-pressure synthesis and structure of a new silicon clathrate $Ba_{7.4}Si_{\sim 46}$, **611**, 543
Base-coordinated silylene
Enhanced nucleophilicity of ambiphilic silylene and silylenoid bearing 8-(dimethylamino)-1-naphthyl group, **600**, 118
Basicity
2-Thioanisyldichlorophosphine, new starting material for the preparation of multidentate phosphine ligands: syntheses and characterization of derivatives of 2-anisyl- and 2-thioanisyldichlorophosphines, **598**, 235
Basic organometallics
Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, **606**, 84
Baylis–Hillman reaction
Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, **611**, 4557
B–C bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Bent metallocene
Reaction of phenylacetylene with (butadiene)tantalocene cation, **593–594**, 388
Benzeneselenenyl fluoride
Fluoro-functionalization mediated by the reactive chalcogen reagents, **611**, 158
Benzo-1,2-germacyclobutene
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, **611**, 420
Benzyl
Titanium imido complexes containing 1,3,5-triazacyclohexane ligands, **600**, 71
Benzylamines
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, **603**, 138
Benzyl cation
Non-bridged amido cyclopentadienyl complexes of titanium: synthesis, characterization, and olefin polymerization catalysis, **598**, 179
Benzylferrocenes
Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, **601**, 246
B-frame bimetallics
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_6]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
B–Ge bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
B_{12}-Icosahedron
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, **611**, 547
Bicyclic sila-heterocycles
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, **613**, 19
Bicyclo[2.2.2]octanes
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, **611**, 12
Bidentate chiral ligand
Synthesis of a novel chiral ruthenium complex and its crystal structure, **605**, 134
Bidentate ligand
Pd(II) and Rh(I) chelate complexes of the bidentate phosphino–thiourea ligand $PhNHC(S)NHCH_2CH_2PPh_2$: structural properties and activity in homogeneous and hybrid catalysis, **593–594**, 431
Bidentate ligands
Coordination chemistry of 1,1′-bis(diphenylselenophosphoryl)-ferrocene (dpspf) towards Group 11 elements. Crystal structures of $[Ag(dpspf)\{(SPPh_2)_2CH_2\}]OTf$ and $[Au(dpspf)]$-$[AuCl_2]$, **613**, 50
Bidentate phosphines
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of $[(C_5H_5)Ru(\mu\text{-}CO)_2\{\mu\text{-}Ph_2PN(H)PPh_2\}IrCl_2]$, **605**, 1
Bi-functional
Convenient syntheses, spectroscopic and structural characterisation of bi-functional boranes, **614–615**, 188
Bifunctional
The cyclopentadienylaluminium etheralkoxide derivative $[(\eta^1\text{-}C_5H_5)_2Al(\mu\text{-}OCH_2CH_2O\text{-}^nPr)]_2$: synthesis and structure, **613**, 119
Bimetallic
Bimetallic and cationic aluminum with N_2O_2 chelate ligands, **596**, 109
Metal segregation in bimetallic clusters and its possible role in synergism and bifunctional catalysis, **600**, 1
Bimetallic complexes
Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_2Zr\text{–}OCCo_3(CO)_9]$, **604**, 68
Binary boranes
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, **614–615**, 144
BINOL
Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides, **603**, 98

Binuclear
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, **607**, 93
Binuclear complexes
Binuclear hydrido platinum(II) complexes: syntheses of $[\{Pt(P–P)\}_2(\mu\text{-}CHCH_2R)(\mu\text{-}H)][BF_4]$ (R = C_6H_5, H) and easy cleavage of a P–C bond in a chelating 1,4-bis(diphenyl)phosphinobutane (P–P), **595**, 224
From molecules to aggregates: crystal structures of molybdenum binuclear complexes, **601**, 34
Bioinorganic chemistry
The $Co_3(CO)_9C$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, **593–594**, 232
Biological
The future of aluminum chemistry, **600**, 186
Biomimetic
Substrate binding and activation via pendant hydrogen-bonding groups as an approach to biomimetic homogeneous catalysis, **600**, 7
Bipyridine
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, **613**, 257
2,2′-Bipyridine
Development of a T-joint for covalent molecular construction based on 2,2′-bipyridine and phenanthroline isocyanide metal complexes, **598**, 55
Bis(arylselanyl)benzene
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, **611**, 178
bis-Cyclopentadienyl zirconium and titanium complexes
Activation of CH_4 and H_2 by zirconium(IV) and titanium(IV) cationic complexes. Theoretical DFT study, **597**, 182
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (**L**): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl_2**L**] and *trans*-$[PdCl_2(\mathbf{L})_2]$, **613**, 244
Bis(diphenylphosphino)amine
The reaction of $[Ru_3(CO)_{12}]$ with bis(diphenylphosphino)amine. The crystal and molecular structure of $[Ru_3(CO)_{10}(dppa)]$ and $[Ru_3(CO)_8(dppa)_2]$, **599**, 313
bis(Diphenylphosphino)amine complexes
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), **607**, 3
Iridium carbonyl cluster complexes with bidentate phosphine ligands: the X-ray crystal structure of $[Ir_4(CO)_8(dppa)_2]\cdot 3(THF)$, **602**, 137
bis(Diphenylphosphino)ethene complexes
Iridium carbonyl cluster complexes with bidentate phosphine ligands: the X-ray crystal structure of $[Ir_4(CO)_8(dppa)_2]\cdot 3(THF)$, **602**, 137
Bis(diphenylphosphino)ferrocene
Ferrocenyl ligands in mixed valence high-oxidation state rhenium complexes, **598**, 103
Bis(diphenylthiophosphoryl)ferrocene
1,1′-Bis(diphenylthiophosphoryl)ferrocene complexes of gold(I) and gold(III), **596**, 10
Bis-(3,5-di-*tert*-butyl-2-phenol)oxamide
New hexacyclic binuclear tin complexes derived from bis-(3,5-di-*tert*-butyl-2-phenol)oxamide, **614–615**, 283
Bis(ferrocenyl)-1,3-diketones
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238
Bis(ferrocenylmethyl)ethylenediamine
Ferrocenyl ligands in mixed valence high-oxidation state rhenium complexes, **598**, 103
Bis-lactones
Synthesis of γ-lactones and unsaturated bis γ-lactones via Cu–Fe-mediated reductive cyclization of di- and tri-α-halogenated carboxylic esters, **601**, 153
Bismuth
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, **611**, 100
Bismuthonium ylides
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, **611**, 89
Bis{2-(*N*-morpholino)-ethyl}telluride
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (**L**^{1}) and bis{2-(*N*-morpholino)ethyl}telluride (**L**^{2}): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(\mathbf{L}^1)_2]$ and *trans*-$[PdCl_2(\mathbf{L}^2)_2]$, **612**, 46
3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthols
Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands, **603**, 6
Bis-(3-phenylpyrazolyl)dihydroborate
Synthesis and crystal structure of $[H_2B(3\text{-}Phpz)_2]_2Zn$, **614–615**, 305
Bis(phosphino)amines
Ruthenium(II) chemistry of phosphorus-based ligands. $Ph_2PN(R)PPh_2$ (R = Me or Ph) and $Ph_2PN(Ph)P(E)Ph_2$ (E = S or Se). Solution thermochemical study of ligand substitution reactions in the Cp′RuCl(COD) (Cp′ = Cp, Cp*; COD = cyclooctadiene) system, **599**, 159
Bis(phosphino)methane complexes
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)-methanes as ligands, **607**, 182
Bis-pyrazolylmethane
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{-}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*mPh = phenyl - bis(3,5 - dimethylpyrazol - 1 - yl)methane; bpz*mpy = pyridin - 2 - yl - bis(3,5 - dimethylpyrazol - 1 - yl)-methane, **603**, 174
Bis(2-pyridyl)formamidine complexes
Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, **596**, 226
Bis-silylation
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, **611**, 78
Bis(silyl)bis(phosphine)platinum
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, **611**, 343
Bis(stannyl)bis(phosphine)palladium
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, **611**, 343
Bis(stannyl)bis(phosphine)platinum
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, **611**, 343
Bis(tetrahydroindenyl)lutetium chloride
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, **604**, 12
Bis(tetrahydroindenyl)yttrium chloride
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, **604**, 12

1,1′-bis(Tributylstannyl)ferrocene
A novel synthesis of 1,1′-unsymmetrical disubstituted heteroarylferrocene, **612**, 172
Bis(trimesitylgermyl)-carbodiimide
Bis(trimesitylgermylcarbodiimido)germylene, trimesitylgermylcyanamide and trimesitylgermylcarbodiimide, **595**, 153
Bis(trimesitylgermylcarbodiimido)germylene
Bis(trimesitylgermylcarbodiimido)germylene, trimesitylgermylcyanamide and trimesitylgermylcarbodiimide, **595**, 153
Bis(trimethylsilyl)amide
Synthesis and structural characterisation of bis(trimethylsilyl)-amidotin(II) triflate [{$Sn(NR_2)(\mu\text{-}\eta^2\text{-}OTf)_2$}], (R = $SiMe_3$, ^-OTf = $^-OSO_2CF_3$), **601**, 142
1,4-Bis(trimethylsilyl)-1-buten-3-yne
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, **609**, 130
Bis(trimethylsilyl)methyl ligand
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente IL. Erstmalige Aufklärung der Elektronenstruktur eines metallorganischen σ-Komplexes der f-Elemente: Tris-(bis(trimethylsilyl)methyl)erbium(III), **602**, 65
3,3-Bis(trimethylsilyl)propene
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)-β-aminovinylsilanes, **604**, 186
Bithiophene
Bithienylsilanes: unexpected structure and reactivity, **610**, 8
BNCT
Synthesis of a water soluble boron neutron capture therapy agent: 1 - amino - 3 - [2 - (7 - {3 - [2 - (2 - hydroxymethyl - ethoxy) - 1-(2 - hydroxy - 1 - hydroxymethyl - ethoxymethyl)ethoxy]propyl} - 1,7 - di - carba - *closo* - dodecaboran - 1 - yl)ethyl]cyclobutanecarboxylic acid, **614–615**, 255
^{11}B-NMR
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, **614–615**, 195
^{11}B nuclear shielding
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, **614–615**, 61
σ-Bond activation
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Bond energies
Density functional calculations of dinuclear organometallic carbonyl complexes. Part I: metal–metal and metal–CO bond energies, **596**, 212
Bonding analyses
Bonding studies of dinuclear transition metal bis(μ-η^2-silane) complexes [$L_nM(\mu\text{-}\eta^2\text{-}HSiR_2)$]$_2$ by density functional theory, **608**, 42
σ-Bond metathesis
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, **611**, 420
Bond order
Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, **596**, 159
Synthesis and structure of 1,12-diethynyl-*para*-carborane, **610**, 20
Borane
Convenient syntheses, spectroscopic and structural characterisation of bi-functional boranes, **614–615**, 188
Synthesis and structure of [(η^5-C_5Me_5)WCl_2(μ-H)]$_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH_3THF with (η^5-C_5Me_5)WCl_4, **609**, 77
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, **613**, 236
Borane adduct
P–H functionalised phosphinoalkoxides as ligands: synthesis and catalytic properties of [$Cp_2Zr(Me)$(*cyclo*-1-O-2-PH(Tipp)-C_6H_{10})] (Tipp = 2,4,6-$Pr^i_3C_6H_2$), [$Cp_2Zr(Me)$(*cyclo*-1-O-2-PH-(Tipp)){$Mo(CO)_5$}–C_6H_{10})] and [$Cp_2Zr(BH_4)$(*cyclo*-1-O-2-PH-(Mes)(BH_3)–C_6H_{10})] (Mes = 2,4,6-$Me_3C_6H_2$), and molecular structure of (R_C,R_C,R_P/S_C,S_C,S_P)-[$Cp_2Zr(Me)$(*cyclo*-1-O-2-PH(Tipp)–C_6H_{10})], **595**, 126
Borane cluster
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η^5-C_5Me_5)$_2$-*nido*-2,7,8,6-$Ir_2CSB_6H_8$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
Boranes
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, **614–615**, 61
(Fluoroorgano)fluoroboranes and -fluoroborates I: synthesis and spectroscopic characterization of potassium fluoroaryltrifluoroborates and fluoroaryldifluoroboranes, **598**, 127
Studies on the reactivity of Nb(η^5-$C_5H_4SiMe_3$)$_2$(X)(L), X = H,Cl; L = CNXylyl, CNCy, CO and Nb(η^5-$C_5H_4SiMe_3$)$_2$(H)$_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, **609**, 123
Synthesis and characterization of μ,μ′-$M(B_3H_8)_2$ (M = Cd, Hg and Zn): a reassignment of the NMR spectra for 2,3-μ-metalloderivatives of pentaborane(9), **614–615**, 223
Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B_8H_{11} system, **614–615**, 215
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, **614–615**, 37
Borasiloxanes
cyclo-Boratrisiloxane and *cyclo*-diboratetrasiloxane derivatives and their reactions with amines: crystal and molecular structure of (p-BrC_6H_4BO)$_2$(Ph_2SiO)$_2$, **595**, 241
Borates
(Fluoroorgano)fluoroboranes and -fluoroborates I: synthesis and spectroscopic characterization of potassium fluoroaryltrifluoroborates and fluoroaryldifluoroboranes, **598**, 127
Borohydride
Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study, **609**, 83
Boron
Boride cluster fusion through copper and silver. Crystal structure of [(Ph_3P)$_2$N][($HRu_3(CO)_{12}BH$)$_2$Ag], **614–615**, 202
Comparison of the geometric and molecular orbital structures of (Cp^*Cr)$_2B_4H_8$ and (Cp^*Re)$_2B_4H_8$. Cp^* = η^5-C_5Me_5. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, **614–615**, 92
Convenient syntheses, spectroscopic and structural characterisation of bi-functional boranes, **614–615**, 188
cyclo-Boratrisiloxane and *cyclo*-diboratetrasiloxane derivatives and their reactions with amines: crystal and molecular structure of (p-BrC_6H_4BO)$_2$(Ph_2SiO)$_2$, **595**, 241
Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11}$)$_2^-$^{1}] ion, **614–615**, 120
New zwitterionic heterocycles derived from 1-chloro(dimethyl)-silyl-1-borylalkenes and 2-lithio-1-methylimidazole and 1-lithio-indazole, **602**, 45
O,*N*-Chelated boron aminophenolate complexes. Crystal structure of $BPh_2(OC_6H_4(CH_2NMe_2)$-2), **608**, 27
Platinum complexes of stanna-*closo*-dodecaborate, **614–615**, 137
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B{\cdot}NHMe_2$ and (HOOC)-$(F_3C)_2B{\cdot}NHMe_2$, **604**, 43
Synthesis of dioxazaborocines from *N*,*N*′-alkylbridged-bis(bis(2-hydroxybenzyl)aminomethyl)amines, **595**, 215
The chemistry of bridged borylene complexes, **614–615**, 18

The clusters $HRu_3W(\eta^5\text{-}Cp)(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5\text{-}Cp)(CO)_{10}(PPh_3)BH$, **609**, 89
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, **614–615**, 37
Boron chelates
Synthesis and molecular structures of dimeric boron compounds, **604**, 273
Boron clusters
Polyhedral-based nonlinear optical materials. Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, **614–615**, 309
Boron hydrides
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, **614–615**, 5
Boronic acid
(Fluoroorgano)fluoroboranes and -fluoroborates I: synthesis and spectroscopic characterization of potassium fluoroaryltrifluoroborates and fluoroaryldifluoroboranes, **598**, 127
Boronic acids
Synthesis and molecular structures of dimeric boron compounds, **604**, 273
Boronic ester
Asymmetric synthesis of the Japanese beetle pheromone via boronic esters, **614–615**, 314
Boron neutron capture therapy
Boron complexes of *S*-trityl-L-cysteine and *S*-tritylglutathione, **610**, 25
2-Boryl(π-allyl)palladium complex
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403
2-Borylallylsilane
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403
Borylene complexes
The chemistry of bridged borylene complexes, **614–615**, 18
Branched
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, **604**, 7
Branched oligosilanes
Synthesis, structure and spectroscopic properties of branched oligosilanes, **613**, 208
Branched silanes
Reactions of the Si–H bonds in tetrakis(dimethylsilyl)methane and silane, **597**, 111
Bridge bonds
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, **614–615**, 5
Bridging ligand
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, **611**, 323
Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2S_2(CO)_5\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2S_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ ($n = 3$, 4 and 6), **595**, 191
Bridging-selenium ligand
Reactions of $(\mu\text{-}\eta^2\text{-}RCH{=}CH)(\mu\text{-}Cl)Fe_2(CO)_6$ with $[(\mu\text{-}E)(\mu\text{-}R^1E^1)Fe_2(CO)_6]^-$ (E, E^1 = S or Se). Synthesis and characterization of $(\mu\text{-}\eta^2\text{-}RCH{=}CH)(\mu\text{-}R^1S)[Fe_2(CO)_6]_2(\mu_4\text{-}E)$ and $[(\mu\text{-}\eta^2\text{-}PhCH{=}CH)Fe_2(CO)_6]_2(\mu_4\text{-}Se)$, **599**, 256
Bridging-sulfur ligand
Reactions of $[\{\mu\text{-}\eta^2\text{-}C(R^1){=}CHR^2\}(\mu\text{-}CO)Fe_2(CO)_6]^-$ with $(\mu\text{-}S_2)Fe_2(CO)_6$: synthesis and structures of $[\mu\text{-}\eta^2\text{-}C(R^1){=}CHR^2](\mu\text{-}RS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ (R = alkyl, phenyl or acyl), **595**, 158
Reactions of $(\mu\text{-}\eta^2\text{-}RCH{=}CH)(\mu\text{-}Cl)Fe_2(CO)_6$ with $[(\mu\text{-}E)(\mu\text{-}R^1E^1)Fe_2(CO)_6]^-$ (E, E^1 = S or Se). Synthesis and characterization of $(\mu\text{-}\eta^2\text{-}RCH{=}CH)(\mu\text{-}R^1S)[Fe_2(CO)_6]_2(\mu_4\text{-}E)$ and $[(\mu\text{-}\eta^2\text{-}PhCH{=}CH)Fe_2(CO)_6]_2(\mu_4\text{-}Se)$, **599**, 256
Bromination/desilylation
Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, **601**, 172
B–Si bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
B–Sn bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Bulky ligand
Mesitylpseudohalogermanes $Mes_2Ge(CN)_2$ and Mes_3GeX (X = CN, NCS, N_3, NCO and OH; Mes = 2,4,6-trimethylphenyl): syntheses, crystal and molecular structures, **598**, 276
Bulky ligands
Future prospects in organometallic chemistry of the Main Group metals: small molecules — supramolecular chemistry, **600**, 174
Butadiene
Amino-substituted cyclopentadienyl cobalt complexes, **605**, 157
Copper(I) complexes with conjugated dienes, **602**, 5
Komplexkatalyse LVI: Zur Kation-Anion-Wechselwirkung in den C_{12}-Allylnickel(II)-Komplexen $[Ni(\eta^3,\eta^2,\eta^2\text{-}C_{12}H_{19})]X$ als Steuergröße für die Katalyse der stereospezifischen Butadienpolymerisation. Synthese des Tetrakis(pentafluorphenyl)borats ($X = B(C_6F_5)_4$) und Charakterisierung des Tetrafluoroborats sowie des Trifluor-methansulfonats ($X = BF_4$, CF_3SO_3) durch Röntgenkristallstrukturanalyse und Leitfähigkeitsmessungen, **597**, 92
Butadiynes
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, **603**, 116
γ-Butyrolactones
Synthesis of γ-lactones and unsaturated bis γ-lactones via Cu–Fe-mediated reductive cyclization of di- and tri-α-halogenated carboxylic esters, **601**, 153

C_{60}
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, **611**, 414
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, **611**, 78
Photoinduced electron-transfer reaction between C_{60} and cyclic silicon compounds, **599**, 216
Cadmium
Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, **601**, 237
Cage compounds
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, **614–615**, 70
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, **611**, 12
Cage distortion
Synthesis and structure of 1,12-diethynyl-*para*-carborane, **610**, 20
Cage ion
Monoorganotin–polyoxometal compounds: Part 1. Synthesis and crystal structure of $[(^tPrSn)_{11}(V^{IV}O)O_{14}(OH)_6]Cl{\cdot}2DMF{\cdot}H_2O$. The first example in a series of monoorganotin–polyoxometal compounds with icosahedral metal arrangement and various contents of tin and vanadium, **598**, 381
Calcium
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, **607**, 112

Calix[6]arenes
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, **611**, 146
Cancer
Boron complexes of *S*-trityl-L-cysteine and *S*-tritylglutathione, **610**, 25
Carbamato complexes
Triphenylphosphine-substituted *N,N*-di-*iso*-propylcarbamate of ruthenium(II) and its reactions with carbon monoxide, **596**, 144
Carbametallaborane
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_{11}$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, **614–615**, 153
Carbathiaborane cluster
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η⁵-C_5Me_5)$_2$-*nido*-2,7,8,6-$Ir_2CSB_9H_{11}$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
Carbazole
Electron-transfer processes in the reaction of K^-, K^+(15-crown-5)$_2$ with carbazole: unexpected formation of metallic potassium, **595**, 66
Carbene
Convenient routes to mono- and dinuclear (C_5Me_5)iron(II) complexes bearing acyl, alkynyl, aryl and thienyl ligands, **595**, 81
Synthesis and evaluation of new $RuCl_2$(*p*-cymene)(ER$_3$R') and (η¹:η⁶-phosphinoarene)$RuCl_2$ complexes as ring-opening metathesis polymerization catalysts, **606**, 55
1,2,4-Triazolium-5-ylidene and 1,2,4-triazol-3,5-diylidene as new ligands for transition metals, **600**, 112
Carbene complex
Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, **596**, 3
Carbene complexes
Carbonyl insertion into zirconium–nitrogen bonds; synthesis and X-ray structure of a carbene complex composed of [Zr(NMe$_2$)$_4$]$_2$ and three Fe(CO)$_5$ units containing Fe→Zr donor–acceptor interactions, **598**, 403
Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, **606**, 88
Organotransition metal-modified sugars: Part 16. Diastereoselective synthesis of carbohydrate-derived spirocyclic 2-oxacyclohexylidene chromium and tungsten complexes, **602**, 37
Reactions of complex ligands: Part 91. Application of ring closing metathesis to Fischer-type carbene complexes: synthesis and structure of medium-sized chromium oxacycloalkenylidenes, **606**, 26
Carbenes
Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes, **593–594**, 489
Fluoroalkylated *N*-heterocyclic carbene complexes of palladium, **598**, 409
Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of [$RuCl_2$(=CHSC$_6$H$_4$)(P^{i}Pr$_3$)$_2$] and [$RuCl_2$(CHCH$_2$CH$_2$-*C,N*-2-C_5H_4N)(P^{i}Pr$_3$)], **606**, 65
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **608**, 122
Carbenoid
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, **612**, 36
Carbenoid intermediate
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
Carbide
Reactions of metalloalkynes: Part 6. Synthesis of open tetrametallic clusters. Reaction of [Ru(CO)$_4$(ethene)] with ethyne-1,2-diyl compounds. Single crystal X-ray structural determinations of [Ru_4(μ$_4$-CC)(η-C_5H_4R)$_2$(μ-CO)$_2$(CO)$_8$] (R = H, Me), **598**, 28
Carbocation
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
The behavior of 3-ferrocenyl-1-methyl-1,2-pentamethyleneallyl and 1,5-diferrocenyl-3-methyl-2,4-tetramethylene-1,4-dienyl carbocations in the cationic dimerization of 1,3-dienes, **602**, 105
Carbocations
Synthesis, crystal and molecular structure of [{$C_5Me_4FeC_5$-Me_4CH_2}$^+$ B{C_6H_3(CF$_3$)$_2$}$_4^-$], the first example of a structurally characterized primary ferrocenylcarbocation, **616**, 106
Carbodiimide
Synthesis and properties of arylpalladium(II) azido complexes PdAr(N$_3$)(PR$_3$)$_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, **603**, 152
Carbohydrates
Organotransition metal-modified sugars: Part 16. Diastereoselective synthesis of carbohydrate-derived spirocyclic 2-oxacyclohexylidene chromium and tungsten complexes, **602**, 37
Carbon-60
Triruthenium cluster complexes of C_{60} and C_{70}: carbonyl site exchange probed via triphenylphosphine ligand derivatives, **599**, 97
Carbon-70
Triruthenium cluster complexes of C_{60} and C_{70}: carbonyl site exchange probed via triphenylphosphine ligand derivatives, **599**, 97
Carbon–carbon bond formation
N-Heterocyclic carbenes: Part 26. *N*-Heterocyclic carbene complexes of palladium(0): synthesis and application in the Suzuki cross-coupling reaction, **595**, 186
Carbon–carbon coupling
Reaction of phenylacetylene with (butadiene)tantalocene cation, **593–594**, 388
Carbon–carbon unsaturated bond
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, **611**, 463
Carbon dioxide
New η⁵- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η⁵-complexes towards carbon dioxide, **605**, 143
Carbon disulfide
Reactivity of [Fe_2(CO)$_6$(μ-CO)(μ-dppm)] towards unsaturated sulfur-containing compounds, SO_2, CS_2 and ArNCS: facile carbon–sulfur bond cleavage at the diiron centre, **595**, 134
Carbon–fluorine bond activation
Regioselective C–F and C–H bond activation: synthesis and structure of an asymmetric rhodium complex comprising a η⁵:η¹:η¹-cyclopentadienyl-bis(phosphine) ligand, **595**, 292
Carbon–hydrogen bond activation
Regioselective C–F and C–H bond activation: synthesis and structure of an asymmetric rhodium complex comprising a η⁵:η¹:η¹-cyclopentadienyl-bis(phosphine) ligand, **595**, 292

Carbon monoxide
Molecular structure and properties of the rhodium(II) complexes with chemilabile ether–phosphine ligands $P(2\text{-}MeOC_6H_4)_3$ and $P(2,6\text{-}(MeO)_2C_6H_3)_3$, **597**, 20
Carbon monoxide copolymers
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, **603**, 122
Carbon-rich materials
A novel weakly diatropic dehydroannulene containing the cyclobutadiene(cyclopentadienyl)cobalt unit. An organometallic dehydroannulene that obeys Hückel's rule, **600**, 56
Carbonyl
Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, **593–594**, 19
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, **604**, 234
Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, **607**, 97
Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2 −) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium $[Ti_2(\mu\text{-}OH)_2(CO)_8]^{2-}$, **593–594**, 354
Iridium carbonyl cluster complexes with bidentate phosphine ligands; the X-ray crystal structure of $[Ir_4(CO)_8(dppa)_2]\cdot 3(THF)$, **602**, 137
Monocarbollide complexes of osmium: X-ray crystal structure of $[Os(CO)_3\{\eta^5\text{-}5\text{-}(NMe_3)\text{-}7\text{-}CB_{10}H_{10}\}]$, **614-615**, 208
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_2[Ni_{10}Rh(CO)_{19}]\cdot C_2H_3CN$, $[NMe_3CH_2Ph]_4[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_4[Ni_6Rh_4(CO)_{22}]$, **614-615**, 294
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, **607**, 203
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, **612**, 160
Studies of tetrakis(trifluoroacetate) dirhodium: Part 4. Solventless synthesis of $Rh_2(O_2CCF_3)_2(CO)_4$ combined with $Rh_2(O_2CCF_3)_4$, a compound with infinite chains of rhodium atoms, **596**, 130
Synthesis of $-\{Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OR)_3]Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OR)_3]\}-$ via selective CO-substitution of $-[Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)_2Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)_2]-$ by $P(OR)_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-$\{Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OMe)_3]Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OMe)_3]\}-$, **613**, 1
The mutual influence of the imine substituents of terephthal-bisimines concerning their reactivity towards $Fe_2(CO)_9$, **610**, 102
Carbonylation
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, **611**, 463
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, **603**, 122
On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, **601**, 100
Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)-methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation, **593–594**, 409
Platinum complexes of heteroannularly bridged heterobidentate ferrocenyl diphosphine ligands: their molecular structure and their use in catalytic carbonylation reactions, **595**, 93
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, **613**, 231
Triphenylphosphine-substituted *N,N*-di-*iso*-propylcarbamate of ruthenium(II) and its reactions with carbon monoxide, **596**, 144
Carbonylation reactions
Promotion of the $[PPN][Rh(CO)_4]$-catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, **593–594**, 109
Carbonylative
Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, **610**, 38
Carbonyl cluster
Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structuresof$[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^2\text{-};\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2(CO)_6]\}]$, **609**, 169
Reactivity of the mixed-metal cluster $[Os_6(CO)_{17}(Au_2dppm)]$ towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), **614–615**, 231
Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[Os_6(CO)_{17}(Au_2dppm)]$ and $[Os_6(CO)_{17}(Au_2dppm)\{Ru(\eta^5\text{-}C_5H_5)\}_2]$ (dppm = $Ph_2PCH_2PPh_2$), **596**, 204
Carbonyl clusters
Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[Ir_4(CO)_{11}(CPh{=}CHPh)]^-$ and $[Ir_6(CO)_{14}(COOMe)_2]^{2-}$, **593–594**, 63
Carbonyl complexes
Geometrical and electronic structures of the acetyl complex $Re(bpy)(CO)_3(COCH_3)$ and of $[M(bpy)(CO)_4](OTf)$, M = Mn,Re, **598**, 136
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_4(\mu\text{-}dppm)_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, n = 1 or 2), **604**, 219
Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-}dppm)_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides: Part XX. Oxidation of the complexes $Re_2X_4(\mu\text{-}dppm)_2(L)$ (X = Cl or Br; dppm = $Ph_2PCH_2PPh_2$; L = *t*-BuNC, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[Re_2(\mu\text{-}X)_2(\mu\text{-}dppm)_2X_3(L)]^+$, **596**, 27
Carbonyl compounds
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, **612**, 106
Carbonyl derivatives
First heterogeneously palladium catalysed α-arylation of diethyl malonate, **606**, 101
Carbonyl exchange
^{59}Co-NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, **604**, 27
Carbonyl ligands
Transition metal complexes of 2,2,2-trifluoroethyl isocyanide and 1H,1H-perfluorooctyl isocyanide, **612**, 96
Carbonylmetallates
Halophilic reactions of pentafluorohalobenzenes with transition-metal carbonyl anions, **597**, 77
Carbonyl nickel cluster
Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of $[NEt_3CH_2Ph]_2[Ni_{13}(\mu_{12}\text{-}Sb)(CO)_{24}]$ and $[NEt_4]_4[Ni_{10}Sb_2(\mu_{12}\text{-}Ni)(CO)_{18}]$, **593–594**, 325

Carbonyl phosphines
The structure and fluxionality of $[Fe_3(CO)_{10}(dppe)]$; a merry-go-round with no sense of direction, **607**, 175
Carborane
Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11}$)$_2^-$] ion, **614–615**, 120
Monocarbollide complexes of osmium: X-ray crystal structure of [$Os(CO)_3\{\eta^5$-5-(NMe_2)-7-$CB_{10}H_{10}\}$], **614–615**, 208
Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, **613**, 99
Rhodium cyclooctadiene complexes of the weakly co-ordinating carborane anion [*closo*-$CB_{11}H_{12}^-$]. Isolation and crystal structures of [(COD)Rh(η^2-$CB_{11}H_{12}$)] and [(COD)Rh$(THF)_2$][$CB_{11}H_{12}$], **614–615**, 113
Synthesis and structure of 1,12-diethynyl-*para*-carborane, **610**, 20
Synthesis of a water soluble boron neutron capture therapy agent: 1 - amino - 3 - [2 - (7 - {3 - [2 - (2 - hydroxymethyl - ethoxy) - 1-(2 - hydroxy - 1 - hydroxymethyl - ethoxymethyl)ethoxy]propyl}-1,7 - di - carba - *closo* - dodecaboran - 1 - yl)ethyl]cyclobutanecarboxylic acid, **614–615**, 255
Carborane cation
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, **614–615**, 195
Carboranes
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, **614–615**, 48
Future prospects in organometallic chemistry of the Main Group metals: small molecules — supramolecular chemistry, **600**, 174
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η^5-pentamethylcyclopentdienyl)ruthenium(μ,η^5 - 1,3 - diborolyl)-rhodiumcarbaboranyl] complexes, **614–615**, 125
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, **604**, 170
Polyhedral-based nonlinear optical materials. Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, **614–615**, 309
Revising the [$PdCl_2$(1,2-$(PPh_2)_2$-1,2-$C_2B_{10}H_{10}$)] synthesis and comparison of its behavior with [$PdCl_2$(1,2-$(P^iPr_2)_2$-1,2-$C_2B_{10}H_{10}$)]. Crystal structure of [$PdCl_2$(1,2-$(PPh_2)_2$-1,2-$C_2B_{10}H_{10}$)], **606**, 183
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of [$LnCl_2(THF)_2$][*nido*-$C_2B_9H_{12}$] (Ln = Y, Yb), **614–615**, 107
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, **614–615**, 37
Carbosilane
Preparation of double-layered dendritic carbosilanes, **599**, 123
Preparation of ethynylsilane dendrimers, **599**, 208
Carbosilane dendrimers
Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers, **603**, 244
Carboxylation
New η^5- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^5-complexes towards carbon dioxide, **605**, 143
Carboxylato complexes
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)-methanes as ligands, **607**, 182
Carbyne complexes
Reactions of acetonitrile di-iron μ-aminocarbyne complexes: synthesis and structure of [$Fe_2(\mu$-$CNMe_2)(\mu$-H)$(CO)_2(Cp)_2$], **606**, 163
Catalysis
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, **599**, 200
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, **604**, 7
A mononuclear alkyne-stabilized $Mo^{IV}O_2$ moiety, **602**, 72
Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139
Catalyzed reaction of triethylborane with pyrazole, **597**, 190
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, **599**, 298
Computational modeling of the elemental catalysis in the Stone–Wales fullerene rearrangements, **599**, 57
Dimerization of terminal alkynes catalyzed by indenyl ruthenium-(II) complexes, **593–594**, 292
Diverse catalytic activity of the cationic actinide complex [$(Et_2N)_3U$][BPh_4] in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex [$(Et_2N)_3U(C{\equiv}C^tBu)(\eta^2$-$HC{\equiv}C^tBu)$][$BPh_4$], **604**, 83
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, **614–615**, 48
Komplexkatalyse LVI: Zur Kation-Anion-Wechselwirkung in den C_{12}-Allylnickel(II)-Komplexen [$Ni(\eta^3,\eta^2,\eta^2$-$C_{12}H_{19}$)]X als Steuergröße für die Katalyse der stereospezifischen Butadienpolymerisation. Synthese des Tetrakis(pentafluorphenyl)borats ($X = B(C_6F_5)_4$) und Charakterisierung des Tetrafluoroborats sowie des Trifluor-methansulfonats ($X = BF_4$, CF_3SO_3) durch Röntgenkristallstrukturanalyse und Leitfähigkeitsmessungen, **597**, 92
Mechanism of the hydrogenation of 2,5-norbornadiene catalyzed by [Rh(NBD)$(PPh_3)_2$]BF_4 in dichloromethane: a kinetic and spectroscopic investigation, **599**, 178
Metal segregation in bimetallic clusters and its possible role in synergism and bifunctional catalysis, **600**, 1
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, **614–615**, 75
Organonickel chemistry in the catalytic hydrodechlorination of polychlorobiphenyls (PCBs): ligand steric effects and molecular structure of reaction intermediates, **600**, 63
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, **603**, 50
ω-Phenylalkyl-substituted zirconocene dichloride complexes as catalyst precursors for homogeneous ethylene polymerization, **599**, 275
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, **596**, 193
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, **606**, 112
Results and perspectives in the chemistry of side-chain-functionalized cyclopentadienyl compounds, **600**, 127
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, **613**, 77
Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, **601**, 320
Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, **601**, 57
Synthesis, characterization and catalytic properties of metallacyclic zirconocene complexes, **599**, 261

Synthesis of the diphenylacetylene-based, tetra-amine ligand 1,2-bis(3,5-bis[(dimethylamino)methyl]phenyl)acetylene by palladium-catalysed cross-coupling: isolation and crystal structure of the catalyst *trans*-(3,5-bis[(dimethylamino)methyl]-phenyl)bis(triphenylphosphine)palladium(II) iodide, **598**, 24

The future of aluminum chemistry, **600**, 186

Catalyst

Hydrogenation of α-acetamidocinnamic acid with polystyrene-supported rhodium catalysts, **606**, 151

New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, **613**, 68

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **610**, 88

Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[RuCl_2(=CHSC_6H_3)(P^iPr_3)_2]$ and $[RuCl_2(CHCH_2CH_2\text{-}C,N\text{-}2\text{-}C_5H_4N)(P^iPr_3)]$, **606**, 65

The preparation, molecular structure and catalytic relevance of $Ti(OSiPh_3)_4$ and $Ti(OGePh_3)_4$, **596**, 221

Catalyst precursor

New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, **614–615**, 83

Catalyst preparation

Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, **593–594**, 96

Catalysts

Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, **607**, 97

Synthesis and properties of unsolvated bis(cyclopentadienyl)titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2)Al_2(\mu\text{-}H_4)(H)]\}_2\text{-}C_6H_6$, a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, **603**, 167

Catalytic applications

Catalytic applications of F$_8$BINOL: asymmetric oxidation of sulfides to sulfoxides, **603**, 98

Catalytic asymmetric synthesis

Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles, **603**, 18

Catalytic cycle

On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, **601**, 100

Catalytic hydrogenation

Preparation and catalytic hydrogenation properties of some rhodium and ruthenium complexes with chiral tridentate phosphine ligands (*S,S*)-$PhP(CH_2CHMeCH_2PPh_2)_2$ and (*S*)-$Ph_2PCH_2CH(PPh_2)CH_2CH_2PPh_2$), **601**, 330

Catalytic hydrosilylation

Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, **609**, 130

Catalytic intermediate

Synthesis and molecular structure of $[RuCl\{C(=CHPh)OC(=O)CH_2CH_3\}(CO)(PPh_3)_2]$: a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, **601**, 69

Catalytic mechanism

Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, **611**, 593

Catalytic reaction

The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, **604**, 290

Cation

Syntheses of cationic four-coordinated aluminum complexes: counter-ion induced aggregation through the N–H···I hydrogen bonds, **598**, 13

Cationic

Bimetallic and cationic aluminum with N_2O_2 chelate ligands, **596**, 109

Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, **607**, 97

Dehydrocoupling reactions of amines with silanes catalyzed by $[(Et_2N)_3U][BPh_4]$, **610**, 49

Cationic complexes

2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-}PhC_2Ph)]I$ and $[WI(terpy)(\eta^2\text{-}PhC_2Ph)_2]I\cdot CDCl_3$, **604**, 191

Cationic palladium complexes

Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of $[PdMe\{Ph_2PCH_2C(O)Ph\}(PCy_3)](PF_6)$ and $[Pd\{Ph_2PCH{:}{:}C(\ddot{O})Ph\}SMe_2](PF_6)$, **601**, 43

The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, **593–594**, 211

Cationic phosphenium complexes

The chemistry of transition metal complexes containing a phosphenium ligand, **611**, 349

Cation radicals

Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, **613**, 220

C_2B_4-cage

Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, **614–615**, 10

C_6,C_8 chains

Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, **604**, 150

C–C coupling

Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238

C–C coupling

Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, **607**, 12

C_4 chains

Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, **607**, 137

CCl_4

Studies on the nature of active species in $W(CO)_6/CCl_4/h\nu$ system as applied to metathesis polymerisation reactions, **601**, 16

C–C reductive elimination

The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, **604**, 290

Cesium

Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, **604**, 59

C–F bond activation

C–F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of $[Os(SC_6F_4H\text{-}2)(SC_6F_5)_2(PMe_2Ph)_2]$, $[Os(SC_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)]$ and $[Os(C_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)_2]$, **599**, 170

C-glycoside

Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, **593–594**, 49

C–H activation
A series of mono- and dihydrido- as well as mono- and dimethylosmium(II) complexes containing [(mes)Os(CNR)] as a building block, **593–594**, 192
Aromatic arylation via palladacycles: interception of reaction intermediates, **593–594**, 240
Diverse reactivity of rhodium β-(tetraphenyl)tetraphenyl porphyrin chlorides with benzonitrile: formation of Rh porphyrin arene and imine complexes, **598**, 80
Oxo and imido/imido exchange and C–H activation reactions based on pentamethylcylopentadienyl imido tantalum complexes, **597**, 61
Synthesis, characterization and catalytic properties of metallacyclic zirconocene complexes, **599**, 261
The mutual influence of the imine substituents of terephthal-bisimines concerning their reactivity towards $Fe_2(CO)_9$, **610**, 102
Chalcogenides
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-}SPh)]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-}SPh)](\mu_3\text{-}S)(\mu_3\text{-}Se)Co(CO)_2$, **612**, 9
Chalcogens
Synthesis and characterisation of $[Fe_2M_3(\mu_4\text{-}E)(\mu_3\text{-}E')(CO)_{13}]$ and $[Os_3(\mu_3\text{-}E)(\mu_3\text{-}E')(CO)_9]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), **606**, 176
Charge transfer
Photoreactivity of the triphenylphosphine adduct of methyl(trioxo)rhenium(VII) induced by ligand-to-metal charge transfer excitation, **606**, 207
Synthesis, characterization and spectroscopic properties of 1,2-diiminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, **610**, 16
Charge-transfer
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, **604**, 248
C–H bond activation
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand $Tp^{p\text{-}An}$. Intramolecular C–H bond activation and dehydro-chlorination processes, **605**, 117
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, **607**, 18
Chelate
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, **614–615**, 83
Synthesis and molecular structures of $Co_2(CO)_{6-n}(PPh_3)_n[\mu\text{-}C_2(CH_2R)_2]$ (R = CH_2OH or CH_2SCMe_3) derivatives containing chelated $[CpFe(CO)_2]_2Sn$ or $W(CO)_4$ fragments, **597**, 196
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, **611**, 314
Chelate ligands
Bimetallic and cationic aluminum with N_2O_2 chelate ligands, **596**, 109
Chelating diphosphines
Convenient synthesis of anionic dinuclear ruthenium(II) complexes $[NR_3H][\{RuCl(diphosphine)\}_2(\mu\text{-}Cl)_3]$ [diphosphine = 2,2′-bis(diphenylphosphino)-1,1′-binaphthyl, 2,2′-bis(di(*p*-tolyl)-phosphino)-1,1′-binaphthyl, and 1,2-bis(diphenylphosphino)-benzene]: crystal structure of $[NEt_3H_2][\{RuCl(1,2\text{-}bis(diphenylphosphino)benzene)\}_2(\mu\text{-}Cl)_3]$, **607**, 51
Chemical annealing
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, **611**, 525
Chemical shifts
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, **614–615**, 195
Chemical vapour deposition
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, **605**, 202
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, **616**, 128
Chemoselectivity
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, **599**, 298
Chiral
Chiral organotin hydrides containing intramolecular coordinating substituents, **605**, 209
Chiral sandwich compounds of ruthenium(II) and (IV): X-ray crystal structure of $[Ru\{\eta^5\text{-}C_5H_4(neomenthyl)\}_2I]I_3$, **606**, 188
Chiral allenes
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, **603**, 116
Chiral complexes
Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, **605**, 55
Chiral crystallization
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, **611**, 52
Chiral derivatizing agent
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine]-(ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), **605**, 68
Use of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)Pt(II) as a chiral derivatizing agent for the determination by ^{195}Pt-NMR of the enantiomeric composition of unsaturated ethers or alcohols having a quaternary chiral carbon atom, **598**, 174
Chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligand
Rhodium-catalyzed reduction of α-amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, **604**, 99
Chiral diphosphine
Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)-benzene ligands, **610**, 71
Chiral ferrocenyl group
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, **611**, 100
Chiral HPLC
Intramolecular versus intermolecular mechanism of metallotropic rearrangements of chiral chromium tricarbonyl complexes of substituted naphthalenes and other polyaromatic compounds investigated by chiral HPLC of its racemic mixtures, **597**, 42
Chiral hydrogenation
Asymmetric synthesis of fluorinated β-hydroxy esters via ruthenium-mediated hydrogenation, **603**, 128

Chirality
Monomeric organoaluminium complexes $RAl(OR^*)_2$ and R_2AlOR^* with an optically active amino alkoxide ligand, **595**, 21
Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes — synthesis, characterization and ring-opening polymerization, **601**, 211
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}((S)\text{-}PhCHMeNCH)C_4H_2S\}SMe_2]$, **604**, 178
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, **608**, 89
Chiral ligand
Syntheses and crystal structure of bridged Os_3-clusters with chiral 3-carane-type ligands, **604**, 1
Chiral ligands
Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139
Chiral lithium amides
Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, **608**, 153
Chiral macrocycle
Synthesis and structural characterization of chiral thiacrowns: the crystal and molecular structure of (*R,R,R*)-2,6,10-trimethyl-1,5,9-trithiacyclododecane, **596**, 115
Chiral metallocenes
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, **604**, 12
Chiral phosphanes
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, **599**, 304
Chiral phosphines
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, **603**, 116
Chiral ruthenium complex
Synthesis of a novel chiral ruthenium complex and its crystal structure, **605**, 134
Chiral tridentate phosphines
Preparation and catalytic hydrogenation properties of some rhodium and ruthenium complexes with chiral tridentate phosphine ligands (*S,S*)-$PhP(CH_2CHMeCH_2PPh_2)_2$ and (*S*)-$Ph_2PCH_2CH(PPh_2)CH_2CH_2PPh_2$), **601**, 330
Chloramine–T trihydrate
Asymmetric imidation of organic selenides into selenimides, **611**, 475
Chlorinated organics
Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, **593–594**, 416
Chlorine
Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, **596**, 3
(ω-Chloroalkyl)silanes
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, **605**, 239
Chlorodifluorovinyl
CFC replacement HCFC-133a (CF_3CH_2Cl) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, **616**, 96
Chlorodimethylsilyl–cyclopentadienyl
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, **604**, 103
α-Chloro esters
Synthesis of γ-lactones and unsaturated bis γ-lactones via Cu–Fe-mediated reductive cyclization of di- and tri-α-halogenated carboxylic esters, **601**, 153
Chlorohydrins
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, **603**, 50
Chlorosilane
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, **611**, 20
Chromium
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-}SPh)]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-}SPh)](\mu_3\text{-}S)(\mu_3\text{-}Se)Co(CO)_2$, **612**, 9
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, **607**, 64
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$. $Cp^* = \eta^5\text{-}C_5Me_5$. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, **614–615**, 92
Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-(tris(trimethylsilyl)stibine)chromium, **608**, 60
Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, **601**, 78
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238
Novel synthesis of indazoles from (η^6-arene)tricarbonylchromium complexes, **604**, 157
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, **607**, 203
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, **612**, 160
Chromium group
Syntheses, characterization and structures of chromium group carbonyl complexes containing a multifunctional $Ph_2P(o\text{-}C_6H_4)CH\text{=}N(CH_2)_2(o\text{-}C_6H_4N)$ ligand, **598**, 353
Chromium sulfide
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, **609**, 184
Chromium tri(carbonyl) aromatic
Intramolecular versus intermolecular mechanism of metallotropic rearrangements of chiral chromium tricarbonyl complexes of substituted naphthalenes and other polyaromatic compounds investigated by chiral HPLC of its racemic mixtures, **597**, 42
CIDNP
Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of ^1H CIDNP and laser pulse photolysis, **601**, 324
Cis- and *trans*-bis(diphenylphosphino)ethene
Cis- and *trans*-bis(diphenylphosphino)ethene seven-coordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of $[MI_2(CO)_3(cis\text{-}dppen)]$ {M = Mo or W; dppen = bis-(diphenylphosphino)ethene}, $[WI(CO)_4(cis\text{-}dppen)_2]I$, $[MI_2(CO)_2\{P(OR)_3\}(cis\text{-}dppen)]$ (M = Mo, R = Me; M = W, R = Et or Ph), **602**, 115

Cis–trans influence
Synthesis, characterization and *cis–trans* influence in cobaloximes with nioxime, **608**, 106
Claus process
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, **596**, 193
Closed-shell interactions
Crystal structures and spectroscopic properties of platina-β-diketones — a new mode of stacking in platinum complexes, **598**, 286
Closo
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_9$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, **614–615**, 153
closo-Dicarbaheptaboranes
Gas-phase reactions of *nido*-1-methylpentaborane with propyne and 2-pentyne. Formation of B-alkyl *nido* and *closo* carbaboranes, **614–615**, 262
closo-Rhodacarborane
Mercury derivatives of *exo-nido*-ruthenacarborane, **597**, 48
Cluster
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$. $Cp^* = \eta^5$-C_5Me_5. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, **614–615**, 92
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, **614–615**, 75
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_3[Ni_{10}Rh(CO)_{19}]\cdot C_2H_5CN$, $[NMe_3CH_2Ph]_3[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_3[Ni_9Rh_3(CO)_{22}]$, **614–615**, 294
Platinum complexes of stanna-*closo*-dodecaborate, **614–615**, 137
Reactions of metalloalkynes: Part 6. Synthesis of open tetrametallic clusters. Reaction of $[Ru(CO)_4(ethene)]$ with ethyne-1,2-diyl compounds. Single crystal X-ray structural determinations of $[Ru_4(\mu_4\text{-}CC)(\eta\text{-}C_5H_4R)_2(\mu\text{-}CO)_2(CO)_8]$ (R = H, Me), **598**, 28
Reactions of $[(\mu\text{-}RS)(\mu\text{-}S)\{Fe_2(CO)_6\}_2(\mu_4\text{-}S)]^-$ with acid chlorides and diacid chlorides. Crystal structure of $(\mu\text{-}PhCH_2S)(\mu\text{-}CH_2\text{–}C(Me)COS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$, **601**, 108
Revising the $[PdCl_2(1,2\text{-}(PPh_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]$ synthesis and comparison of its behavior with $[PdCl_2(1,2\text{-}(PPr_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]$. Crystal structure of $[PdCl_2(1,2\text{-}(PPh_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]$, **606**, 183
Synthesis and physical properties of α,ω-bis[$Co_2(CO)_6\{\mu\text{-}\eta^2\text{:}\eta^2\text{-}C(R)\equiv C\}$]oligothiophenes, **599**, 232
The cluster dication $[H_2Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, **609**, 196
Triruthenium cluster complexes of C_{60} and C_{70}: carbonyl site exchange probed via triphenylphosphine ligand derivatives, **599**, 97
Cluster catalysis
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274
Cluster clathrate
Molecular and crystal structure of an iodo-gold-silver-platinum cluster, $[(Ph_3P)_6Au_6Ag_6Pt(AgI_3)_2](THF)_2$, with a trimetallic icosahedral core capped with two planar $[AgI_3]$ units, **614–615**, 66
Cluster complex
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, **609**, 184
Cluster complexes
Iridium carbonyl cluster complexes with bidentate phosphine ligands; the X-ray crystal structure of $[Ir_4(CO)_8(dppa)_2]\cdot 3(THF)$, **602**, 137
Transformation of cyclohexadiene on an Fe_3P frame: cluster complexes with hexadiene, cyclohexadiene and arene ligands, **614–615**, 158
Cluster fusion
Boride cluster fusion through copper and silver. Crystal structure of $[(Ph_3P)_2N][(HRu_4(CO)_{12}BH)_2Ag]$, **614–615**, 202
Clusters
Analogies between Group 13 metal clusters in organometallic and intermetallic structures, **597**, 54
An experimental and theoretical study of the electronic and molecular structure of $[Zn_4(\mu_4\text{-}S)\{\mu\text{-}S_2P(OC_2H_5)_2\}_6]$: the first molecular model of ZnS, **593–594**, 307
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$[(\eta^5\text{-}C_5H_5)_2Mo_2(O)_2(\mu\text{-}O)\{\mu\text{-}\eta^2\text{:}\eta^2\text{-}C(Ph)\equiv C[C_4HS(C_4H_3S\text{-}2)_2\text{-}2,5]\}]$, **608**, 133
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, **604**, 241
Reactions of nickelocene with sodium in the presence of terminal alkenes, **597**, 133
Synthesis and characterisation of $[Fe_2M_3(\mu_4\text{-}E)(\mu_3\text{-}E')(CO)_{17}]$ and $[Os_3(\mu_3\text{-}E)(\mu_3\text{-}E')(CO)_9]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), **606**, 176
Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyridyl azo ligands, **596**, 36
Synthesis, characterization and solution studies on heteronuclear iron–copper clusters containing diphosphine ligands: crystal structure of the dicluster $[\{Fe_2(\mu\text{-}CO)(CO)_6(\mu\text{-}PPh_2)Cu\}_2(dppp)]$, **598**, 215
The heteronuclear cluster $RuOs_3(\mu\text{-}H)_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, **609**, 104
The ligand $[Cp_2MoH_2]$ in complexes with Ag–S bonds, **609**, 44
^{13}C-NMR
Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[Ir_4(CO)_{11}(CPh\text{=}CHPh)]^-$ and $[Ir_6(CO)_{14}(COOMe)_2]^{2-}$, **593–594**, 63
CO_2
Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139
^{13}CO
Reaction of $[fac\text{-}(CO)_3(dppe)Mn(OH_2)]BF_4$ with ^{13}CO and conversion of the resulting tetracarbonyl to labeled isocyanato complexes, **610**, 118
Cobaloxime
Organocobaloximes with mixed-dioxime equatorial ligands: a one-pot synthesis, **602**, 1
Cobaloximes
Synthesis, characterization and *cis–trans* influence in cobaloximes with nioxime, **608**, 106
Cobalt
Amino-substituted cyclopentadienyl cobalt complexes, **605**, 157
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-}SPh)]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-}SPh)](\mu_3\text{-}S)(\mu_3\text{-}Se)Co(CO)_2$, **612**, 9
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, **604**, 234
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, **607**, 156

Kohlenwasserstoffverbrückte Metallkomplexe. XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238

Ligating similarities between the novel five-electron-donor η^4-$P_2C_2Bu^t_2(R)H$ ring system, (R = $CH(SiMe_3)_2$) and the η^5-cyclopentadienyl ring. Syntheses, crystal and molecular structures of $[Co_2(CO)_4(\mu\text{-}P_2C_2Bu^t_2CH(SiMe_3)_2)]$ and $[Co(CO)_2(\eta^4\text{-}P_2C_2Bu^t_2H(CH(SiMe_3)_2]$, **601**, 335

Organocobaloximes with mixed-dioxime equatorial ligands: a one-pot synthesis, **602**, 1

Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)\text{-}C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_{10}\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^2\text{-}\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2\text{-}[Co_2(CO)_6]\}]$, **609**, 169

Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex $[(OC)_4Fe(\mu\text{-}PPh_2)Co(CO)_3]$, **601**, 271

Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, **604**, 150

Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral $W_2Fe(\mu_3\text{-}S)$ cluster cores $[W_2Fe(\mu_3\text{-}S)(CO)_7]$-$[\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ ($n = 1$–3). Crystal structures of $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\text{-}CH_2C_5H_4\text{-}\eta^5]$ ($n = 2,3$), **616**, 140

Synthesis and molecular structures of $Co_2(CO)_{6-n}(PPh_3)_n[\mu\text{-}C_2(CH_2R)_2]$ (R = CH_2OH or CH_2SCMe_3) derivatives containing chelated $[CpFe(CO)_2]_2Sn$ or $W(CO)_4$ fragments, **597**, 196

Synthesis, electrochemistry and structural characterization of new dimeric cobalt η^2-alkyne carbonyl complexes, **595**, 70

Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $Cp^*Ru(CO)_2(\mu_2\text{-}CO)Co(CO)_3$, $Cp^*Ru(\mu_2\text{-}CO)_2(\mu_2\text{-dppm})Co(CO)_2$, $Cp^*Ru(CNBu^t)(CO)(\mu_2\text{-}CO)Co(CO)_3$, and $Cp^*(CO)Ru\{\eta^2\text{:}\eta^4\text{–}\mu_2\text{–}C(Tol)CHC(Tol)CH\}Co(CO)_2$ ($Cp^* = \eta^5\text{-}C_5Me_5$, dppm = $Ph_2PCH_2PPh_2$, Tol = C_6H_4Me-4), **596**, 121

Cobaltacyclopentadiene

Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)-cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, **611**, 570

Cobaltadithiolene

Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, **611**, 376

Cobaltathiaziridine

Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, **611**, 376

Cobalt bis(dicarbollide)

Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, **613**, 99

Cobalt bis(dicarbollide) anion

Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11})_2^-$] ion, **614–615**, 120

Cobalt carbonyl cluster

Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(tacac)_2Zr\text{–}OCCo_3(CO)_9]$, **604**, 68

Formation of $M(CO)_4^-$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, **606**, 147

The first organometallic derivative of 11β-ethynylestradiol, a potential high-affinity marker for the estrogen receptor, **596**, 242

Cobalt carbonyls

The $Co_3(CO)_9C$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, **593–594**, 232

Cobalticinium

Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)-cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, **611**, 570

Cobalt tetracarbonyl cation

Formation of $M(CO)_4^-$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, **606**, 147

CO/ethylene copolymerisation

Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, **607**, 78

CO-free compounds

Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), **593–594**, 27

CO insertion

Cyclometallated complexes of ruthenium and osmium containing the *o*-$C_6H_4PPh_2$ ligand, **601**, 299

Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, **607**, 164

Combinatorial chemistry

Substrate binding and activation via pendant hydrogen-bonding groups as an approach to biomimetic homogeneous catalysis, **600**, 7

Complex

N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (**L^1**): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of **L^1**, its oxidized product and of $[RuCl_2(p\text{-cymene})\text{-}L^1]$, **605**, 39

Reaction of $[Et_3NH][(\mu\text{-RE})(\mu\text{-CO})Fe_2(CO)_6]$ (E = S, Se) with azides. Synthesis of $(\mu\text{-RE})(\mu\text{-p-}R^1C_6H_4N_3H)Fe_2(CO)_6$ and crystal structure of $(\mu\text{-Bu}^tS)(\mu\text{-PhN}_3H)Fe_2(CO)_6$, **601**, 87

Reaction of $[(\mu\text{-RE})(\mu\text{-CO})Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2\text{-}N\text{=}NCH(R^1)CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1\text{-}N\text{=}NCH(Me)CO_2Me]Fe_2(CO)_6$, **604**, 214

Synthesis, optical nonlinearity and crystal structure of a novel mixed-chalcogen, thiolato-bridged complex $[(\eta^5\text{-}C_5H_5)_2Mo_2(\mu\text{-S})(\mu\text{-Te})(\mu\text{-SPh})_2]$, **595**, 140

Complexation

Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (**L**): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of $[Ru(p\text{-cymene})Cl_2L]$ and *trans*-$[PdCl_2(L)_2]$, **613**, 244

Complexation of hydrophosphoranes: possible mechanism and coordination activity, **613**, 148

Complexes

Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, **613**, 60

N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (**L^1**) and bis{2-(*N*-morpholino)ethyl}telluride (**L^2**): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(L^1)_2]$ and *trans*-$[PdCl_2(L^2)_2]$, **612**, 46

Reactions of $[\{\mu\text{-}\eta^2\text{-}C(R^1)\text{=}CHR^2\}(\mu\text{-CO})Fe_2(CO)_6]^-$ with $(\mu\text{-}S_2)Fe_2(CO)_6$: synthesis and structures of $[\mu\text{-}\eta^2\text{-}C(R^1)\text{=}CHR^2](\mu\text{-RS})[Fe_2(CO)_6]_2(\mu_4\text{-S})$ (R = alkyl, phenyl or acyl), **595**, 158

Reactions of $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-Cl})Fe_2(CO)_6$ with $[(\mu\text{-E})(\mu\text{-}R^1E^1)Fe_2(CO)_6]^-$ (E, E^1 = S or Se). Synthesis and characterization of $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-}R^1S)[Fe_2(CO)_6]_2(\mu_4\text{-E})$ and $[(\mu\text{-}\eta^2\text{-PhCH=CH})Fe_2(CO)_6]_2(\mu_4\text{-Se})$, **599**, 256

π-Complexes
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first *f*-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C^tBu)(\eta^2\text{-}HC{\equiv}C^tBu)][BPh_4]$, **604**, 83
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274
σ-Complexes
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274
Composite cluster
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_x]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
Computational chemistry
Organotransition-metal chemistry: past development and future outlook, **600**, 159
Conducting polymer
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], **611**, 537
Conducting polymers
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$\{(\eta^5\text{-}C_5H_5)_2Mo_2(O)_2(\mu\text{-}O)\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(Ph){=}C[C_4HS(C_4H_3S\text{-}2)_2\text{-}2,5]\}\}$, **608**, 133
Synthesis and physical properties of α,ω-bis$\{Co_2(CO)_6\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(R){=}C\}\}$oligothiophenes, **599**, 232
Configuration
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, **611**, 20
Conformation
Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, **593–594**, 49
Conformational analysis
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, **611**, 146
Conformational constraints
Conformational constraints and σ–π-vinyl interchange in $\mu_3\text{-}\eta^3$-5,6-dihydroquinoline triosmium complexes, **593–594**, 226
Conformational equilibria
para-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, **601**, 114
Conformational study
Solid state ^{13}C-NMR and X-ray studies on the structure of tetraethylpyrazabole, **613**, 93
Conformation analysis
Synthesis and structure of mono- and bis(tricarbonylchromium)-complexes of 1,2:5,6-dibenzocycloocta-1,5-diene, **608**, 6
Conformations
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra. X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, **613**, 7
Conjugated polymers
Alkyne metathesis with in situ catalysts: $W(CO)_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, **606**, 13
π-Conjugation
Synthesis and structure of 1,12-diethynyl-*para*-carborane, **610**, 20
σ-Conjugation
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, **611**, 12
σ*–π* Conjugation
New type of polysilanes: poly(1,1-silole)s, **611**, 5
^{59}Co-NMR
^{59}Co-NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, **604**, 27
Constrained-geometry
Preparation and characterization of immobilized constrained-geometry hafnium complexes, **606**, 169
Convergent synthesis
Synthesis and characterization of a first generation organorhenium dendrimer, **593–594**, 361
Cooperative effect
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, **603**, 61
Cooperative effects
Synthesis, structure and reactivity of homobimetallic Rh(I) and Ir(I) complexes of *s*- and *as*-indacene-diide, **600**, 94
Coordinated NO_3^- and BF_4^- anions
Solid state and solution structural studies of silver(I) cyclic complexes bearing the $(Bzim)Ph_2P$ ligand, **593–594**, 392
Coordination
Synthesis and properties of some novel ferrocene macrocyclic dioxopolyamines, **598**, 42
Coordination chemistry
Bridged aminotroponiminate complexes of lutetium, **603**, 161
Copolymerization
Catalytic activity of cationic diphosphalladium(II) complexes in the alkene/CO copolymerization in organic solvents and water in dependence on the length of the alkyl chain at the phosphine ligands, **602**, 173
The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, **593–594**, 211
Copper
Boride cluster fusion through copper and silver. Crystal structure of $[(Ph_3P)_2N][(HRu_4(CO)_{12}BH)_2Ag]$, **614–615**, 202
Synthesis, characterization and solution studies on heteronuclear iron–copper clusters containing diphosphine ligands: crystal structure of the dicluster $[\{Fe_2(\mu\text{-}CO)(CO)_6(\mu\text{-}PPh_2)\text{-}Cu\}_2(dppp)]$, **598**, 215
Copper catalyst
Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, **616**, 74
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, **611**, 89
Copper complex
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, **611**, 577
Copper(I)
Copper(I) complexes with conjugated dienes, **602**, 5
Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η^2-alkynyl) transition-metal complexes. The molecular structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CFc)_2]CuBr$, **601**, 93
Correlations
Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, **606**, 203
Coupling
Bithienylsilanes: unexpected structure and reactivity, **610**, 8
Wurtz-type reductive coupling reaction of primary alkyl iodides and haloorganotins in cosolvent/H_2O/(NH_4Cl)/Zn media as a route to mixed alkylstannanes and hexaalkyldistannanes, **612**, 78
σ-Coupling
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, **611**, 299
Coupling reaction
Selectivity in alkynylation: the reaction between $Ru_2(LL)_4Cl$ and $Me_3SnC{\equiv}CR$ (LL = 2-anilinopyridine, 2-chloro- and 2-bromo-oxypyridine), **595**, 300

Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, **596**, 70

Coupling reactions
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, **611**, 172
Synthesis of coupling dinuclear iron complexes from μ-*N*-(2-oxo-2-methylethanaminato)-μ-*N'*-(dimethylamino)-$Fe_2(CO)_5$ complex with acetylene derivatives, **613**, 132

Covalent product
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, **614–615**, 5

Cp ligand
Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to C_{60}, **599**, 32

CPMAS
Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139

Cross coupling
N-Heterocyclic carbenes: Part 26. *N*-Heterocyclic carbene complexes of palladium(0): synthesis and application in the Suzuki cross-coupling reaction, **595**, 186

Cross-coupling
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, **611**, 392
Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates, **603**, 189
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403
Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, **610**, 38

Cross-linking
Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37

Cross-metathesis
Reactions of complex ligands: Part 91. Application of ring closing metathesis to Fischer-type carbene complexes: synthesis and structure of medium-sized chromium oxacycloalkenylidenes, **606**, 26

Crotonates
Reactions of complex ligands: Part 91. Application of ring closing metathesis to Fischer-type carbene complexes: synthesis and structure of medium-sized chromium oxacycloalkenylidenes, **606**, 26

18-Crown-6
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, **604**, 59

15-Crown-5
Decomposition of the crown ether ring in the reaction of K^-, $K^+(15\text{-crown-}5)_2$ with oxetane, **604**, 283

Crown ether
Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral $W_2Fe(\mu_3\text{-}S)$ cluster cores $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ ($n = 1-3$). Crystal structures of $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_n\text{-}CH_2C_5H_4\text{-}\eta^5]$ ($n = 2,3$), **616**, 140

Cryogenic reactions
Matrix isolation infrared and density functional theoretical studies of cryogenic reactions of silicon atoms with dimethyl ether and methanol: new route to generation and stabilization of transient silanones, **595**, 248

Crystal engineering
Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds, **593–594**, 101

Crystal field analysis
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente IL. Erstmalige Aufklärung der Elektronenstruktur eines metallorganischen σ-Komplexes der f-Elemente: Tris-(bis(trimethylsilyl)methyl)erbium(III), **602**, 65
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-Cp})_3Er\text{-}CNC_6H_{11}$, **604**, 296

Crystal field effects
A theoretical study of gas-phase and solid-state $Hg(CF_3)_2$, **598**, 374

Crystal growth
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, **611**, 531

Crystallographic characterisation
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_9$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, **614–615**, 153

Crystallographic data
Cyclotrimerization of phenylethynes to fulvene: reactivity of *cis*-dichloro(1,1' - bis(diphenylphosphino)ferrocene)palladium(II), **616**, 67

Crystallography
Synthesis and structural characterisation of bis(trimethylsilyl)-amidotin(II) triflate $[\{Sn(NR_2)(\mu\text{-}\eta^2\text{-}OTf)_2\}]_x$ (R = $SiMe_3$, $^-OTf = {}^-OSO_2CF_3$), **601**, 142

Crystal structure
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, **613**, 37
A novel heterobimetallic complex composed of the imide-bridged [3]ferrocenophane and the tridentate palladium(II) complex, **599**, 135
Aurophilic association in *endo*-dicyclopentadienechlorogold(I), **602**, 133
1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $TaCl_2(\eta^5\text{-}C_5Me_5)(\eta^4\text{-}1\text{-aza-}1,3\text{-butadiene})$, **593–594**, 69
Binding modes of a mixed donor multidentate iminobisphosphane ligand to the triosmium cluster: the crystal structures of $[\{Os_3(CO)_{11}\}_2(PNCHP)]$, $[Os_3(\mu\text{-}H)(\mu_3\text{-}PNCP)(CO)_7]$ and $[Os_3(\mu\text{-}H)(\mu_2\text{-}PNCP)(CO)_8]$, **609**, 2
Biscyclopentadienylzirconium(IV) η^3-propargyl/allenyl complexes, **597**, 125
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (**L**): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl_2**L**] and *trans*-$[PdCl_2(\mathbf{L})_2]$, **613**, 244
Carbonyl insertion into zirconium–nitrogen bonds; synthesis and X-ray structure of a carbene complex composed of $[Zr(NMe_2)_4]_2$ and three $Fe(CO)_5$ units containing Fe→Zr donor–acceptor interactions, **598**, 403
C–H activation at the 3-position of pentane chains to form $[N\text{–}C(sp^3)\text{–}N]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[N\text{–}C(sp^2)\text{–}N]^-$ complexes, **607**, 194

Chain polymeric complexes of some first-series transition-metal ions with *N,N,N',N'*-tetra-acetyl-1,4-diaminobutane, **596**, 16

Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)-disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, **607**, 64

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra. X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, **613**, 7

Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, **603**, 138

Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, **613**, 26

Copper(I) complexes with conjugated dienes, **602**, 5

Crystal and molecular structures of 4,4'-bis(dimethylhydroxysilyl)-biphenyl and *m*-bis(dimethylhydroxysilyl)benzene, **593–594**, 161

Crystal structures and spectroscopic properties of platina-β-diketones — a new mode of stacking in platinum complexes, **598**, 286

Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}(PhCH_2NCH)C_4H_2S\}PPh_3]$, **601**, 22

Dimethylaluminium enolates and alkoxides derived from trimethylaluminium and aromatic ketones: a synthetic, structural and theoretical investigation, **602**, 15

Diorganotin(IV) derivatives of arenephosphinothiol ligands. The crystal structure of $[Ph_2Sn\{2\text{-}(Ph_2P)C_6H_4S\}_2]$ and $[Me_2Sn\{2\text{-}(Ph_2PO)\text{-}6\text{-}(Me_3Si)C_6H_3S\}_2]$, **595**, 59

Facial and meridional [N–C–N]$^-$ intramolecular coordination systems: structure of *fac*-$PtBrMe_2\{2,6\text{-}(pzCH_2)_2C_6H_3\}\cdot 1/2C_6H_6$ ($\{2,6\text{-}(pzCH_2)_2C_6H_3\}^- = 2,6\text{-}$(bis{(pyrazol-1-yl)-methyl}phenyl)) and *mer*-$PtBr\{2,6\text{-}(3,5\text{-}Me_2pzCH_2)_2\text{-}C_6H_3\}$, and an alternative synthetic route to the platinum(II) [N–C–N]$^-$ kernel, **599**, 195

Fluxional processes and structural characterization of $\mu_3\text{-}\eta^2,\eta^2,\eta^2\text{-}C_{60}$ triosmium cluster complexes, $Os_3(CO)_{9-n}(PMe_3)_n(\mu_3\text{-}\eta^2,\eta^2,\eta^2\text{-}C_{60})$ ($n = 1, 2, 3$), **599**, 49

Geometrical and electronic structures of the acetyl complex $Re(bpy)(CO)_3(COCH_3)$ and of $[M(bpy)(CO)_4](OTf)$, M = Mn,Re, **598**, 136

Influence of phenyl ring substituents in the cyclometallation of Schiff base ligands: crystal and molecular structures of $[Pd\{3,4\text{-}(OCH_2O)C_6H_2C(H)\text{=}N(Cy)\text{-}C2,N\}(\mu\text{-}O_2CMe)]_2$ and $[Pd\{3,4\text{-}(OCH_2CH_2O)C_6H_2C(H)\text{=}N(Cy)\text{-}C6,N\}(\mu\text{-}O_2CMe)]_2$, **598**, 71

Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238

Koordinationschemie perhalogenierter Cyclopentadiene und Alkine, XXVI. Umsetzung von lithiierten Halogencymantrenen mit N-Elektrophilen. Molekülstrukturen von $(OC)_3Mn[\eta^5\text{-}C_5Cl_4\text{–}NH\text{–}N\text{–}C_5Cl_4]$ und $(OC)_3Mn[\eta^5\text{-}C_5H_3Cl(NH_2)\text{-}1,2]$, **599**, 247

Monocarbollide complexes of osmium: X-ray crystal structure of $[Os(CO)_3\{\eta^5\text{-}5\text{-}(NMe_3)\text{-}7\text{-}CB_{10}H_{10}\}]$, **614–615**, 208

Monoorganotin–polyoxometal compounds: Part 1. Synthesis and crystal structure of $[(^iPrSn)_{11}(V^{IV}O)O_{14}(OH)_6]Cl\cdot 2DMF\cdot H_2O$. The first example in a series of monoorganotin–polyoxometal compounds with icosahedral metal arrangement and various contents of tin and vanadium, **598**, 381

N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (**L^1**) and bis{2-(*N*-morpholino)ethyl}telluride (**L^2**): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(L^1)_2]$ and *trans*-$[PdCl_2(L^2)_2]$, **612**, 46

N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (**L^1**): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of **L^1**, its oxidized product and of $[RuCl_2(p\text{-cymene})\cdot L^1]$, **605**, 39

Organopalladium(IV) complexes containing phosphine ligands, and the structure of the platinum(IV) complex $[PtMe_3(bpy)(PPh_3)][O_3SCF_3]$ (bpy = 2,2'-bipyridine), **595**, 296

Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}((S)\text{-}PhCHMeNCH)C_4H_2S\}SMe_2]$, **604**, 178

Reaction of nickelocene with methyllithium in the presence of 2-butyne, **593–594**, 245

Reactions of acetonitrile di-iron μ-aminocarbyne complexes; synthesis and structure of $[Fe_2(\mu\text{-}CNMe_2)(\mu\text{-}H)(CO)_2(Cp)_2]$, **606**, 163

Reactions of cationic dirhodium and diiridium complexes $[Cp^*M(\mu\text{-}Cl)(\mu\text{-}SPr^i)_2MCp^*][OTf]$ (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, **599**, 221

Reactions of methyl-substituted titanocene–bis(trimethylsilyl)-acetylene complexes with acetone azine: crystal structures of $(\eta^5\text{:}\eta^1\text{-}C_5HMe_3CH_2CMe_2NH)_2Ti$ and $(C_5Me_5)_2Ti(N\text{=}CMe_2)$, **597**, 146

Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, **604**, 241

Reactions of nickelocene with sodium in the presence of terminal alkenes, **597**, 133

Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides: Part XX. Oxidation of the complexes $Re_2X_4(\mu\text{-dppm})_2(L)$ (X = Cl or Br; dppm = $Ph_2PCH_2PPh_2$; L = *t*-BuNC, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[Re_2(\mu\text{-}X)_2(\mu\text{-dppm})_2X_3(L)]^+$, **596**, 27

Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C\text{=}CF)(F_3C)B\cdot NHMe_2$ and $(HOOC)\text{-}(F_3C)_2B\cdot NHMe_2$, **604**, 43

Reactivity of $[(\mu\text{-}H)Os_3(CO)_9\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with organic heterothiols; X-ray structures of $[H(\mu\text{-}H)Os_3(CO)_9(\eta^2\text{-}pyS)\{Ph_2PCH_2P(Ph)C_6H_4\}]$ and $[Os_3(CO)_9(\mu\text{-}\eta^2\text{-}pyS)\{Ph_2PCH_2P(Ph)C_6H_4\}]$, **616**, 157

Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, $n = 1$, 2; abpy = 2,2'-azobispyridine, **604**, 267

Studies of tetrakis(trifluoroacetate) dirhodium: Part 4. Solventless synthesis of $Rh_2(O_2CCF_3)_2(CO)_4$ combined with $Rh_2(O_2CCF_3)_4$, a compound with infinite chains of rhodium atoms, **596**, 130

Syntheses and reactions of some new C-pentafluorophenyl and tetrafluorophenylene carborane systems, **597**, 157

Syntheses and structures of di- and trinuclear heterometallic complexes with nitrido bridges between rhenium and titanium, **593–594**, 175

Syntheses of titanium μ-arylimido and μ-pyridylimido complexes bearing (un)substituted cyclopentadienyl ligand, **598**, 339

Synthesis and characterisation of cyclometallated orthoazobenzene complexes of Ru(II): crystal and molecular structure of $[RuCl(CO)(\eta^2\text{-}C,N\text{-}C_6H_4N\text{=}NPh)(PPh_3)_2]\cdot 0.5CHCl_3\cdot 0.5Et_2O$. Is there a similarity to the hydroxyazo/ketohydrazone tautomerisation in *ortho*-hydroxyazobenzenes?, **601**, 164

Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of $[NEt_3CH_2Ph]_2[Ni_{13}(\mu_{12}\text{-}Sb)(CO)_{24}]$ and $[NEt_4]_3[Ni_{10}Sb_2(\mu_{12}\text{-}Ni)(CO)_{18}]$, **593–594**, 325

Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, **613**, 128

Synthesis and crystal structure of $[U(\eta\text{-}C_8H_8)]_2[\mu\text{-}\eta^4\text{:}\eta^4\text{-}HN(CH_2)_3N(CH_2)_2N(CH_2)_3NH]$, a dinuclear compound with a bridging tetra-amide ligand, **598**, 313

Synthesis and crystal structures of [Rh(TTP)(CH$_3$)]$_2$(μ-CNpy) and [Rh(TTP)(C$_8$H$_{11}$)] (TTP = 5,10,15,20-tetra(*p*-tolyl)porphyrin dianion; CNpy = 4-cyanopyridine; C$_8$H$_{11}$ = (5-norbornen-2-yl)methyl), **604**, 197

Synthesis and properties of unsolvated bis(cyclopentadienyl)titanium alumohydride. Structure of {[(η^5-C$_5$H$_4$)$_2$Ti(μ-H)]$_2$[(η^5-C$_5$H$_5$)Ti(μ-H$_2$]Al$_2$(μ-H$_4$)(H)}$_2$·C$_6$H$_6$, a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of LiAlEt$_4$, **603**, 167

Synthesis and structure of 1,12-diethynyl-*para*-carborane, **610**, 20

Synthesis and structure of mono- and bis(tricarbonylchromium)complexes of 1,2;5,6-dibenzocyclooctа-1,5-diene, **608**, 6

Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyridyl azo ligands, **596**, 36

Synthesis of a novel chiral ruthenium complex and its crystal structure, **605**, 134

Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B$_9$H$_{11}$ system, **614–615**, 215

Synthesis, structure and properties of cycloruthenated complexes: crystal structure of mono-chloro-(η^6-*p*-cymene)-{(phenylazo)-phenyl}ruthenium(II), **596**, 232

Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, **604**, 260

2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of [MoI(CO)(terpy)(η^2-PhC$_2$Ph)]I and [WI(terpy)(η^2-PhC$_2$Ph)$_2$]I·CDCl$_3$, **604**, 191

Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ^{1}H-, ^{13}C- and ^{119}Sn-NMR data and crystal structure, **608**, 86

The crystal structure of 5-hydro- and 7-hydro-*s*-indacenide-Rh(COD). A comparison with similar complexes, **601**, 267

The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, **613**, 86

Synthesis, crystal and molecular structure of [{C$_5$Me$_4$FeC$_5$Me$_4$CH$_2$}$^+$ B{C$_6$H$_3$(CF$_3$)$_2$}$_4^-$], the first example of a structurally characterized primary ferrocenylcarbocation, **616**, 106

Crystal structure analysis

Synthesis, crystal structure, and NMR investigation of methyl α,α-dimethyl acetate-substituted π-allylpalladium complexes, **605**, 109

Crystal structure determination

Preparation, crystal structure determination and properties of adducts of indium methylene compounds with Group 15 donors, **603**, 203

Crystal structures

Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of [(η^5-C$_5$Me$_5$)MCl{η^2-(SePPh$_2$)$_2$N}] (M = Rh, Ir), **607**, 3

Cis- and *trans*-bis(diphenylphosphino)ethene seven-coordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of [MI$_2$(CO)$_3$(*cis*-dppen)] {M = Mo or W; dppen = bis(diphenylphosphino)ethene}, [WI(CO)$_2$(*cis*-dppen)$_2$]I, [MI$_2$(CO)$_2$(P(OR)$_3$)(*cis*-dppen)] (M = Mo, R = Me; M = W, R = Et or Ph), **602**, 115

Ferrocenyl ligands in mixed valence high-oxidation state rhenium complexes, **598**, 103

From molecules to aggregates: crystal structures of molybdenum binuclear complexes, **601**, 34

Isocyanide ligation at ruthenium(II) complexes with chelating tertiary amine and porphyrin ligands. Structural and electrochemical studies, **595**, 114

Mesitylpseudohalogermanes Mes$_2$Ge(CN)$_2$ and Mes$_3$GeX (X = CN, NCS, N$_3$, NCO and OH; Mes = 2,4,6-trimethylphenyl): syntheses, crystal and molecular structures, **598**, 276

Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the {Re$_2$Cl$_3$(μ-dppm)$_2$(CO)(NCMe)$_n$]$^+$ cations (dppm = Ph$_2$PCH$_2$PPh$_2$, *n* = 1 or 2), **604**, 219

Multiple ligand transfer reaction between [CpRu(L)(AN)$_2$][PF$_6$] (L = AN, CO, P(OMe)$_3$; AN = acetonitrile) and CpFe(CO)L′X (L′ = CO, PMe$_3$, PMe$_2$Ph, PMePh$_2$, PPh$_3$, P(OPh)$_3$; X = Cl, Br, I), **610**, 31

New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, **613**, 19

Novel η^3-allyl complexes of titanium, **593–594**, 1

Pentacoordinated diolefinic rhodium(I) organocomplexes with α-diimine ligands. Crystal structures of [Rh(Nbd)(LL)-(PPh$_3$)]ClO$_4$ (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), **601**, 311

Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis* - {PtBr[10,20 - diphenylporphyrinatonickel(II) - 5 - yl]-(PPh$_3$)$_2$} and *trans* - {PtBr[10,20 - diphenylporphyrin - 5 - yl]-(PPh$_3$)$_2$}·0.25CH$_2$Cl$_2$, **607**, 41

Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, **610**, 1

Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, **606**, 112

Rearrangements and dimerizations of congested ferrocenyl allyl alcohols, **605**, 174

Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, **605**, 117

Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral W$_2$Fe(μ$_3$-S) cluster cores [W$_2$Fe(μ$_3$-S)(CO)$_7$][η^5-C$_5$H$_4$CH$_2$(CH$_2$OCH$_2$)$_n$CH$_2$C$_5$H$_4$-η^5] (*n* = 1–3). Crystal structures of [W$_2$Fe(μ$_3$-S)(CO)$_7$][η^5-C$_5$H$_4$CH$_2$(CH$_2$OCH$_2$)$_n$-CH$_2$C$_5$H$_4$-η^5] (*n* = 2,3), **616**, 140

Synthesis and structure of Rh(I) tris(pyrazolyl)borate complexes of the type Tp^{Ph,Me}RhL$_1$L$_2$, **595**, 178

Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides Cp*LnCl$_2$·2THF (Ln = Dy, Ho, Gd) and Cp$^*_2$LnCl·(Ln = Sm, Dy). The crystal structures of Cp$^*_2$SmCl and Cp$^*_2$Sm·(C$_4$N$_2$HMe$_3$), **612**, 176

Synthesis, electrochemistry and structural characterization of new dimeric cobalt η^2-alkyne carbonyl complexes, **595**, 70

Synthesis of novel quadruply bridged M$_2$Se$_4$ clusters *trans*/*anti* and *trans*/*syn*-[(η^5-RC$_5$H$_4$)$_2$M$_2$(μ-Se)$_2$(μ-SeCH$_2$Ph)$_2$] (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes [(η^5-RC$_5$H$_4$)$_2$M$_2$(CO)$_4$] with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-[(η^5-EtO$_2$CC$_5$H$_4$)$_2$Mo$_2$(μ-Se)$_2$(μ-SeCH$_2$Ph)$_2$], **613**, 42

Synthesis, structure, and reactivity of ruthenium(II) complexes with a hemilabile tetradentate etherdiphosphine ligand, **601**, 220

The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a*,*e*]cyclooctatetraene: Cr(CO)$_3$ orientation controlled by short C–H···O hydrogen bonding, **613**, 111

The ligand [Cp$_2$MoH$_2$] in complexes with Ag–S bonds, **609**, 44

Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, **612**, 106

Use of the aqua complex [*fac*-Mn(CO)$_3$(dppe)OH$_2$]BF$_4$ for the preparation of a series of *fac*-Mn(CO)$_3$(dppe)Z and [*fac*-Mn(CO)$_3$(dppe)Z]BF$_4$ complexes. X-ray crystal structures of three representative examples, **602**, 97

C_{60}-sensitization
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, **611**, 414
C–Si bond formation
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, **611**, 332
C-Tetrazolato complexes
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), **613**, 159
Cu
Synthesis of γ-lactones and unsaturated bis γ-lactones via Cu–Fe-mediated reductive cyclization of di- and tri-α-halogenated carboxylic esters, **601**, 153
Cumulenes
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)\text{-}(=C=C=C=C=CAr_2)]^+ BF_4^-$ (CAr_2 = 9-fluorenylidene), **604**, 52
Cyanide bridging
Cyanide-bridged tetranuclear complexes with T-shaped $Pt(CN\text{-}M)_3$ arrangements, **597**, 38
Cyanide bridged trinuclear complexes with Fe–CN–MCl_2–NC–Fe backbones (M = Ni, Cu, Zn), **593–594**, 44
Oligonuclear cyanide complexes from silver containing building blocks, **614–615**, 131
Cyano-bridged complex
Cyano-bridged extended heteronuclear supramolecular architectures with hexacyanoferrates(II) as building blocks, **598**, 63
4-Cyanopyridine
Synthesis and characterization of some mono and binuclear $(\eta^3{:}\eta^3\text{-}C_{10}H_{16})$ containing ruthenium(IV) complexes. Crystal structure of $[Ru(\eta^3{:}\eta^3\text{-}C_{10}H_{16})Cl_2(CNPy)]$, **613**, 250
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$ (P = PPh_3, PEt_3, $MePPr^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), **605**, 74
Cyclic anhydrides
Efficient synthesis of spirolactones from cyclic anhydrides via an allylation/alkylation-RCM sequence, **606**, 93
Cyclic ketones
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6$–CCl_4–UV system, **603**, 252
Cyclic organosilicon compounds
Photoinduced electron-transfer reaction between C_{60} and cyclic silicon compounds, **599**, 216
Cyclic voltammetry
Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, **606**, 203
Electrochemistry of ruthenium metallocenes: Part 3. Synthesis and properties of ruthenium [2.2]paracyclophane complexes with methacrylic acid and methacrylate ester substitutents, **602**, 75
New π-extended tetrathiafulvalene-containing fulleropyrrolidine dyads endowed with vinyl spacers, **599**, 2
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-HC≡CC$_6$H$_4$N=NC$_6$H$_4$NO$_2$, **605**, 193
Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)-benzene ligands, **610**, 71
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$[(\eta^5\text{-}C_5H_5)_2Mo_2(O)_2\text{-}(\mu\text{-}O)\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(Ph)=C[C_4HS(C_4H_3S\text{-}2)_2\text{-}2,5]\}]$, **608**, 133
Stable cyclic and acyclic persilyldisilenes, **611**, 236
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula $(\eta^5\text{-}C_5Me_5)Re(NO)(PR_3)(CH_3)$: in search of radical cations with enhanced kinetic stabilities, **616**, 44
Synthesis and physical properties of α,ω-bis$[Co_2(CO)_6\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(R)=C\}]$oligothiophenes, **599**, 232
Synthesis and properties of some novel ferrocene macrocyclic dioxopolyamines, **598**, 42
Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, **601**, 293
Cyclisation of alkynoic acids
Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, **607**, 97
Cyclization
Oligomerization and simultaneous cyclization of ethylene to methylenecyclopentane catalyzed by zirconocene complexes, **599**, 143
[2 + 2]-Cycloaddition
[2 + 2]-Cycloaddukte PH-funktioneller Phosphenium-Komplexe mit Alkylisothiocyanaten: Darstellung von $C_5R_4(OC)_2M\text{–}P(H)(t\text{-}Bu)\text{–}C(\text{–}NR')\text{–}S$ (R = H, Me; M = Mo, W; R′ = Me, Et, *t*-Bu) und Reaktion unter Beanspruchung der PH-Funktion: Phosphenium-Übergangsmetallkomplexe, 37, **595**, 285
Cycloaddition
Reactions of binuclear ruthenium–platinum μ-allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $L(PPh_3)Pt(\mu\text{-}\eta^1{:}\eta^2_{\alpha,\beta}\text{-}C(Ph)\text{–}C\text{–}CH_2)Ru(CO)Cp$ (L = PPh_3, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, **593–594**, 465
The behavior of 3-ferrocenyl-1-methyl-1,2-pentamethyleneallyl and 1,5-diferrocenyl-3-methyl-2,4-tetramethylene-1,4-dienyl carbocations in the cationic dimerization of 1,3-dienes, **602**, 105
[3 + 2] Cycloaddition
Reactions of transition-metal η^1-propargyl complexes with sulfur dioxide and sulfur trioxide: transition-metal–carbon bond cleaving reactions of the cycloadducts which yield 1,2-oxathiole-2-oxides and -2,2-dioxides, **598**, 150
[3 + 2]-Cycloadditionen
Addukte der Ethene $Me_2E\text{–}C(SiMe_3)_2$ (E = Si, Ge, Sn) mit LiR und RN_3: Wie rasch bilden sie sich?, **598**, 304
Dimere der Ethene $Me_2E\text{–}C(SiMe_3)_2$ (E = Si, Ge, Sn): Auf welchem Wege entstehen sie aus $Me_2EX\text{–}CM(SiMe_3)_2$? Wie sind sie strukturiert?, **598**, 292
[3 + 2]-cycloadditions
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), **613**, 159
Cyclobutadiene complexes
A novel weakly diatropic dehydroannulene containing the cyclobutadiene(cyclopentadienyl)cobalt unit. An organometallic dehydroannulene that obeys Hückel's rule, **600**, 56
Cyclobutene
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, **605**, 89
β-Cyclodextrin
On the behaviour of organotin compounds with cyclodextrins: Part 1. The complex between allyl-di-*n*-butyltin chloride and β-cyclodextrin, **605**, 127
Cyclodimerization
The behavior of 3-ferrocenyl-1-methyl-1,2-pentamethyleneallyl and 1,5-diferrocenyl-3-methyl-2,4-tetramethylene-1,4-dienyl carbocations in the cationic dimerization of 1,3-dienes, **602**, 105
Cyclohexadiene
Transformation of cyclohexadiene on an Fe_3P frame: cluster complexes with hexadiene, cyclohexadiene and arene ligands, **614–615**, 158

Cycloisomerization
Co-catalyst dependent cycloisomerization or ring closing metathesis of α,ω-dienes catalyzed by arene ruthenium complex with side-arm alcohol, **616**, 135
Cyclometalated hexacarbonyldiiron complex
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, **613**, 231
Cyclometalation
Complexes *cis*-[$PdCl_2$(OSMeR)$_2$] (R = Me, Ph, and C_6H_4Me-4) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, **601**, 51
Cyclometallated
New cyclometallated platinum(II) compounds with thiosemicarbazones: crystal and molecular structure of [Pt{4-MeC_6H_3C(Me)=NN=C(S)NH_2}(PPh$_3$)], **595**, 199
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, **607**, 93
Reactivity of cyclometallated semicarbazone complexes of Pd(II): crystal and molecular structures of [Pd{C_6H_4C(Et)=NN(H)C(=O)NH_2}(PPh$_3$)][ClO_4] and [Pd{C_6H_4C(Et)=NN(H)C(=O)NH_2}{($Ph_2PCH_2CH_2$)$_2$PPh-*P,P,P*}][Cl], **598**, 1
Cyclometallation
C–H activation at the 3-position of pentane chains to form [N–C(sp^3)–N]$^+$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with [N–C(sp^2)–N]$^+$ complexes, **607**, 194
Cyclometallated complexes of ruthenium and osmium containing the *o*-$C_6H_4PPh_2$ ligand, **601**, 299
Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of [PtMe{3-($PhCH_2NCH$)C_4H_2S}PPh$_3$], **601**, 22
Cyclometallation of anthracen-9-ylmethylene-phenyl-amine by palladium(II) compounds, **595**, 54
Influence of phenyl ring substituents in the cyclometallation of Schiff base ligands: crystal and molecular structures of [Pd{3,4-(OCH_2O)C_6H_2C(H)=N(Cy)-*C*2,*N*}(μ-O_2CMe)]$_2$ and [Pd{3,4-(OCH_2CH_2O)C_6H_2C(H)=N(Cy)-*C*6,*N*}(μ-O_2CMe)]$_2$, **598**, 71
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of [PtMe{3-((*S*)-PhCHMeNCH)C_4H_2S}SMe_2], **604**, 178
Photo-assisted formation of a chelating diphos ligand from PPh$_3$ and a cyclometallated [$Pt(C_6H_4)(C_6H_5)_2$]$^-$ ligand. Crystal structure of Pd{η^2-*o*-[$Pt(C_6H_5)_2$]$_2$(C_6H_4)}Br_2, **596**, 248
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of [(Cl)Pd{$Me_2NCH_2CH_2N$=(H)C}C_6H_2{C(H)=$NCH_2CH_2NMe_2$}Pd(Cl)] and [{($Ph_2PCH_2CH_2$)$_2$PPh-*P,P,P*}-Pd{$Me_2NCH_2CH_2N$=(H)C}C_6H_2{C(H)=$NCH_2CH_2NMe_2$}Pd{($Ph_2PCH_2CH_2$)$_2$PPh-*P,P,P*}][Cl]$_2$, **612**, 85
Cyclometalled complexes
P,N-Heterodifunctional ligands by selective Staüdinger reaction of β-substituted vinylazides with (*Z*)-1,2-bis(diphenylphosphanyl)ethene and formation of cyclometalled complexes of palladium(II) of these ligands — crystal and molecular structure of a new chiral cyclometallaphosphoraniminophosphane of palladium(II), **598**, 329
Cyclooctene
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a Mn–CH_2Cl_2 complex, **609**, 95
Synthesis and evaluation of new $RuCl_2$(*p*-cymene)(ER_2R') and (η^1:η^6-phosphinoarene)$RuCl_2$ complexes as ring-opening metathesis polymerization catalysts, **606**, 55
Cycloolefin complexes
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, **607**, 57
Cyclopalladated complexes
Direct *ortho*-palladation of 2-phenyl-2-oxazoline: Crystal structure of $Cl_2Pd(OCH_2CH_2N$=C–Ph)$_2$ and Cl(PPh$_3$)Pd-(OCH_2CH_2N=C–C_6H_4), **603**, 86
Cyclopalladation
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, **603**, 138
Platinum(II) and palladium(II) compounds derived from [(η^5-C_5H_5)Fe{(η^5-C_5H_4)–CH=N–CH_2–CH_2–OH}], **598**, 87
Cyclopentadiene
Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to C_{60}, **599**, 32
Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ^{1}H-, ^{13}C- and ^{119}Sn-NMR data and crystal structure, **608**, 86
Cyclopentadienone complexes
A comparison between CpCo-stabilized cyclopentadienone complexes and their *O*-alkylated or protonated congeners, **610**, 80
Cyclopentadienyl
Amino-substituted cyclopentadienyl cobalt complexes, **605**, 157
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, **613**, 37
Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, **593–594**, 19
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, **604**, 234
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio HF and DFT B3LYP calculations, **613**, 7
(η^5-Cyclopentadienyl)Fe(CO)$_2$ complexes of barbiturate anions, **597**, 17
Ligating similarities between the novel five-electron-donor η^4-$P_3C_2Bu^t_2$(R)H ring system, (R = $CH(SiMe_3)_2$) and the η^5-cyclopentadienyl ring. Syntheses, crystal and molecular structures of [$Co_2(CO)_4$(μ-$P_3C_2Bu^t_2CH(SiMe_3)_2$)] and [$Co(CO)_2$(η^4-$P_3C_2Bu^t_2H(CH(SiMe_3)_2$)], **601**, 335
Mixed pyrazolylborate cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of ($Tp^{tBu,Me}$)Yb(C_5H_4R) (R = H, $SiMe_3$), **596**, 95
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, **604**, 59
Preparation and characterization of immobilized constrained-geometry hafnium complexes, **606**, 169
Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, **596**, 3
Reaction of nickelocene with methyllithium in the presence of 2-butyne, **593–594**, 245
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, **604**, 241
Reactions of nickelocene with sodium in the presence of terminal alkenes, **597**, 133
The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities, **593–594**, 36
η^5-Cyclopentadienyl
Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, **613**, 26
Cyclopentadienyl
The cyclopentadienylaluminium etheralkoxide derivative [(η^1-C_5H_5)$_2$Al(μ-OCH_2CH_2O-^{n}Pr)]$_2$: synthesis and structure, **613**, 119

Cyclopentadienylchromium
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)-disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, **607**, 64
Cyclopentadienyl complexes
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-}SPh)]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-}SPh)](\mu_3\text{-}S)(\mu_3\text{-}Se)Co(CO)_2$, **612**, 9
A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, **610**, 42
Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp'_2LnX with phosphanoethyl substituted cyclopentadienyl ligands, **604**, 72
Silane dendrimers containing titanium complexes on their periphery, **602**, 208
Cyclopentadienyl compounds
Polyhedral-based nonlinear optical materials. Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, **614–615**, 309
Cyclopentadienyldiamide
Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination, **603**, 213
Cyclopentadienyl–ethyl ligand
Chelated η^5-cyclopentadienyl-η-ethyl complexes of molybdenum and tungsten: molecular structure of $W(\eta^5\text{-}C_5H_4CH_2\text{-}\eta\text{-}CH_2)(CO)_3$, **604**, 126
Cyclopentadienyl imido tantalum complexes
Oxo and imido/imido exchange and C–H activation reactions based on pentamethylcylopentadienyl imido tantalum complexes, **597**, 61
Cyclopentadienyl–iron complex
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, **608**, 126
Cyclopentadienyl ligand
Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of $Ti(\eta^5\text{-}C_5H_4PPh_2)Cl_3$, **593–594**, 202
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er\text{-}CNC_6H_{11}$, **604**, 296
Cyclopentadienyl transfer
Cyclopentadienyl transfer reaction: thermal reaction between $Re_2(CO)_{10}$ and a series of cyclopentadienyl transition metal complexes, **593–594**, 167
Cyclopentadienyltricarbonylrhenium
Cyclopentadienyl transfer reaction: thermal reaction between $Re_2(CO)_{10}$ and a series of cyclopentadienyl transition metal complexes, **593–594**, 167
Cyclopentanone
Intramolecular Friedel–Crafts acylation of acyclic $(\eta^4$-diene)-$Fe(CO)_3$ complexes, **599**, 128
Cyclophanes
Electrochemistry of ruthenium metallocenes: Part 3. Synthesis and properties of ruthenium [2.]paracyclophane complexes with methacrylic acid and methacrylate ester substitutents, **602**, 75
Cyclopropanation
A rigid dirhodium(II) carboxylate as an efficient catalyst for the asymmetric cyclopropanation of olefins, **603**, 13
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, **614–615**, 48
Synthesis and evaluation of new $RuCl_2(p\text{-cymene})(ER_2R')$ and $(\eta^1{:}\eta^6\text{-phosphinoarene})RuCl_2$ complexes as ring-opening metathesis polymerization catalysts, **606**, 55
Cyclopropane
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
Cyclopropene
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, **605**, 89
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
Cyclopropenium
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, **613**, 33
Cyclosilanes
On some reactions of undecamethylcyclohexasilanyl-substituted silanes, **598**, 202
Cyclosiloxane
Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, **613**, 239
Cyclotetrasilene
Stable cyclic and acyclic persilyldisilenes, **611**, 236
Cyclotrigermenium cation
Stable aromatic compounds containing heavier Group 14 elements, **611**, 228
Cyclotrimerization of phenylethyne
Cyclotrimerization of phenylethynes to fulvene: reactivity of *cis*-dichloro(1,1' - bis(diphenylphosphino)ferrocene)palladium(II), **616**, 67
Cyclotrisilene
Stable cyclic and acyclic persilyldisilenes, **611**, 236

Dative bonding
Intramolecular N···E interactions in N-functionalised alkyl complexes $R'ECl_2$ (E = P, As, Sb; R = 6-Me-2-Pyr(SiMe$_3$)$_2$C$^-$), **607**, 213
Deactivation
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, **608**, 76
Deboronation
Revising the $[PdCl_2(1,2\text{-}(PPh_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]$ synthesis and comparison of its behavior with $[PdCl_2(1,2\text{-}(P^iPr_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]$. Crystal structure of $[PdCl_2(1,2\text{-}(PPh_2)_2\text{-}1,2\text{-}C_2B_{10}H_{10})]$, **606**, 183
Decamethylmetallocene
Synthesis and X-ray crystal structure of decamethylrhodocenium hexafluorophosphate, **593–594**, 494
Decamethylrhodocenium
Synthesis and X-ray crystal structure of decamethylrhodocenium hexafluorophosphate, **593–594**, 494
Decarbonylate
Al_2O_3-mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, **613**, 263
Decomplexation–complexation
New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23

Dehydrocoupling
Catalytic and stoichiometric reactions of tertiary silanes with $[Ir(Me)_2Cp^*L]$ ($Cp^* = \eta^5$-C_5Me_5; $L = PMe_3$, PMe_2Ph, $PMePh_2$, PPh_3) in the presence of one-electron oxidants. A unique case of Si–H, Si–C, Ir–C and P–F bonds one-step activation: crystal structure of $[Ir(Ph)(SiPh_2F)Cp^*(PMe_3)]$, **593–594**, 154
Dehydrocoupling reactions of amines with silanes catalyzed by $[(Et_2N)_3U][BPh_4]$, **610**, 49
Dehydrocoupling polymerization
Dehydrocoupling polymerization of arylsilanes with chloro(aryloxy)bis(cyclopentadienyl)zirconium complex catalysts, **595**, 1
Dehydrogenative (coupling) silylation
Catalysis of hydrosilylation: Part XXXIV. High catalytic efficiency of the nickel equivalent of Karstedt catalyst $[\{Ni(\eta$-CH_2=$CHSiMe_2)_2O\}_2\{\mu$-$(\eta$-CH_2=$CHSiMe_2)_2O\}]$, **597**, 175
Dehydroxylation
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, **593–594**, 96
Deltahedra
Analogies between Group 13 metal clusters in organometallic and intermetallic structures, **597**, 54
Demetalation
Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, **593–594**, 49
Dendrimer
Preparation of double-layered dendritic carbosilanes, **599**, 123
Preparation of ethynylsilane dendrimers, **599**, 208
Synthesis and characterization of a first generation organorhenium dendrimer, **593–594**, 361
Dendrimers
Results and perspectives in the chemistry of side-chain-functionalized cyclopentadienyl compounds, **600**, 127
Dendritic molecule
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, **609**, 189
Density functional
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, **607**, 203
Density functional calculation
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex $[(\eta^5$-$C_5Me_5)Re(NO)(P(4$-$C_6H_4CH_3)_3)(CH_3)]^+$ $B(3,5$-$C_6H_3(CF_3)_2)_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, **616**, 54
Density functional calculations
Activation of CH_4 and H_2 by zirconium(IV) and titanium(IV) cationic complexes. Theoretical DFT study, **597**, 182
Bonding studies of dinuclear transition metal bis(μ-η^2-silane) complexes $[L_nM(\mu$-η^2-$HSiR_2)]_2$ by density functional theory, **608**, 42
Matrix isolation infrared and density functional theoretical studies of cryogenic reactions of silicon atoms with dimethyl ether and methanol: new route to generation and stabilization of transient silanones, **595**, 248
Molecular structure and conformational composition of decamethyl-*n*-tetrasilane, Si_4Me_{10}, by gas electron diffraction and density functional theory calculations, **597**, 87
The cluster dication $[H_2Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, **609**, 196
Density-functional calculations
A theoretical study of gas-phase and solid-state $Hg(CF_3)_2$, **598**, 374
Density functional theory
An ab initio study on the structure and reactivity of 1,4-disilabenzene, **611**, 280
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), **616**, 1
Density functional calculations of dinuclear organometallic carbonyl complexes. Part I: metal–metal and metal–CO bond energies, **596**, 212
Trends in back-bonding in the series *trans*-$[M(C{\equiv}CR)Cl(PH_3)_4]$ (M = Fe, Ru, Os; R = H, Ph, $C_6H_4NO_2$-4), **607**, 208
Density functional theory calculations
Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, **606**, 88
Deprotonation
Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, **608**, 153
Reactivity of Pd(II) complexes containing the orthometallated *C,C*-chelating ligand C_6H_4-2-$PPh_2C(H)COCH_2PPh_2$ towards deprotonating reagents. Part 2, **602**, 151
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
The behavior of 3-ferrocenyl-1-methyl-1,2-pentamethyleneallyl and 1,5-diferrocenyl-3-methyl-2,4-tetramethylene-1,4-dienyl carbocations in the cationic dimerization of 1,3-dienes, **602**, 105
Dewar-type
An ab initio study on the structure and reactivity of 1,4-disilabenzene, **611**, 280
2,3-D-fluoro-γ-lactam
Fluoro-functionalization mediated by the reactive chalcogen reagents, **611**, 158
DFT B3LYP
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra. X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, **613**, 7
DFT calculation
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, **607**, 164
DFT calculations
A comparison between CpCo-stabilized cyclopentadienone complexes and their *O*-alkylated or protonated congeners, **610**, 80
From molecules to aggregates: crystal structures of molybdenum binuclear complexes, **601**, 34
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **608**, 122
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, **612**, 125
DFT/GIAO structural/NMR calculations
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, **614–615**, 61
D-Glucosamine
Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine, **603**, 40
Diagmagnetic
Synthesis, characterization, structural and theoretical analysis of a series of electron deficient, monomeric thallium iron carbonylate isostructural and isolobal to diiron nonacarbonyl, **614–615**, 243

Dialacycle
Synthesis and structure of fluorinated dialacycles, **604**, 132
Dialkyldichlorosilanes
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, **613**, 170
Diamagnetism
Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), **593–594**, 27
Diaryldichlorosilanes
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, **613**, 170
Diaryliodonium salt
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, **611**, 509
Diaryl selenide
New approaches to the synthesis of unsymmetrical diaryl selenides, **605**, 96
Diazenido ligand
Reaction of $[(\mu\text{-RE})(\mu\text{-CO})Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-RE})(\mu\text{-}\eta^2\text{-N=NCH(R')CO}_2\text{Me})Fe_2(CO)_6$ and $(\mu\text{-PhSe})(\mu\text{-}\eta^1\text{-N=NCH(Me)CO}_2\text{Me})Fe_2(CO)_6$, **604**, 214
Diazocarbonyl
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **610**, 88
Diazo compounds
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, **612**, 36
Dibenzo[*a,e*]cyclooctatetraene
The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a,e*]cyclooctatetraene: $Cr(CO)_3$ orientation controlled by short C–H···O hydrogen bonding, **613**, 111
1,2;5,6-Dibenzocycloocta-1,5-diene
Synthesis and structure of mono- and bis(tricarbonylchromium)-complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, **608**, 6
Dibenzylideneacetone
Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, **616**, 10
Dibismuthene
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, **611**, 217
Diboran(4)
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)-diborons, **611**, 392
Diboration
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)-diborons, **611**, 392
Diboroles
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η⁵-pentamethylcyclopentdienyl)ruthenium(μ,η⁵ - 1,3 - diborolyl)-rhodiumcarbaboranyl] complexes, **614–615**, 125
1,3-Dibutadiynyl
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(=C=C=C=CAr_2)]^+ BF_4^-$ (CAr_2 = 9-fluorenylidene), **604**, 52
Dibutyltin perfluoroalkanecarboxylates
Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, **608**, 63
β-Dicarbonyl compounds
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, **611**, 308
Dichalcogena dication
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, **611**, 116
Dichalcogenide complexes
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), **607**, 3
Dichloro
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, **606**, 125
Dichloromethane
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn\text{–}CH_2Cl_2$ complex, **609**, 95
Dichlorophosphines
2-Thioanisyldichlorophosphine, new starting material for the preparation of multidentate phosphine ligands: syntheses and characterization of derivatives of 2-anisyl- and 2-thioanisyldichlorophosphines, **598**, 235
1,3-Dichlorotrisilanes
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, **611**, 26
1,4-Dicyanobenzene
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$. (P = PPh_3, PEt_3, $MePPr_2^i$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), **605**, 74
Dicyclopentadiene
Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[RuCl_2(=CHSC_6H_3)(P^iPr_3)_2]$ and $[RuCl_2(CHCH_2CH_2\text{-}C,N\text{-}2\text{-}C_5H_4N)(P^iPr_3)]$, **606**, 65
Dielectric constant
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, **614–615**, 5
[4 + 2] Diels–Alder cycloaddition
Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of $(\eta^6\text{-arene})Ru(DMPP)Cl_2$ complexes with dieneophilic ligands, **613**, 177
Diels–Alder reaction
An ab initio study on the structure and reactivity of 1,4-disilabenzene, **611**, 280
Diene
Amino-substituted cyclopentadienyl cobalt complexes, **605**, 157
Intramolecular Friedel–Crafts acylation of acyclic $(\eta^4\text{-diene})Fe(CO)_3$ complexes, **599**, 128
Diene adduct
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
Dienes
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, **608**, 76
Dienes and monoenes
Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, **606**, 84
Diethynylbenzene
Alkyne insertion reactions of $[RuH(\kappa^2\text{-}S_2CNEt_2)(CO)(PPh_3)_2]$: synthesis of alkenyl, alkynyl and enynyl complexes, **598**, 20
Differential scanning calorimetry
Solid state ^{13}C-NMR and X-ray studies on the structure of tetraethylpyrazabole, **613**, 93
Difluoro
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, **606**, 125
Difluoromethylene compound
Fluoro-functionalization mediated by the reactive chalcogen reagents, **611**, 158

Digermabicyclooctadiene
Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of ^{1}H CIDNP and laser pulse photolysis, **601**, 324
Digermene
Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, **604**, 211
Dihydridoborates
Hydridoborates and hydridoborato metallates: Part 26. Preparation and structures of dihydridoborates of lithium and potassium, **614–615**, 168
Dihydrogen
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a Mn–CH_2Cl_2 complex, **609**, 95
Reactivity studies of $[Pd_2(\mu\text{-}X)_2(PBu^t_3)_2]$ (X = Br, I) with CNR (R = 2,6-dimethylphenyl), H_2 and alkynes, **600**, 198
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), **609**, 110
Dihydrogen complexes
Synthesis and properties of the 16-electron complex $[(C_5Me_5)RuCl(PMe^iPr_2)]$ and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, **609**, 161
The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-$[FeH(H_2)(DPPE)_2]^+$ and related compounds, **609**, 29
Dihydrogen ligand
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, **609**, 196
Dihydroselenophene
The reaction of 1,2,3-selenadiazole with olefins, **611**, 488
Dihydro-9-silaanthracene
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, **611**, 71
1,3-Dihydrotrisilanes
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, **611**, 26
Diimine complexes
Pentacoordinated diolefinic rhodium(I) organocomplexes with α-diimine ligands. Crystal structures of $[Rh(Nbd)(LL)(PPh_3)]$-ClO_4 (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), **601**, 311
Diimines
Synthesis, characterization and spectroscopic properties of 1,2-diiminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, **610**, 16
β-Diketiminates
Progress report, **600**, 144
Dimer
Reactivity studies of $[Pd_2(\mu\text{-}X)_2(PBu^t_3)_2]$ (X = Br, I) with CNR (R = 2,6-dimethylphenyl), H_2 and alkynes, **600**, 198
Dimeric carbonyl
Reactivity of $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}dppm)]$ towards unsaturated sulfur-containing compounds, SO_2, CS_2 and ArNCS: facile carbon–sulfur bond cleavage at the diiron centre, **595**, 134
Dimerization
Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, **593–594**, 292
Dimerization of alkynes
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C^tBu)(\eta^2\text{-}HC{\equiv}C^tBu)][BPh_4]$, **604**, 83
Dimers
Reactions of $[(CO)_3(P\text{-}P)Mn]_2$ with primary alcohols, where, P-P is dppe $\{Ph_2P(CH_2)_2PPh_2\}$, dppp $\{Ph_2P(CH_2)_3PPh_2\}$, dppb $\{Ph_2P(CH_2)_4PPh_2\}$, dpppe $\{Ph_2P(CH_2)_5PPh_2\}$, dtpe $\{(p\text{-}tol)_2P(CH_2)_2P(p\text{-}tol)_2\}$, or dcpe $\{(^c\text{hex})_2P(CH_2)_2P(^c\text{hex})_2\}$. Synthesis of *fac*-$(CO)_3$(P-P)MnH and the X-ray structure of *fac*-$(CO)_3$(dtpe)MnH, **613**, 13
μ-Dimethylaminocarbyne
The reactions of *cis*-$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CNMe_2)_2][SO_3CF_3]_2$ and related compounds with nucleophiles, **612**, 18
8-(Dimethylamino)-1-naphthyl group
Enhanced nucleophilicity of ambiphilic silylene and silylenoid bearing 8-(dimethylamino)-1-naphthyl group, **600**, 118
Dimethylbutadiene
Copper(I) complexes with conjugated dienes, **602**, 5
Dimethyldioxirane
Oxidation of tetrathiolanes: isolation of a *cis*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', **611**, 127
Dimethylgermylene
Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of ^{1}H CIDNP and laser pulse photolysis, **601**, 324
2,7-Dimethyloctadienediyl
Synthesis and characterization of some mono and binuclear $(\eta^3{:}\eta^3\text{-}C_{10}H_{16})$ containing ruthenium(IV) complexes. Crystal structure of $[Ru(\eta^3{:}\eta^3\text{-}C_{10}H_{16})Cl_2(CNPy)]$, **613**, 250
Dimethylsilicone
Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, **607**, 105
Dimethyl zirconium complexes
Monocyclopentadienyl and mono(2-methoxyethylcyclopentadienyl) zirconium methyl complexes, **602**, 51
Dimolybdacyclophanes
Preparation, properties and reactions of metal-containing heterocycles: Part C: tetraazatetraphosphadimolybdacyclophanes: synthesis, isolation, characterization, and X-ray crystal structures, **595**, 166
Dimolybdenum(II)
Synthesis and characterization of [*trans*-di(μ-acetato)(μ-bis(diphenylphosphino)methylamine)bis(pyridine)dimolybdenum(II)]bis(tetrafluoroborate) and derivatives, **596**, 177
Dinitrogen complexes
Synthesis and properties of the 16-electron complex $[(C_5Me_5)RuCl(PMe^iPr_2)]$ and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, **609**, 161
Dinuclear
Convenient routes to mono- and dinuclear (C_5Me_5)iron(II) complexes bearing acyl, alkynyl, aryl and thienyl ligands, **595**, 81
New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes $Pd(PPh_2H)_4$ and $[Pd(PPh_2H)_4](BF_4)_2$, **593–594**, 12
Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex $[(OC)_4Fe(\mu\text{-}PPh_2)\text{-}Co(CO)_3]$, **601**, 271
Synthesis and crystal structure of $[U(\eta\text{-}C_5H_5)_2\{\mu\text{-}\eta^4{:}\eta^4\text{-}HN(CH_2)_3N(CH_2)_2N(CH_2)_3NH\}]$, a dinuclear compound with a bridging tetra-amide ligand, **598**, 313
Synthesis and crystal structures of $[Rh(TTP)(CH_3)]_2(\mu\text{-}CNpy)$ and $[Rh(TTP)(C_8H_{11})]$ (TTP = 5,10,15,20-tetra(*p*-tolyl)-porphyrin dianion; CNpy = 4-cyanopyridine; C_8H_{11} = (5-norbornen-2-yl)methyl), **604**, 197
Dinuclear complex
Reactions of cationic dirhodium and diiridium complexes $[Cp^*M(\mu\text{-}Cl)(\mu\text{-}SPr^i)_2MCp^*][OTf]$ (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, **599**, 221
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, $n = 1$, 2; abpy = 2,2′-azobispyridine, **604**, 267

Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, **611**, 370

Dinuclear complexes

Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of [(C)Pd{$Me_2NCH_2CH_2N$=(H)C}C_6H_3{C(H)=$NCH_2CH_2NMe_2$}Pd(Cl)] and [{$Ph_2PCH_2CH_2$}$_2$PPh-*P,P,P*]-Pd{$Me_2NCH_2CH_2N$=(H)C}C_6H_3{C(H)=$NCH_2CH_2NMe_2$}Pd-{{$Ph_2PCH_2CH_2$}$_2$PPh-*P,P,P*}][Cl]$_2$, **612**, 85

Dinuclear metallacyclopentadiene

Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $Cp^*Ru(CO)_2(\mu\text{-}CO)Co(CO)_3$, $Cp^*Ru(\mu\text{-}CO)_2(\mu\text{-}dppm)Co(CO)_2$, $Cp^*Ru(CN^tBu)(CO)(\mu\text{-}CO)Co(CO)_3$, and $Cp^*(CO)Ru\{\eta^2\text{:}\eta^4\text{-}\mu\text{-}C(Tol)CHC(Tol)CH\}Co(CO)_2$ ($Cp^* = \eta^5\text{-}C_5Me_5$, dppm = $Ph_2PCH_2PPh_2$, Tol = C_6H_4Me-4), **596**, 121

Dinuclear metal–silane complexes

Bonding studies of dinuclear transition metal bis($\mu\text{-}\eta^2$-silane) complexes $[L_nM(\mu\text{-}\eta^2\text{-}HSiR_3)]_2$ by density functional theory, **608**, 42

Dinuclear platinum complex

Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, **607**, 222

Diorganylsilanones

Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, **613**, 170

Dioxazaborocine

Synthesis of dioxazaborocines from *N,N'*-alkylbridged-bis(bis(2-hydroxybenzyl)aminomethyl)amines, **595**, 215

Dioxime

Organocobaloximes with mixed-dioxime equatorial ligands: a one-pot synthesis, **602**, 1

Diphenylamide complex

Heteroleptic diphenylamido complexes of ytterbium: syntheses and molecular structures of $(MeC_5H_4)_2YbNPh_2(THF)$ and $(C_5Me_5)_2YbNPh_2$, **598**, 359

Diphenyldithiophosphinate

Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)-disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, **607**, 64

Diphenylphosphinoferrocenyloxazoline ligands

The application of Pd-complexes of diphenylphosphinoferrocenyl-oxazoline ligands to catalytic enantioselective allylic amination, **603**, 110

Diphenylphosphinylcyclopentadienyl

Synthesis, reactions and structure of bromo(η^5-diphenylphosphinylcyclopentadienyl)nickel(II) dimer, **593–594**, 142

Diphosphanium

Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP–PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, **608**, 12

Diphosphenes

Synthese und Struktur von {{*N*-[Bis(diisopropylamino)-phosphanyl]amino(phenyl)carben}dicarbonyl(η^5 - methylcyclopentadienyl)mangan(0)} und versuchte Darstellung von {[2-Bis(trimethylsilyl)methyl-3-phenyl-2*H*-azaphosphiren-κ*P*]-dicarbonyl(η^5-methylcyclopentadienyl)mangan(0)}, **595**, 12

Diphosphine

Synthesis and spectroscopic characterisation of compounds with formula [{$Fe_2S_2(CO)_5$}$Ph_2P(CH_2)_nPPh_2${$Fe(CO)_4$}] and [{$Fe_2S_2(CO)_5$}$_2Ph_2P(CH_2)_nPPh_2$] (n = 3, 4 and 6), **595**, 191

Synthesis, characterization and solution studies on heteronuclear iron–copper clusters containing diphosphine ligands: crystal structure of the dicluster [{$Fe_2(\mu\text{-}CO)(CO)_6(\mu\text{-}PPh_2)Cu$}$_2$-(dppp)], **598**, 215

Diphosphines

Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethyldiphosphine rhodium catalysts, **601**, 138

Reactions of $[(CO)_3(P\text{-}P)Mn]_2$ with primary alcohols, where, P-P is dppe {$Ph_2P(CH_2)_2PPh_2$}, dppp {$Ph_2P(CH_2)_3PPh_2$}, dppb {$Ph_2P(CH_2)_4PPh_2$}, dpppe {$Ph_2P(CH_2)_3PPh_2$}, dtpe {(p-tol)$_2P(CH_2)_2P(p$-tol)$_2$}, or dcpe {(^{c}hex)$_2P(CH_2)_2P(^c$hex)$_2$}. Synthesis of *fac*-$(CO)_3$(dtpe)MnH and the X-ray structure of *fac*-$(CO)_3$(dtpe)MnH, **613**, 13

1,3-Dipolar

Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3'-bis(2-oxazolyl)-1,1'-bi-2-naphthol (BINOL-Box) ligands, **603**, 6

Direct synthesis

Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, **616**, 74

Dirhenium bonds

Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, **596**, 159

Dirhenium(II) complexes

Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-}dppm)_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, n = 1 or 2), **604**, 219

Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-}dppm)_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides: Part XX. Oxidation of the complexes $Re_2X_4(\mu\text{-}dppm)_2(L)$ (X = Cl or Br; dppm = $Ph_2PCH_2PPh_2$; L = *t*-BuNC, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[Re_2(\mu\text{-}X)_2(\mu\text{-}dppm)_2X_4(L)]^+$, **596**, 27

Dirhenium(III) complexes

Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-}dppm)_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides: Part XX. Oxidation of the complexes $Re_2X_4(\mu\text{-}dppm)_2(L)$ (X = Cl or Br; dppm = $Ph_2PCH_2PPh_2$; L = *t*-BuNC, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[Re_2(\mu\text{-}X)_2(\mu\text{-}dppm)_2X_4(L)]^+$, **596**, 27

Dirhodium complexes

Molecular structure and properties of the rhodium(II) complexes with chemilabile ether–phosphine ligands $P(2\text{-}MeOC_6H_4)_3$ and $P(2,6\text{-}(MeO)_2C_6H_3)_3$, **597**, 20

Diruthenium

Selectivity in alkynylation: the reaction between $Ru_2(LL)_4Cl$ and $Me_3SnC{\equiv}CR$ (LL = 2-anilinopyridine, 2-chloro- and 2-bromo-oxypyridine), **595**, 300

Diruthenium compounds

Ru-σ-alkynyl compounds of tetraanilinopyridinato-diruthenium-(II,III) core: synthesis and structural characterization, **596**, 152

Diselenide complex

Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex [{$(Cp^*Rh)_2(\mu\text{-}CH_2)_2$}$_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), **611**, 386

1,2-Disilaacenaphthene

Enhanced nucleophilicity of ambiphilic silylene and silylenoid bearing 8-(dimethylamino)-1-naphthyl group, **600**, 118

1,4-Disilabenzenes

An ab initio study on the structure and reactivity of 1,4-disilabenzene, **611**, 280

1,2-Disilacyclobutanes

Head-to-head versus head-to-tail dimerizations of transient silenes — the generation and dimerization behavior of 2-(2-dimethylaminoaryl)-1,1-bis(trimethylsilyl)silenes, **598**, 395

1,3-Disilacyclobutanes

Head-to-head versus head-to-tail dimerizations of transient silenes — the generation and dimerization behavior of 2-(2-dimethylaminoaryl)-1,1-bis(trimethylsilyl)silenes, **598**, 395

Disilane
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, **611**, 531
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, **611**, 20
Disilanes
1,2-Dithiolate derivatives of monosilanes and disilanes, **612**, 133
Disilirane
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, **611**, 414
Disiloxane-bridged metallocene
Synthesis and characterization of Group 4 metallocene complexes with two disiloxanediyl bridges, **595**, 147
Disilyne
Triple bonds between heavier Group 14 elements. A theoretical approach, **611**, 264
Dissociative mechanism
Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, **596**, 183
Distannane
Wurtz-type reductive coupling reaction of primary alkyl iodides and haloorganotins in cosolvent $H_2O(NH_4Cl)$/Zn media as a route to mixed alkylstannanes and hexaalkyldistannanes, **612**, 78
Distibene
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, **611**, 217
Disubstituted sydnones
Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, **610**, 1
Disulfide
Unsaturated cyclic compounds possessing disulfide linkage, **611**, 106
Disupersilyldisilanes
Disupersilyldisilane $R^*X_2Si{-}SiX_2R^*$: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, **612**, 141
1,3-Dithianes
Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide, **603**, 220
1,2-Dithiete
Unsaturated cyclic compounds possessing disulfide linkage, **611**, 106
Dithiirane oxide
Oxidation of tetrathiolanes: isolation of a *cis*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', **611**, 127
Dithiocarbamate
Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)[dialkyl(aryl)dithiocarbamato] complexes of niobium(V), **603**, 194
Dithiocarboxylates
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates $[(RCSS)_xMPh_{4-x}]$, M = Ge, Sn, Pb; $x = 1–3$]: affinity between thiocarbonyl sulfur and Group 14 elements, **611**, 190
Dithiocomplexes
Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, **605**, 102
Dithiolate complexes
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_3H_4S_5)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, **611**, 364
Dithiolates
Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, **605**, 82
Dithiolene
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, **611**, 370
Dithio-ligands
The ligand $[Cp_2MoH_2]$ in complexes with Ag–S bonds, **609**, 44
Dithiophosphates
Synthesis, characterization and X-ray structure of stannocanes substituted with a cyclic dithiophosphate ligand $X(CH_2CH_2S)_2Sn^nBu$ [$S_2P(OCH_2C(Et_2)CH_2O)$], (X = O, S): a study about the conformational tendencies and the relationship with the anomeric effect of the stannocane rings, **598**, 160
Ditungsten
Synthesis, characterization, and X-ray crystallography of a series of ditungsten complexes with bis(diphenylphosphino)-amine, **596**, 136
Diverse reactivity
Diverse reactivity of rhodium β-(tetraphenyl)tetraphenyl porphyrin chlorides with benzonitrile: formation of Rh porphyrin arene and imine complexes, **598**, 80
Diyne
Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1\text{:}\eta^2\text{-};\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2(CO)_6]\}]$, **609**, 169
2D-NMR
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, **604**, 290
σ-donation
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, **611**, 558
Donor–acceptor bond
Synthesis and structural characterization of the luminescent tetranuclear complex $[NBu_4]_2[(C_6F_5)_2(\mu\text{-}OH)_2Pt_2HgCl]$ with Pt–Hg bonds unsupported by covalent bridging ligands, **593–594**, 421
Donor–acceptor dyads
New π-extended tetrathiafulvalene-containing fulleropyrrolidine dyads endowed with vinyl spacers, **599**, 2
Dopant
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, **611**, 78
Double bond
The chemistry of transition metal complexes containing a phosphenium ligand, **611**, 349
Double metal cyanide
The organometallic double metal cyanide $[(Me_2Sn)_3\{Co(CN)_6\}_2{\cdot}6H_2O]$. A three-dimensional framework of infinite, stapled ribbons, **604**, 34
Double-site inversion
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), **611**, 386
Doubly bonded systems
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, **611**, 217
Doubly bridged metallocene
Synthesis and characterization of Group 4 metallocene complexes with two disiloxanediyl bridges, **595**, 147

Dynamic NMR
Triruthenium cluster complexes of C_{60} and C_{70}: carbonyl site exchange probed via triphenylphosphine ligand derivatives, **599**, 97
Dynamics
Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, **596**, 183
(*E*)-β-Aminovinylsilanes
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)-β-aminovinylsilanes, **604**, 186
Effect of methyl substituents
Reactions of methyl-substituted titanocene–bis(trimethylsilyl)-acetylene complexes with acetone azine: crystal structures of $(\eta^5{:}\eta^1\text{-}C_5HMe_3CH_2CMe_2NH)_2Ti$ and $(C_5Me_4)_2Ti(N{=}CMe_2)_2$, **597**, 146
Electrical conductivity
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_4H_4S_8)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, **611**, 364
Electrochemical oxidation
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, **611**, 566
Electrochemical properties
para-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, **601**, 114
Electrochemistry
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1′-[P]$_2$-ferrocene ligand, **599**, 37
Chiral sandwich compounds of ruthenium(II) and (IV): X-ray crystal structure of $[Ru\{\eta^5\text{-}C_5H_4(neomenthyl)\}_2I]I_3$, **606**, 188
Cyanide-bridged tetranuclear complexes with T-shaped $Pt(CN\text{–}M)_3$ arrangements, **597**, 38
Cyanide bridged trinuclear complexes with Fe–CN–MCl_2–NC–Fe backbones (M = Ni, Cu, Zn), **593–594**, 44
Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}(PhCH_2NCH)C_4H_2S\}PPh_3]$, **601**, 22
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], **611**, 537
Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with C_{60} and C_{70}: syntheses and electrochemical properties, **599**, 87
Isocyanide ligation at ruthenium(II) complexes with chelating tertiary amine and porphyrin ligands. Structural and electrochemical studies, **595**, 114
Oligonuclear cyanide complexes from silver containing building blocks, **614–615**, 131
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, **605**, 184
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$[(\eta^5\text{-}C_5H_5)_2Mo_2(O)_2(\mu\text{-}O)\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(Ph){=}C[C_4HS(C_4H_3S\text{-}2)_2\text{-}2,5]\}]$, **608**, 133
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, **616**, 80
Redox behavior of the molybdenum and tungsten metallafullerenes $Mo(CO)_4(dppe)(\eta^2\text{-}C_{60})$ (dppe = bis-(1,2-diphenylphosphino)ethane) and $W(CO)_4(dppb)(\eta^2\text{-}C_{60})$ (dppb = bis-(1,2-diphenylphosphino)benzene), **593–594**, 7
Ru-σ-alkynyl compounds of tetraanilinopyridinato-diruthenium-(II,III) core: synthesis and structural characterization, **596**, 152
Structures and properties of complexes $[MCl(C_5Me_5)(N^{\wedge}S)](PF_6)$, M = Rh, Ir, with N^S = 1-methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, **596**, 84
Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of $[NEt_3CH_2Ph]_2[Ni_{15}(\mu_{12}\text{-}Sb)_4(CO)_{24}]$ and $[NEt_4]_3[Ni_{10}Sb_2(\mu_{12}\text{-}Ni)(CO)_{18}]$, **593–594**, 325
Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η^2-alkynyl) transition-metal complexes. The molecular structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{=}CFc)_2]CuBr$, **601**, 93
The $Co_3(CO)_9C$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, **593–594**, 232
Electrochromism
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-$[(\eta^5\text{-}C_5H_5)_2Mo_2(O)_2(\mu\text{-}O)\{\mu\text{-}\eta^2{:}\eta^2\text{-}C(Ph){=}C[C_4HS(C_4H_3S\text{-}2)_2\text{-}2,5]\}]$, **608**, 133
Electrode modification
Electrochemistry of ruthenium metallocenes: Part 3. Synthesis and properties of ruthenium [2$_2$]paracyclophane complexes with methacrylic acid and methacrylate ester substitutents, **602**, 75
Electroluminescence
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, **605**, 234
Electron diffraction
Molecular structure and conformational composition of decamethyl-*n*-tetrasilane, Si_4Me_{10}, by gas electron diffraction and density functional theory calculations, **597**, 87
Electron distribution
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, **611**, 558
Electronic factor
The behavior of 3-ferrocenyl-1-methyl-1,2-pentamethyleneallyl and 1,5-diferrocenyl-3-methyl-2,4-tetramethylene-1,4-dienyl carbocations in the cationic dimerization of 1,3-dienes, **602**, 105
Electronic spectra
Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, **606**, 203
Electronic spectroscopy–photoreactivity
Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics, **609**, 66
Electronic structure
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, **611**, 71
Electron transfer
Activation of a coordinated alkyne by electron transfer: crystal structures of $[Pd\{PPh_2CH\text{–}C(Bu^t){=}NN\text{–}C(Bu^t){=}CH_2\}PPh_2\}\{C(CO_2Me)\text{–}CH(CO_2Me)\}]$ and $[Pd\{(Z,Z)\text{-}PPh_2CH_2C(Bu^t){=}NN\text{–}C(Bu^t){=}CH_2\}PPh_2\}\{C(CO_2Me){=}C(CO_2Me)\}]$, **598**, 318
Electron-transfer processes in the reaction of K^-, K^+(15-crown-5)$_2$ with carbazole: unexpected formation of metallic potassium, **595**, 66
New π-extended tetrathiafulvalene-containing fulleropyrrolidine dyads endowed with vinyl spacers, **599**, 2
Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, **593–594**, 251
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, **611**, 136

Electron-transfer catalysis
Catalytic and stoichiometric reactions of tertiary silanes with $[Ir(Me)_2Cp^*L]$ ($Cp^* = \eta^5$-C_5Me_5; L = PMe_3, PMe_2Ph, $PMePh_2$, PPh_3) in the presence of one-electron oxidants. A unique case of Si–H, Si–C, Ir–C and P–F bonds one-step activation: crystal structure of $[Ir(Ph)(SiPh_2F)Cp^*(PMe_3)]$, **593–594**, 154
Electron-withdrawing
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, **599**, 107
Electrooxidation
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, **613**, 220
Electrophile addition
Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP–PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, **608**, 12
Electrophilic aromatic substitution
Bromination and nitration reactions of metallated (Ru and Os) multiaromatic ligands and crystal structures of selected products, **598**, 262
Electrophilic substitution
Interaction of bis(trimethylsilyl)acetylene complex of titanocene with tris(pentafluorophenyl)borane. Synthesis and structure of a new type of zwitterionic metallocene $(\eta^5$-$C_5H_5)\{\eta^5$-$[C_5H_4B(C_6F_5)_3]\}$Ti, **598**, 243
Electroreductive polymerization
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, **611**, 26
Electrosynthesis
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, **613**, 170
Elementary processes
Organotransition-metal chemistry: past development and future outlook, **600**, 159
Eleven-vertex polyhedral
Eleven-vertex polyhedral metalladicarbaborane chemistry. Reactions of neutral *nido*-5,6-$C_2B_8H_{12}$ and the $[nido$-6,9-$C_2B_8H_{10}]^{2-}$ anion to give formally *closo* isomeric 1-(arene) and 1-(cyclopentadiene)-1,2,4- and 1,2,3-metalladicarbaundecaboranes, and some substituent chemistry. Chiral separations, and crystal and molecular structures of [5-Br-1-(η^6-C_6Me_6)-1,2,4-$RuC_2B_8H_9$] and [2-Me-1-(η^5-C_5Me_5)-1,2,3-$RhC_2B_8H_{10}$], **614–615**, 269
Elimination
Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, **593–594**, 479
2*E*-[(Methoxycarbonyl)methylene]tetrahydrofurans
Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)-methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation, **593–594**, 409
Emission spectroscopy
Crystal structures and spectroscopic properties of platina-β-diketones — a new mode of stacking in platinum complexes, **598**, 286
Enamine tricarbonyliron
Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, **613**, 200
Enammine nature
New metallapyrrole complexes from $[M_2(\mu$-$CNMe_2)(\mu$-$CO)(CO)_2(Cp)_2]SO_3CF_3$ (M = Fe, Ru) and acetonitrile anions; structure of $[(Cp)(CO)FeC(NMe_2)N(H)C(Me)C$-(CN)], **593–594**, 335
Enantiomeric purity
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine]-(ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]-platinum(II), **605**, 68
Use of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)Pt(II) as a chiral derivatizing agent for the determination by ^{195}Pt-NMR of the enantiomeric composition of unsaturated ethers or alcohols having a quaternary chiral carbon atom, **598**, 174
Enantioselective catalysis
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, **603**, 122
Enantioselectivity
Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, **603**, 2
endo-Dicyclopentadiene
Aurophilic association in *endo*-dicyclopentadienechlorogold(I), **602**, 133
Endohedral clusters
Endohedral analogs of ferrocene: ab initio theoretical predictions, **599**, 18
Endohedral metallofullerene
Langmuir–Blodgett films of the endohedral metallofullerene $Dy@C_{82}$ at the air–water interface, **599**, 42
Recent progress in the studies of endohedral metallofullerenes, **599**, 74
Energetics
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, **614–615**, 195
Energy transfer
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, **611**, 85
Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, **593–594**, 251
Enhancement of reactivity
Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis, **609**, 137
Enolate ligands
Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)-[dialkyl(aryl)dithiocarbamato] complexes of niobium(V), **603**, 194
Enolates
Dimethylaluminium enolates and alkoxides derived from trimethylaluminium and aromatic ketones: a synthetic, structural and theoretical investigation, **602**, 15
Enol ester
Synthesis and molecular structure of $[RuCl\{C(=CHPh)$-$OC(=O)CH_2CH_3\}(CO)(PPh_3)_2]$: a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, **601**, 69
Enthalpy
Ruthenium(II) chemistry of phosphorus-based ligands, $Ph_2PN(R)PPh_2$ (R = Me or Ph) and $Ph_2PN(Ph)P(E)Ph_2$ (E = S or Se). Solution thermochemical study of ligand substitution reactions in the Cp′RuCl(COD) (Cp′ = Cp, Cp*; COD = cyclooctadiene) system, **599**, 159

Enyne
Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $Cp^*Ru(CO)_2(\mu_2\text{-}CO)Co(CO)_3$, $Cp^*Ru(\mu_2\text{-}CO)_2(\mu_2\text{-}dppm)Co(CO)_2$, $Cp^*Ru(CNBu^t)(CO)(\mu_2\text{-}CO)Co(CO)_3$, and $Cp^*(CO)Ru\{\eta^2{:}\eta^4\text{-}\mu_2\text{-}C(Tol)CHC(Tol)CH\}Co(CO)_2$ ($Cp^* = \eta^5\text{-}C_5Me_5$, dppm = $Ph_2PCH_2PPh_2$, Tol = C_6H_4Me-4), **596**, 121
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, **616**, 89
Enynes
Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, **593–594**, 292
Enynyl
Alkyne insertion reactions of $[RuH(\kappa^2\text{-}S_2CNEt_2)(CO)(PPh_3)_2]$: synthesis of alkenyl, alkynyl and enynyl complexes, **598**, 20
Epoxidation
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, **603**, 69
Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, **601**, 57
Epoxidation reaction
The preparation, molecular structure and catalytic relevance of $Ti(OSiPh_3)_4$ and $Ti(OGePh_3)_4$, **596**, 221
Epoxide
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, **599**, 200
Epoxysilanes
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, **604**, 141
EPR
Chain polymeric complexes of some first-series transition-metal ions with *N,N,N′,N′*-tetra-acetyl-1,4-diaminobutane, **596**, 16
Metal-containing fullerenyl radicals: generation in solution and EPR study, **599**, 28
EPR spectroscopy
Redox behavior of the molybdenum and tungsten metallafullerenes $Mo(CO)_3(dppe)(\eta^2\text{-}C_{60})$ (dppe = bis-(1,2-diphenylphosphino)ethane) and $W(CO)_3(dppb)(\eta^2\text{-}C_{60})$ (dppb = bis-(1,2-diphenylphosphino)benzene), **593–594**, 7
EPR spectrum
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er\text{-}CNC_6H_{11}$, **604**, 296
Equilibria
Synthesis, characterization and X-ray structural determination of palladium(0)–olefin complexes containing pyridin-thioethers as ancillary ligands. Equilibria and rates of olefin and ligand exchange, **601**, 1
Equilibrium
Pt(IV) derivatives formed by oxidative addition of organic halides to $[Pt(CH_3)_2(N,N\text{-chelate})]$ substrates: geometric isomers at equilibrium, **593–594**, 445
Erbium
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente II. Erstmalige Aufklärung der Elektronenstruktur eines metallorganischen σ-Komplexes der f-Elemente: Tris(bis-(trimethylsilyl)methyl)erbium(III), **602**, 65
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: I. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er\text{-}CNC_6H_{11}$, **604**, 296
ESR
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula $(\eta^5\text{-}C_5Me_5)Re(NO)(PR_3)(CH_3)$: in search of radical cations with enhanced kinetic stabilities, **616**, 44
ESR spectroscopy
Alkali-metal fullerides MC_{60} (THF)$_x$ (M = Li, Na, K): a new solution-phase method for the preparation and characterization with ESR, UV–NIR and IR spectroscopy, **599**, 69
ESR spectrum
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, **611**, 577
Estradiol
The first organometallic derivative of 11β-ethynylestradiol, a potential high-affinity marker for the estrogen receptor, **596**, 242
Estrogen receptor
The first organometallic derivative of 11β-ethynylestradiol, a potential high-affinity marker for the estrogen receptor, **596**, 242
Ethene
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, **613**, 257
Ethenolysis
Ethenolysis of silicon containing cycloolefins, **606**, 3
Ether–phosphines
Molecular structure and properties of the rhodium(II) complexes with chemilabile ether–phosphine ligands $P(2\text{-}MeOC_6H_4)_3$ and $P(2,6\text{-}(MeO)_2C_6H_3)_3$, **597**, 20
Ethylene
Amino-substituted cyclopentadienyl cobalt complexes, **605**, 157
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, **606**, 112
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, **613**, 124
Ethylene-bridged
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, **611**, 299
Ethylene/CO copolymerization
Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of $[PdMe\{Ph_2PCH_2C(O)Ph\}(PCy_3)](PF_6)$ and $[Pd\{Ph_2PCH{:::}C(:::O)Ph\}(SMe_2)_2](PF_6)$, **601**, 43
Ethylene complexes
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, **611**, 299
Ethylene dimerization
Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of $[PdMe\{Ph_2PCH_2C(O)Ph\}(PCy_3)](PF_6)$ and $[Pd\{Ph_2PCH{:::}C(:::O)Ph\}(SMe_2)_2](PF_6)$, **601**, 43
Ethylene–1-olefin copolymerization
Synthesis and application in high-pressure polymerization of a titanium complex with a linked cyclopentadienyl-phenoxide ligand, **608**, 71
Ethylene oligomerization
Oligomerization and simultaneous cyclization of ethylene to methylenecyclopentane catalyzed by zirconocene complexes, **599**, 143
Ethylene polymerization
ω-Phenylalkyl-substituted zirconocene dichloride complexes as catalyst precursors for homogeneous ethylene polymerization, **599**, 275
Synthesis, characterization and catalytic properties of metallacyclic zirconocene complexes, **599**, 261
Ethynes
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, **612**, 1

Ethynyl silane
Preparation of double-layered dendritic carbosilanes, **599**, 123
Ethynylsilane
Preparation of ethynylsilane dendrimers, **599**, 208
exo-nido-Ruthenacarborane
Mercury derivatives of *exo-nido*-ruthenacarborane, **597**, 48
π-Extended tetrathiafulvalenes
New π-extended tetrathiafulvalene-containing fulleropyrrolidine dyads endowed with vinyl spacers, **599**, 2

Fast chemistry
Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, **603**, 2
Fe
Synthesis of γ-lactones and unsaturated bis γ-lactones via Cu–Fe-mediated reductive cyclization of di- and tri-α-halogenated carboxylic esters, **601**, 153
Ferracarboranes
Chemistry of nickel and iron bis(dicarbollides). A review, **614–615**, 27
Ferrocene
1,1′-Bis(diphenylthiophosphoryl)ferrocene complexes of gold(I) and gold(III), **596**, 10
Complexes *cis*-[$PdCl_2$(OSMeR)$_2$] (R = Me, Ph, and C_6H_4Me-4) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, **601**, 51
New 1,1′- or 1,2- or 1,3-bis(diphenylphosphino)ferrocenes, **598**, 365
Organotransition-metal chemistry: past development and future outlook, **600**, 159
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, **605**, 89
Platinum complexes of heteroannularly bridged heterobidentate ferrocenyl diphosphine ligands: their molecular structure and their use in catalytic carbonylation reactions, **595**, 93
Rearrangements and dimerizations of congested ferrocenyl allyl alcohols, **605**, 174
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, **613**, 77
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, **604**, 248
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, **604**, 248
Syntheses and crystal structures of ferrocene substituted indenyl complexes, **616**, 29
Synthesis and properties of some novel ferrocene macrocyclic dioxopolyamines, **598**, 42
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
The behavior of 3-ferrocenyl-1-methyl-1,2-pentamethyleneallyl and 1,5-diferrocenyl-3-methyl-2,4-tetramethylene-1,4-dienyl carbocations in the cationic dimerization of 1,3-dienes, **602**, 105
The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, **606**, 79
Two convenient new syntheses of ferrocenoyl chloride by triphosgene, **604**, 287
Ferrocene carboxylic acid
Two convenient new syntheses of ferrocenoyl chloride by triphosgene, **604**, 287
Ferrocene diphosphine ligand
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1′-[P]$_2$-ferrocene ligand, **599**, 37
Ferrocenes
Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, **616**, 80
Ferrocenium
Selective oxidants for organometallic compounds containing a stabilising anion of highly reactive cations: $(3,5(CF_3)_2C_6H_3)_4B^-$)Cp_2Fe^+ and $(3,5(CF_3)_2C_6H_3)_4B^-$)-$Cp^*_2Fe^+$, **601**, 126
[3]Ferrocenophane
A novel heterobimetallic complex composed of the imide-bridged [3]ferrocenophane and the tridentate palladium(II) complex, **599**, 135
[1]Ferrocenophane
Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes — synthesis, characterization and ring-opening polymerization, **601**, 211
[1.1]Ferrocenophane
Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes — synthesis, characterization and ring-opening polymerization, **601**, 211
Ferrocenoyl chloride
Two convenient new syntheses of ferrocenoyl chloride by triphosgene, **604**, 287
Ferrocenyl
Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, **601**, 293
Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η^2-alkynyl) transition-metal complexes. The molecular structure of [(η^5-$C_5H_4SiMe_3$)$_2$Ti(C≡CFc)$_2$]CuBr, **601**, 93
Synthesis, electrochemistry and structural characterization of new dimeric cobalt η^2-alkyne carbonyl complexes, **595**, 70
Synthesis, structure and coordination chemistry of mono- and bis-heterocyclic-ferrocenyl derivatives, **598**, 248
Ferrocenyl derivatives
Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, **601**, 246
Ferrocenyl ligand
Platinum(II) and palladium(II) compounds derived from [(η^5-C_5H_4)Fe{(η^5-C_5H_4)–CH=N–CH_2–CH_2–OH}], **598**, 87
Ferrocenyl ligands
Ferrocenyl ligands in mixed valence high-oxidation state rhenium complexes, **598**, 103
Ferrocenylphosphines
Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethyldiphosphine rhodium catalysts, **601**, 138
Ferrocenyl polymers
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, **612**, 1
β-Ferrocenylvinylazide
P,N-Heterodifunctional ligands by selective Staüdinger reaction of β-substituted vinylazides with (*Z*)-1,2-bis(diphenylphosphanyl)ethene and formation of cyclometalled complexes of palladium(II) of these ligands — crystal and molecular structure of a new chiral cyclometallaphosphoraniminophosphane of palladium(II), **598**, 329

Ferrole
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2\{P(OPh)_3\}_2(\eta^2\text{-PhCCPh})$, $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1:\eta^1\text{-}C(O)C(Me)C]CH(OEt)_2\}C(O)\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2(PhCCH)_2$, **612**, 61
Fluorene
Synthesis, electrochemistry and structural characterization of new dimeric cobalt η^2-alkyne carbonyl complexes, **595**, 70
Fluorenyl
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, **604**, 59
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(=C=C=C=CAr_2)]^+BF_4^-$ (CAr_2 = 9-fluorenylidene), **604**, 52
Fluorescence
New π-extended tetrathiafulvalene-containing fulleropyrrolidine dyads endowed with vinyl spacers, **599**, 2
Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, **593–594**, 251
Fluoresence spectrum
New type of polysilanes: poly(1,1-silolen)s, **611**, 5
Fluorination
Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11}$)$_2^-$] ion, **614–615**, 120
Synthesis of perfluoropropyl and perfluorobutyl germanium by direct fluorination: a potential general synthesis for perfluorinated metal alkyls, **596**, 6
Fluoroalkylated carbenes
Fluoroalkylated *N*-heterocyclic carbene complexes of palladium, **598**, 409
Fluoro-functionalization
Fluoro-functionalization mediated by the reactive chalcogen reagents, **611**, 158
Fluoroorganic compounds
Asymmetric synthesis of fluorinated β-hydroxy esters via ruthenium-mediated hydrogenation, **603**, 128
Fluorophenyl α-amino acids
Water soluble phosphines: Part XIII. Chiral phosphine ligands with amino acid moieties, **598**, 116
Fluorophenyl boron compounds
(Fluoroorgano)fluoroboranes and -fluoroborates I: synthesis and spectroscopic characterization of potassium fluoroaryltrifluoroborates and fluoroaryldifluoroboranes, **598**, 127
Fluorophosphinidene
Precursors of quadruply bridging phosphorus monoxide ligands: synthesis and structural characterization of a new family of anionic fluoro and alkoxyphosphinidene clusters $Ru_4(CO)_{13}(\mu_4\text{-PR})$ (R = N^{i}Pr$_2$, NCy$_2$, F, OMe, OEt, O^{i}Pr): generation and structure of $[H_2NCy_2][Ru_4(CO)_{13}(\mu_4\text{-PO})]$, **600**, 84
Fluoro-selenenylation
Fluoro-functionalization mediated by the reactive chalcogen reagents, **611**, 158
Fluxional
Isolation of new polynuclear aluminium amides; trinuclear [Al-Cl(MeNCH$_2$CH$_2$NMe)$_2$(Al(NMe$_2$)Cl)(Al(NMe$_2$)$_2$)] and fluxional adamantane-like $[Al_4Cl_2(NMe_2)_8(NMe)O]$, **598**, 36
Titanium imido complexes containing 1,3,5-triazacyclohexane ligands, **600**, 71
Fluxional behavior
Biscyclopentadienylzirconium(IV) η^1-propargyl/allenyl complexes, **597**, 125
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, **611**, 343
Fluxional behaviour
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{-}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)-methane, **603**, 174
Fluxionality
The structure and fluxionality of $[Fe_4(CO)_{13}(dppe)]$: a merry-go-round with no sense of direction, **607**, 175
Fluxional processes
Fluxional processes and structural characterization of μ_3-η^2,η^2,η^2-C_{60}, triosmium cluster complexes, $Os_3(CO)_{9-n}(PMe_3)_n(\mu_3\text{-}\eta^2,\eta^2,\eta^2\text{-}C_{60})$ (n = 1, 2, 3), **599**, 49
O,N-Chelated boron aminophenolate complexes. Crystal structure of $BPh_2(OC_6H_4(CH_2NMe_2)\text{-}2)$, **608**, 27
Formato complexes
Synthesis and X-ray structures of manganese(I) and rhenium(I) formato complexes, *fac*-$(CO)_3$(dppp)M–OC(H)O, **599**, 308
Fragmentation
Evidence for the involvement of pentacoordinate P-intermediates during the UV light-mediated fragmentation of a 2-phosphabicyclo[2.2.2]octene 2-oxide in the presence of O-nucleophiles, **595**, 109
Free radical
Metal-containing fullerenyl radicals: generation in solution and EPR study, **599**, 28
Friedel–Crafts acylation
Intramolecular Friedel–Crafts acylation of acyclic (η^4-diene)Fe(CO)$_3$ complexes, **599**, 128
Friedel–Crafts alkylation
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, **605**, 239
Frontier molecular orbitals
Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, **606**, 203
FTIR
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), **616**, 1
FTIR study of thermally induced transformations of trimethylsilylmethyl acetate in the temperature range 623–813 K, **599**, 185
FT-Raman spectroscopy
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), **616**, 1
[60]Fullerene
New π-extended tetrathiafulvalene-containing fulleropyrrolidine dyads endowed with vinyl spacers, **599**, 2
New mono- and polyazafulleroids $C_{60}(NR)_n$ (n = 1, 2, 4, 6) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with $[RhCl(CO)_2]_2$, **599**, 8
Fullerene
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1′-[P]$_2$-ferrocene ligand, **599**, 37
Computational modeling of the elemental catalysis in the Stone–Wales fullerene rearrangements, **599**, 57
Metal-containing fullerenyl radicals: generation in solution and EPR study, **599**, 28
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, **611**, 78
Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to C_{60}, **599**, 32

Fullerene complexes
Triruthenium cluster complexes of C_{60} and C_{70}: carbonyl site exchange probed via triphenylphosphine ligand derivatives, **599**, 97
Fullerenes
Endohedral analogs of ferrocene: ab initio theoretical predictions, **599**, 18
Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with C_{60} and C_{70}: syntheses and electrochemical properties, **599**, 87
Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, **599**, 62
Functionalized cyclopentadienyl compounds
Results and perspectives in the chemistry of side-chain-functionalized cyclopentadienyl compounds, **600**, 127

Gallium
Precursor chemistry of Group III nitrides: Part XVI. Synthesis and structure of monomeric penta-coordinated intramolecularly adduct-stabilized amidobisazides of aluminum, gallium and indium with an all-nitrogen coordination sphere: OMCVD of GaN using $(N_3)_2Ga\{N[CH_2CH_2(NEt_2)]_2\}$, **602**, 29
Synthesis and structure of adduct stabilized Group III metal transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, **606**, 132
Gallium nitride
Precursor chemistry of Group III nitrides: Part XVI. Synthesis and structure of monomeric penta-coordinated intramolecularly adduct-stabilized amidobisazides of aluminum, gallium and indium with an all-nitrogen coordination sphere: OMCVD of GaN using $(N_3)_2Ga\{N[CH_2CH_2(NEt_2)]_2\}$, **602**, 29
Gallium phosphide
Synthesis and characterization of single-source precursors to nanocrystalline GaP, GaP_xAs_{1-x}, and GaP_xSb_{1-x}. X-ray crystal structures of $[Et_2GaP(SiMe_3)_2]_2$, $(Me_3Si)_2P[\mu\text{-}GaEt_2]_2As(SiMe_3)_2$, and $(Me_3Si)_2P[\mu\text{-}GaEt_2]_2Sb(SiMe_3)_2$, **601**, 191
Gallium phosphorus clusters
Synthesis and characterization of single-source precursors to nanocrystalline GaP, GaP_xAs_{1-x}, and GaP_xSb_{1-x}. X-ray crystal structures of $[Et_2GaP(SiMe_3)_2]_2$, $(Me_3Si)_2P[\mu\text{-}GaEt_2]_2As(SiMe_3)_2$, and $(Me_3Si)_2P[\mu\text{-}GaEt_2]_2Sb(SiMe_3)_2$, **601**, 191
Gas-phase reaction
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, **611**, 514
Geometrical isomerism
Pt(IV) derivatives formed by oxidative addition of organic halides to $[Pt(CH_3)_2(N,N\text{-chelate})]$ substrates: geometric isomers at equilibrium, **593–594**, 445
1,2-Germacyclobutene
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, **611**, 420
Germaethene
Addukte der Ethene $Me_2E{=}C(SiMe_3)_2$ (E = Si, Ge, Sn) mit LiR und RN_3: Wie rasch bilden sie sich?, **598**, 304
Dimere der Ethene $Me_2E{=}C(SiMe_3)_2$ (E = Si, Ge, Sn): Auf welchem Wege entstehen sie aus $Me_2EX\text{–}CM(SiMe_3)_2$? Wie sind sie strukturiert?, **598**, 292
Germanium
Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of ^1H CIDNP and laser pulse photolysis, **601**, 324
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, **611**, 299
Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, **604**, 211
Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, **596**, 70
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, **599**, 147
The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, **613**, 86
Germanium compound
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, **611**, 420
Germanium tetrafluoride
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, **611**, 531
Germatrane
The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, **613**, 86
Germatranes
Preparation of germatranyl triflates: reactions of germatranes $N(CH_2CHRO)_3X$ (X = Br, OTf, $OSiMe_3$; R = H, Me) with lithium reagents, **598**, 387
Germole dianion
Stable aromatic compounds containing heavier Group 14 elements, **611**, 228
GIAO structural/NMR calculations
Gas-phase reactions of *nido*-1-methylpentaborane with propyne and 2-pentyne. Formation of B-alkyl *nido* and *closo* carbaboranes, **614–615**, 262
Glutathione
Boron complexes of *S*-trityl-L-cysteine and *S*-tritylglutathione, **610**, 25
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, **611**, 593
Glutathione s-transferase
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, **611**, 593
Glycosylmanganese
Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, **593–594**, 49

Gold
1,1′-Bis(diphenylthiophosphoryl)ferrocene complexes of gold(I) and gold(III), **596**, 10
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (E)-4,4′-$HC{\equiv}CC_6H_4N{=}NC_6H_4NO_2$, **605**, 193
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, **607**, 93
Reactivity of the mixed-metal cluster $[Os_6(CO)_{17}(Au_2dppm)]$ towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), **614–615**, 231
Synthesis, characterization and solution studies on heteronuclear iron–copper clusters containing diphosphine ligands: crystal structure of the dicluster $[\{Fe_2(\mu\text{-}CO)(CO)_6(\mu\text{-}PPh_2)Cu\}_2(dppp)]$, **598**, 215
Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[Os_6(CO)_{17}(Au_2dppm)]$ and $[Os_6(CO)_{17}(Au_2dppm)\{Ru(\eta^5\text{-}C_5H_5)\}_2]$ (dppm = $Ph_2PCH_2PPh_2$), **596**, 204

Gold cluster
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, **611**, 566
Gold–gold vibration
Raman spectroscopic investigations of dinuclear gold ylide complexes; further relationships of Au–Au bond lengths versus Au–Au stretching frequencies, **596**, 237
Gold(I)
Aurophilic association in *endo*-dicyclopentadienechlorogold(I), **602**, 133
Gold(II)
Raman spectroscopic investigations of dinuclear gold ylide complexes; further relationships of Au–Au bond lengths versus Au–Au stretching frequencies, **596**, 237
Gold(III)
Mercury(II) and gold(III) derivatives of 2-phenyl pyridines and 2-phenyl-4-(methylcarboxylato)quinoline, **596**, 165
Mesityl gold(III) complexes. X-ray structure of mononuclear $[Au(mes)_2Cl(PPh_3)]$ and the dimer $[Au(mes)_2Cl]_2$, **607**, 129
Grignard
Future prospects in organometallic chemistry of the Main Group metals: small molecules — supramolecular chemistry, **600**, 174
Grignard reagent
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, **611**, 100
Group 13
Analogies between Group 13 metal clusters in organometallic and intermetallic structures, **597**, 54
Group 6
Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, **596**, 183
Group 15
Intramolecular N···E interactions in N-functionalised alkyl complexes $R'ECl_2$ (E = P, As, Sb; R = 6-Me-2-Pyr$(SiMe_3)_2C^-$), **607**, 213
Group 15 donors
Preparation, crystal structure determination and properties of adducts of indium methylene compounds with Group 15 donors, **603**, 203
Group III transition metal bonds
Synthesis and structure of adduct stabilized Group III metal transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, **606**, 132
Group 16 inter-element linkage
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, **611**, 463
Group 12 metals
Synthesis and characterization of μ,μ'-$M(B_5H_8)_2$ (M = Cd, Hg and Zn): a reassignment of the NMR spectra for 2,3-μ-metalloderivatives of pentaborane(9), **614–615**, 223
Group 6 pentacarbonyl complexes
Adducts of cyclotriphosphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts $[\{(triphos)Co\}(P_3)\{M(CO)_5\}_2]$ [triphos = $MeC(CH_2PPh_2)_3$; M = Cr, Mo, W], **593–594**, 127
Grubbs' catalyst
Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, **606**, 84
Hafnium
Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, **593–594**, 19
Preparation and characterization of immobilized constrained-geometry hafnium complexes, **606**, 169
Synthesis and characterization of Group 4 metallocene complexes with two disiloxanediyl bridges, **595**, 147
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, **604**, 103
Hafnium complexes
Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_2Zr\text{–}OCCo_3(CO)_9]$, **604**, 68
Hafnocene
Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, **605**, 45
Half sandwich complex
1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $TaCl_2(\eta^5\text{-}C_5Me_5)(\eta^4\text{-}1\text{-aza-}1,3\text{-butadiene})$, **593–594**, 69
Half-sandwich complex
Non-bridged amido cyclopentadienyl complexes of titanium: synthesis, characterization, and olefin polymerization catalysis, **598**, 179
Half-sandwich complexes
Preparation and structure of the 17-electron $(\eta^5\text{-}C_5R_5)Mo(OH)_2(dppe)$ (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, **596**, 64
Synthesis and properties of the 16-electron complex $[(C_5Me_5)RuCl(PMe^iPr_2)]$ and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, **609**, 161
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, **599**, 107
Half-sandwich metallocene
Synthesis and application in high-pressure polymerization of a titanium complex with a linked cyclopentadienyl-phenoxide ligand, **608**, 71
Half-sandwich ruthenium complexes
Multiple ligand transfer reaction between $[CpRu(L)(AN)_2][PF_6]$ (L = AN, CO, $P(OMe)_3$; AN = acetonitrile) and $CpFe(CO)L'X$ (L' = CO, PMe_3, PMe_2Ph, $PMePh_2$, PPh_3, $P(OPh)_3$; X = Cl, Br, I), **610**, 31
Halides
Studies on the reactivity of $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(X)(L)$, X = H,Cl; L = CNXylyl, CNCy, CO and $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(H)_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, **609**, 123
Haloalkyls
Synthesis and crystal structures of the monomeric organotellurium(IV) trihalides: *trans*-2-ethoxy-cyclohexyl-tellurium(IV) trichloride, trichloro(2-chlorobicyclo[2.2.1]hept-7-yl)-λ^4-tellurane, and mesityltellurium(IV) tribromide, **598**, 49
Haloaryls
Synthesis and crystal structures of the monomeric organotellurium(IV) trihalides: *trans*-2-ethoxy-cyclohexyl-tellurium(IV) trichloride, trichloro(2-chlorobicyclo[2.2.1]hept-7-yl)-λ^4-tellurane, and mesityltellurium(IV) tribromide, **598**, 49
Halogen adducts
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, **611**, 178
Halogenation
Halogenation and oxygenation of the metal and oxidation of phosphorus in complexes of the type $M(dppe)_2(N_2)_2$ (M = Mo, W) by reaction with thionylhalides, **602**, 24

Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, **601**, 233

Halogen coordination
Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-H})_2Os_3(CO)_{10}$, **593–594**, 135

Halogen–metal exchange
Halophilic reactions of pentafluorohalobenzenes with transition-metal carbonyl anions, **597**, 77

Hammett correlations
Benzhydroximic acids — NMR study of trimethylsilyl derivatives, **597**, 200

Harmonic force constants
Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, **596**, 159

2*H*-Azaphosphirene complexes
Synthese und Struktur von {[*N*-[Bis(diisopropylamino)-phosphanyl]amino(phenyl)carben]dicarbonyl(η^5-methylcyclopentadienyl)mangan(0)} und versuchte Darstellung von {[2-Bis(trimethylsilyl)methyl-3-phenyl-2*H*-azaphosphiren-κP]-dicarbonyl(η^5-methylcyclopentadienyl)mangan(0)}, **595**, 12
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, **613**, 56

HCFC-133a
CFC replacement HCFC-133a (CF_3CH_2Cl) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, **616**, 96

Head-to-tail dimers
Structural properties of the metallointercalator cationic complex (2,2′:6′,2″-terpyridine)methylplatinum(II) ion, **593–594**, 403

Heavier Group 15 elements
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, **611**, 217

Heavier Group 14 elements
Triple bonds between heavier Group 14 elements. A theoretical approach, **611**, 264

Heck reaction
Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, **607**, 78

Heck reactions
Aromatic arylation via palladacycles: interception of reaction intermediates, **593–594**, 240

Helicity
Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, **603**, 105

Hetero arene complexes
Novel synthesis of indazoles from (η^6-arene)tricarbonylchromium complexes, **604**, 157

Heteroarylferrocene
Conversion of tributylstannylferrocene to a variety of heteroaryl ferrocenes, **598**, 348

Heteroaryltrimethyltins
Organotin mediated nitration in heteroaromatic series using tetranitromethane or dinitrogen tetroxide, **598**, 187

Heterobimetallic
Early lanthanide organometallic hydrides: electronic and steric control of the stability, **609**, 21

Heterobimetallic complex
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1′-[P]$_2$-ferrocene ligand, **599**, 37
A novel heterobimetallic complex composed of the imide-bridged [3]ferrocenophane and the tridentate palladium(II) complex, **599**, 135
Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $Cp^*Ru(CO)_2(\mu_2\text{-}CO)Co(CO)_2$, $Cp^*Ru(\mu_2\text{-}CO)_2(\mu_2\text{-dppm})Co(CO)_2$, $Cp^*Ru(CNBu^t)(CO)(\mu_2\text{-}CO)Co(CO)_3$, and $Cp^*(CO)Ru\{\eta^2{:}\eta^4\text{-}\mu_2\text{-}C(Tol)CHC(Tol)CH\}Co(CO)_2$ ($Cp^* = \eta^5\text{-}C_5Me_5$, dppm = $Ph_2PCH_2PPh_2$, Tol = C_6H_4Me-4), **596**, 121

Heterobimetallic complexes
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, **616**, 80
Syntheses and crystal structures of ferrocene substituted indenyl complexes, **616**, 29
Synthesis and structural studies of Ti–Ru polymetallic systems, **605**, 151

Hetero bimetallic complexes
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, **612**, 106

Hetero-binuclear complex
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P*,*N*-phosphine ligand, **605**, 15

Heterocycles
New zwitterionic heterocycles derived from 1-chloro-(dimethylsilyl-1-borylalkenes and 2-lithio-1-methylimidazole and 1-lithio-indazole, **602**, 45

Heterocyclic
Synthesis, structure and coordination chemistry of mono- and bis-heterocyclic-ferrocenyl derivatives, **598**, 248

Heterocyclic bromides
Conversion of tributylstannylferrocene to a variety of heteroaryl ferrocenes, **598**, 348

Heterocyclic organotellurium
Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene, 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl diiodide, **608**, 96

Hetero Diels–Alder reaction
Unsaturated cyclic compounds possessing disulfide linkage, **611**, 106

Heterodinuclear complexes
Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-}C_5Me_5)Ir(\mu\text{-pz})_3PtMe_3]$ (pz = pyrazolate), **606**, 197

Heterodinuclear molybdenum phosphine complex
P–H functionalised phosphinoalkoxides as ligands: synthesis and catalytic properties of $[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\text{-}C_6H_{10})]$ (Tipp = 2,4,6-$Pr^i_3C_6H_2$), $[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\}Mo(CO)_3\}\text{-}C_6H_{10})]$ and $[Cp_2Zr(BH_4)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Mes)(BH_3)\text{-}C_6H_{10})]$ (Mes = 2,4,6-$Me_3C_6H_2$), and molecular structure of $(R_C,R_C,R_P,S_C,S_C,S_P)$-$[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\text{-}C_6H_{10})]$, **595**, 126

Heterogeneous catalysis
Recent progress in asymmetric heterogeneous catalysis: use of *polymer-supported catalysts*, **603**, 30

Heterogeneous catalytic α-arylation
First heterogeneously palladium catalysed α-arylation of diethyl malonate, **606**, 101

Heterogenised catalyst
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, **603**, 80

Heteroleptic complexes
Mixed pyrazolylborate/cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of $(Tp^{Bu,Me})Yb(C_5H_4R)$ (R = H, $SiMe_3$), **596**, 95

Heteroleptic lanthanide(II) complexes
Syntheses and crystal structures of two ytterbocene complexes $[Yb(\eta\text{-}Cp'')_2I(THF)]$ and $[Yb(\eta\text{-}Cp'')_2(\mu\text{-Cl})_2Li(THF)_2]$ ($Cp'' = C_5H_3(SiMe_3)_2$-1,3), **613**, 105

Heterometallic
Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, **607**, 137
Reactions of $[Pt_2(\mu\text{-}S)_2(PPh_3)_4]$ with Group 6 and 7 metal carbonyls; crystal structure of the apparently unsaturated heterometallic complex $[Pt_2Re(\mu_3\text{-}S)_2(PPh_3)_4(CO)_3]^+$, **595**, 276
Synthesis, characterization and solution studies on heteronuclear iron–copper clusters containing diphosphine ligands: crystal structure of the dicluster $[\{Fe_2(\mu\text{-}CO)(CO)_6(\mu\text{-}PPh_2)Cu\}_2(dppp)]$, **598**, 215
Heterometallic cluster
The clusters $HRu_3W(\eta^5\text{-}Cp)(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5\text{-}Cp)(CO)_{10}(PPh_3)BH$, **609**, 89
Heterometallic complexes
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of $[(C_5H_5)Ru(\mu\text{-}CO)_2\{\mu\text{-}Ph_2PN(H)PPh_2\}IrCl_2]$, **605**, 1
Heteronuclear
The heteronuclear cluster $RuOs_3(\mu\text{-}H)_3(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, **609**, 104
Heteronuclear clusters
Molecular and crystal structure of an iodo-gold-silver-platinum cluster, $[(Ph_3P)_6Au_6Ag_6Pt(AgI_3)_2](THF)_2$, with a trimetallic icosahedral core capped with two planar $[AgI_3]$ units, **614–615**, 66
Heteronuclear coordination polymer
Cyano-bridged extended heteronuclear supramolecular architectures with hexacyanoferrates(II) as building blocks, **598**, 63
Heteropolyoxometalates
Monoorganotin–polyoxometal compounds: Part 1. Synthesis and crystal structure of $[(^iPrSn)_{12}(V^{V}O)O_{14}(OH)_6]Cl\cdot 2DMF\cdot H_2O$. The first example in a series of monoorganotin–polyoxometal compounds with icosahedral metal arrangement and various contents of tin and vanadium, **598**, 381
Heterostructure
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, **611**, 85
Heterovalent
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, **607**, 93
Hexaborane(10)
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, **614–615**, 144
Hexacoordinate
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, **611**, 200
Hexacyclic binuclear tin complexes
New hexacyclic binuclear tin complexes derived from bis-(3,5-di-*tert*-butyl-2-phenol)oxamide, **614–615**, 283
Hexafluorobenzene
Syntheses and reactions of some new C-pentafluorophenyl and tetrafluorophenylene carborane systems, **597**, 157
$Hg(CF_3)_2$ compound
A theoretical study of gas-phase and solid-state $Hg(CF_3)_2$, **598**, 374
H–H bond activation
Activation of CH_4 and H_2 by zirconium(IV) and titanium(IV) cationic complexes. Theoretical DFT study, **597**, 182
High dilution
Preparation, properties and reactions of metal-containing heterocycles: Part C: tetraazatetraphosphadimolybdacyclophanes: synthesis, isolation, characterization, and X-ray crystal structures, **595**, 166
High-pressure synthesis
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, **611**, 543
High purity
Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, **601**, 133
1*H*-indole-1-methyl-2-(2′-pyridinyl)
Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2′-pyridine). The crystal and molecular structure of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N')](DMSO)Cl} and of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N')][=C(OCH$_2$-CH$_3$)(CH$_2$C$_6$H$_5$)]Cl}, **608**, 34
History of carboranes
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, **614–615**, 10
2H-1,3-Naphthoxazine
Synthesis of dioxazaborocines from *N*,*N*′-alkylbridged-bis(bis(2-hydroxybenzyl)aminomethyl)amines, **595**, 215
HOESY-NMR
Internal coordination and solvent effects upon hetero- and homo-complexation of chiral lithium amides: structure reactivity effects, **608**, 153
Homoallylamines
Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes, **593–594**, 380
Homobimetallic
Synthesis, reactions and structure of bromo(η^5-diphenylphosphinylcyclopentadienyl)nickel(II) dimer, **593–594**, 142
Homo-Brook rearrangement
Small ring compounds containing highly coordinate Group 14 elements, **611**, 256
Homogeneous catalysis
Catalytic activity of cationic diphospalladium(II) complexes in the alkene/CO copolymerization in organic solvents and water in dependence on the length of the alkyl chain at the phosphine ligands, **602**, 173
Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes, **593–594**, 489
Promotion of the $[PPN][Rh(CO)_4]$-catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, **593–594**, 109
Substrate binding and activation via pendant hydrogen-bonding groups as an approach to biomimetic homogeneous catalysis, **600**, 7
Synthesis and evaluation of new $RuCl_2(p\text{-cymene})(ER_2R')$ and $(\eta^1{:}\eta^6\text{-phosphinoarene})RuCl_2$ complexes as ring-opening metathesis polymerization catalysts, **606**, 55
Homogenous catalysis
Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, **606**, 88
Homoleptic
New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes $Pd(PPh_2H)_4$ and $[Pd(PPh_2H)_4](BF_4)_2$, **593–594**, 12
Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, **613**, 128
Homoleptic zirconium phosphinoamide complex
Formation of elastomeric polypropylene promoted by the dynamic complexes $[TiCl_2\{Ni(PPh_2)_2\}_2]$ and $[Zr(NPhPPh_2)_4]$, **604**, 116
Honeycomb structure
Cyano-bridged extended heteronuclear supramolecular architectures with hexacyanoferrates(II) as building blocks, **598**, 63
Hormones/antihormones
New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23

Host–guest
Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with $Ph_2P-C\equiv C-PPh_2$ spacer, **596**, 53
HPIR
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, **608**, 115
HPNMR
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, **608**, 115
^{1}H-, ^{29}Si-NMR
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, **605**, 22
Hybrid liquid crystals
Reactions of the Si–H bonds in tetrakis(dimethylsilyl)methane and silane, **597**, 111
Hybrid *P,N*-ligands
Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph_2P ligand, **593–594**, 392
Hydrazoic acid
Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, **604**, 211
Hydrazone
Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, **593–594**, 180
Hydride
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, **609**, 60
Alkyne insertion reactions of $[RuH(\kappa^2\text{-}S_2CNEt_2)(CO)(PPh_3)_2]$: synthesis of alkenyl, alkynyl and enynyl complexes, **598**, 20
Binuclear hydrido platinum(II) complexes: syntheses of $[\{Pt(P\text{–}P)\}_2(\mu\text{-}CHCH_2R)(\mu\text{-}H)][BF_4]$ (R = C_6H_5, H) and easy cleavage of a P–C bond in a chelating 1,4-bis (diphenyl)phosphinobutane (P–P), **595**, 224
Chiral organotin hydrides containing intramolecular coordinating substituents, **605**, 209
Early lanthanide organometallic hydrides: electronic and steric control of the stability, **609**, 21
Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, **593–594**, 479
Reactions of acetonitrile di-iron μ-aminocarbyne complexes: synthesis and structure of $[Fe_2(\mu\text{-}CNMe_2)(\mu\text{-}H)(CO)_2(Cp)_2]$, **606**, 163
Reactivity of $[Re(\eta^2\text{-}H_2)(CO)_2P_4]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, **609**, 10
Synthesis and properties of unsolvated bis(cyclopentadienyl)titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H_2)Al_3(\mu\text{-}H_4)(H)]\}_2\cdot C_6H_6$, a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, **603**, 167
The clusters $HRu_3W(\eta^5\text{-}Cp)(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5\text{-}Cp)(CO)_{10}(PPh_3)BH$, **609**, 89
The heteronuclear cluster $RuOs_3(\mu\text{-}H)_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, **609**, 104
Hydride complexes
Preparation and structure of the 17-electron $(\eta^5\text{-}C_5R_5)Mo(OH)_2(dppe)$ (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, **596**, 64
Silatranyl, hydride complexes of osmium(II) and osmium(IV): crystal structure of $Os(Si\{OCH_2CH_2\}_3N)H_3(PPh_3)_2$, **609**, 177
The synthesis, structure, and reactivity of the osmium(IV) trihydrido silyl complex, $OsH_3(SiMe_3)(CO)(PPh_3)_2$, **593–594**, 458
Hydrides
Reactions of $[(CO)_3(P\text{-}P)Mn]_2$ with primary alcohols, where, P-P is dppe $\{Ph_2P(CH_2)_2PPh_2\}$, dppp $\{Ph_2P(CH_2)_3PPh_2\}$, dppb $\{Ph_2P(CH_2)_4PPh_2\}$, dpppe $\{Ph_2P(CH_2)_5PPh_2\}$, dtpe $\{(p\text{-}tol)_2P(CH_2)_2P(p\text{-}tol)_2\}$, or dcpe $\{(^cHex)_2P(CH_2)_2P(^cHex)_2\}$. Synthesis of *fac*-$(CO)_3$(P-P)MnH and the X-ray structure of *fac*-$(CO)_3$(dtpe)MnH, **613**, 13
Structural and energetic aspects of hydrogen bonding and proton transfer to $ReH_2(CO)(NO)(PR_3)_2$ and $ReHCl(CO)(NO)(PMe_3)_2$ by IR and X-ray studies, **610**, 58
Studies on the reactivity of $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(X)(L)$, X = H,Cl; L = CNXylyl, CNCy, CO and $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(H)$, complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, **609**, 123
Hydridoborates and hydridoborato metallates
Hydridoborates and hydridoborato metallates: Part 26. Preparation and structures of dihydridoborates of lithium and potassium, **614–615**, 168
Hydrido complexes
A series of mono- and dihydrido- as well as mono- and dimethylosmium(II) complexes containing [(mes)Os(CNR)] as a building block, **593–594**, 192
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, **611**, 308
Reactivity of dinuclear arene ruthenium complexes: reactions of the hydrido complex $[(p\text{-}Me\text{-}C_6H_4\text{-}Pr^i)_2Ru_2Cl_2(\mu\text{-}Cl)(\mu\text{-}H)]$ with NaX and HX (X = F, Cl, Br, I), **602**, 188
Synthesis and properties of the 16-electron complex $[(C_5Me_5)RuCl(PMe^iPr_2)]$ and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, **609**, 161
Synthesis, characterization and decomposition behavior of novel acyl(hydrido)platinum(IV) complexes, **597**, 10
Hydroalumination
The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, **608**, 54
Hydroboration
New zwitterionic heterocycles derived from 1-chloro(dimethyl)-silyl-1-borylalkenes and 2-lithio-1-methylimidazole and 1-lithio-indazole, **602**, 45
Hydroesterification
On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, **601**, 100
Hydroformylation
Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethyldiphosphine rhodium catalysts, **601**, 138
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, **599**, 298
$(\eta^6$-Cyclohepta-1,3,5-triene$)(\eta^4$-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, **607**, 57
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, **608**, 115
Platinum complexes of heteroannularly bridged heterobidentate ferrocenyl diphosphine ligands: their molecular structure and their use in catalytic carbonylation reactions, **595**, 93
Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, **601**, 320
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, **608**, 76
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, **613**, 124
Hydrofullerenes
Endohedral analogs of ferrocene: ab initio theoretical predictions, **599**, 18
Hydrogenation
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, **603**, 61

Enantioselective hydride transfer hydrogenation of ketones catalyzed by [(η^6-*p*-cymene)Ru(amino acidato)Cl] and [(η^6-*p*-cymene)Ru(amino acidato)]$_3$(BF_4)$_3$ complexes, **593–594**, 299
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, **614–615**, 48
Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(Diphenylphosphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von [Rh(PPh_3)$_2$(2-$Ph_2PC_6H_4NH$-κ*N*,κ*P*)] und [Ir(CO)(PPh_3)(2-$Ph_2PC_6H_4NH$-κ*N*,κ*P*)], **616**, 19
Mechanism of the hydrogenation of 2,5-norbornadiene catalyzed by [Rh(NBD)(PPh_3)$_2$]BF_4 in dichloromethane: a kinetic and spectroscopic investigation, **599**, 178
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, **614–615**, 83
New insight into role of *ortho*-metallation in rhodium triphenylphosphite complexes. Hydrogen mobility in hydrogenation and isomerization of unsaturated substrates, **597**, 69
Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of {[(η^5-C_5H_5)$_2$Ti(μ-H)]$_2$-[(η^5-C_5H_5)Ti(μ-H_2]Al_3(μ-H_4)(H)}$_2$·C_6H_6, a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, **603**, 167

Hydrogen bond
Cyano-bridged extended heteronuclear supramolecular architectures with hexacyanoferrates(II) as building blocks, **598**, 63
Structural and energetic aspects of hydrogen bonding and proton transfer to $ReH_2(CO)(NO)(PR_3)_2$ and $ReHCl(CO)(NO)(PMe_3)_2$ by IR and X-ray studies, **610**, 58
Syntheses of cationic four-coordinated aluminum complexes: counter-ion induced aggregation through the N–H···I hydrogen bonds, **598**, 13

Hydrogen bonding
Crystal and molecular structure of di-*tert*-butylhydridosilanol, **602**, 170
Crystal and molecular structures of 4,4′-bis(dimethylhydroxysilyl)-biphenyl and *m*-bis(dimethylhydroxysilyl)benzene, **593–594**, 161
Substrate binding and activation via pendant hydrogen-bonding groups as an approach to biomimetic homogeneous catalysis, **600**, 7
Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, **596**, 226
The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a,e*]cyclooctatetraene: $Cr(CO)_3$ orientation controlled by short C–H···O hydrogen bonding, **613**, 111

Hydrogen-bonding
Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, **607**, 222

Hydrogen bonds
An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds, **609**, 53
Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds, **593–594**, 101

Hydrogen–deuterium exchange
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **608**, 122

Hydrogen migration
The mutual influence of the imine substituents of terephthal-bis-imines concerning their reactivity towards $Fe_2(CO)_9$, **610**, 102

Hydrogenolysis
Organonickel chemistry in the catalytic hydrodechlorination of polychlorobiphenyls (PCBs): ligand steric effects and molecular structure of reaction intermediates, **600**, 63

Hydrogen peroxide
Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, **593–594**, 416

Hydrogermylation
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, **611**, 420

Hydroindacenide ligands
Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacenide ligands, **593–594**, 315

Hydrolysis
Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D_2O, **593–594**, 485
Synthesis, structure, and reactivity of osmium π-thiophene complexes, **596**, 46

Hydrometallation
Synthesis and properties of unsolvated bis(cyclopentadienyl)-titanium alumohydride. Structure of {[(η^5-C_5H_5)$_2$Ti(μ-H)]$_2$-[(η^5-C_5H_5)Ti(μ-H_2]Al_3(μ-H_4)(H)}$_2$·C_6H_6, a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, **603**, 167

Hydrophosphoranes
Complexation of hydrophosphoranes: possible mechanism and coordination activity, **613**, 148

Hydroselenide complex
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex [{(Cp*Rh)$_2$(μ-CH_2)$_2$}$_2$(μ$_4$-Se_2)]$^{2+}$ (Cp* = η^5-C_5Me_5), **611**, 386

Hydrosilane
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, **611**, 509

Hydrosilation
Preparation of ethynylsilane dendrimers, **599**, 208
Substrate binding and activation via pendant hydrogen-bonding groups as an approach to biomimetic homogeneous catalysis, **600**, 7

Hydrosilylation
Bithienylsilanes: unexpected structure and reactivity, **610**, 8
Catalysis of hydrosilylation: Part XXXIV. High catalytic efficiency of the nickel equivalent of Karstedt catalyst [{Ni(η-CH_2=$CHSiMe_2$)$_2$O}$_2${μ-(η-CH_2=$CHSiMe_2$)$_2$O}], **597**, 175
Diverse catalytic activity of the cationic actinide complex [$(Et_2N)_3U$][BPh_4] in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex [$(Et_2N)_2U$(C≡C′Bu)(η^2-HC≡C′Bu)][BPh_4], **604**, 83
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, **614–615**, 75
Preparation of double-layered dendritic carbosilanes, **599**, 123
Reactions of the Si–H bonds in tetrakis(dimethylsilyl)methane and silane, **597**, 111

Hydrotris(pyrazolyl)borate
Mixed pyrazolylborate/cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of ($Tp^{tBu,Me}$)Yb(C_5H_4R) (R = H, $SiMe_3$), **596**, 95

Hydroxide complexes
Preparation and structure of the 17-electron (η^5-C_5R_5)Mo(OH)$_2$(dppe) (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, **596**, 64

Hydroxo complexes
Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2 –) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium $[Ti_2(\mu\text{-}OH)_2(CO)_8]^{2-}$, **593–594**, 354
Hydroxymethyl phosphines
Synthesis and reactions of the ferrocene derived hydroxymethyl phosphine $FcCH(CH_3)P(CH_2OH)_2$ and its sulfide: crystal structures of $[FcCH(CH_3)P(S)R_2]$ R = CH_2OH, CH_2CH_2CN and $FcCH(CH_3)P(S)(CH_2O)_2PPh$ (Fc = ferrocenyl), **602**, 125
Hydroxyphosphines
Synthesis and resolution of a new P-chiral hydroxy phosphine, **603**, 235
2-Hydroxypyridine
Promotion of the [PPN][$Rh(CO)_4$]-catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, **593–594**, 109
Hydrozirconation
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, **603**, 249
Hyperconjugation
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Hyperconjugative effects
The crystal structure of 5-hydro- and 7-hydro-*s*-indacenide-Rh(COD). A comparison with similar complexes, **601**, 267
Hyperpolarizabilities
Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, **607**, 72
Hypervalency
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Hypervalent
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, **611**, 200
Hypervalent element
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, **611**, 494
Hypervalent interaction
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, **611**, 164
Hypervalent iodine compound
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, **611**, 509
Hypho cluster
Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B_5H_{11} system, **614–615**, 215
Icosahedron
Molecular and crystal structure of an iodo-gold-silver-platinum cluster, $[(Ph_3P)_6Au_6Ag_6Pt(AgI_3)_2](THF)_2$, with a trimetallic icosahedral core capped with two planar $[AgI_3]$ units, **614–615**, 66
Imidazole ligands
Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, **607**, 78
Imidazole NMR multinuclear
New zwitterionic heterocycles derived from 1-chloro(dimethyl)-silyl-1-borylalkenes and 2-lithio-1-methylimidazole and 1-lithio-indazole, **602**, 45
Imidazolium
Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, **596**, 3
Imidazol-2-ylidenes
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **608**, 122
Imide
Titanium imido complexes containing 1,3,5-triazacyclohexane ligands, **600**, 71
Imido
Syntheses of titanium μ-arylimido and μ-pyridylimido complexes bearing (un)substituted cyclopentadienyl ligand, **598**, 339
Imido complexes
A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, **610**, 42
Imido η^2-iminoacyl, η^2-acyl cyclopentadienyl complexes
Chemical behaviour of alkyl imido cyclopentadienyl niobium and tantalum(V) complexes in insertion processes. X-ray crystal structures of $[MCpCl(NAr)\{\eta^2\text{-}C(Me)\text{=}NAr\}]$ (Ar = 2,6-$Me_2C_6H_3$; M = Nb, Cp = η^5-$C_5H_3SiMe_3$; M = Ta, Cp = η^5-C_5Me_5) and $[Ta(\eta^5\text{-}C_5Me_5)Me(NAr)\{\eta^2\text{-}C(CH_2CMe_2\text{-}Ph)\text{=}O\}]$ (Ar = 2,6-$Me_2C_6H_3$), **595**, 36
Imine hydrogenation catalyst
Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, **605**, 55
Imines
Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes, **593–594**, 380
Iminoesters
Ruthenium clay catalyzed reduction of α-iminoesters and α-iminoketones, and the reductive amination of α-ketoesters, **593–594**, 454
Iminoketones
Ruthenium clay catalyzed reduction of α-iminoesters and α-iminoketones, and the reductive amination of α-ketoesters, **593–594**, 454
Iminophosphane
Binding modes of a mixed donor multidentate iminobisphosphane ligand to the triosmium cluster: the crystal structures of $[\{Os_3(CO)_{11}\}_2(PNCHP)]$, $[Os_3(\mu\text{-}H)(\mu_3\text{-}PNCP)(CO)_7]$ and $[Os_3(\mu\text{-}H)(\mu_2\text{-}PNCP)(CO)_9]$, **609**, 2
Iminosilazirconacyclohexene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, **611**, 304
Iminotriaryl-λ^5-bismuthanes
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, **611**, 89
Immunoassay
The $Co_3(CO)_9C$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, **593–594**, 232
Improved reaction yields via direct monitoring
Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4-1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1 –)], **610**, 112
Indacene-diide complexes
Synthesis, structure and reactivity of homobimetallic Rh(I) and Ir(I) complexes of *s*- and *as*-indacene-diide, **600**, 94
Indacenide complexes
The crystal structure of 5-hydro- and 7-hydro-*s*-indacenide-Rh(COD). A comparison with similar complexes, **601**, 267
Indazoles
Novel synthesis of indazoles from (η^6-arene)tricarbonylchromium complexes, **604**, 157
Indenes
Syntheses and crystal structures of ferrocene substituted indenyl complexes, **616**, 29
Indenyl
Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, **593–594**, 292

Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, **604**, 59
Zirconium bis-indenyl compounds. Synthesis and X-ray crystallography study of 1- and 2-substituted bis(R-indenyl)zirconium dichloride metallocenes, **616**, 112
Indirect nuclear spin coupling constants
Implementation of the IPPP–CLOPPA–INDO/S method for the study of indirect nuclear spin coupling constants and its application to molecules containing tin nuclei, **598**, 193
Indium
Precursor chemistry of Group III nitrides: Part XVI. Synthesis and structure of monomeric penta-coordinated intramolecularly adduct-stabilized amidobisazides of aluminum, gallium and indium with an all-nitrogen coordination sphere: OMCVD of GaN using $(N_3)_2Ga\{N[CH_2CH_2(NEt_2)]_2\}$, **602**, 29
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, **616**, 128
Synthesis and structure of adduct stabilized Group III metal transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, **606**, 132
Indium antimonide
Preparation of $[Et_2InSb(SiMe_3)_2]_3$: a trimeric single-source precursor to indium antimonide, **598**, 182
Indium methylene compounds
Preparation, crystal structure determination and properties of adducts of indium methylene compounds with Group 15 donors, **603**, 203
Indium nitride
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, **616**, 128
Indolizine
Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, **601**, 320
Inert anion
Selective oxidants for organometallic compounds containing a stabilising anion of highly reactive cations: $(3,5(CF_3)_2C_6H_3)_4B^-)Cp_2Fe^+$ and $(3,5(CF_3)_2C_6H_3)_4B^-)Cp^*_2Fe^+$, **601**, 126
Infrared intensity
The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities, **593–594**, 36
Infrared spectroscopy
Aurophilic association in *endo*-dicyclopentadienechlorogold(I), **602**, 133
Copper(I) complexes with conjugated dienes, **602**, 5
Matrix isolation infrared and density functional theoretical studies of cryogenic reactions of silicon atoms with dimethyl ether and methanol: new route to generation and stabilization of transient silanones, **595**, 248
Inner-sphere electron transfer
The ring expansion of a dimethyl-substituted vinylcyclobutene derivative by metal complexes that can undergo an inner-sphere electron transfer, **601**, 147
Inorganic macrocycles
Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with $Ph_2P–C{\equiv}C–PPh_2$ spacer, **596**, 53
Insertion
π-Allyliridium(I) complexes, $Ir(\eta^3\text{-}CH_2CHCHAr)(CO)(PPh_3)_2$ (Ar = Ph, C_6H_4Me-*p*, C_6H_4Br-*p*). Comparison of their structures and chemical properties with analogous Rh complexes, **602**, 144
Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies, **593–594**, 119
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, **607**, 12
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, **596**, 193
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, **604**, 260
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, **611**, 332
Insertionen
Addukte der Ethene $Me_2E–C(SiMe_3)_2$ (E = Si, Ge, Sn) mit LiR und RN_3: Wie rasch bilden sie sich?, **598**, 304
Dimere der Ethene $Me_2E–C(SiMe_3)_2$ (E = Si, Ge, Sn): Auf welchem Wege entstehen sie aus $Me_2EX–CM(SiMe_3)_2$? Wie sind sie strukturiert?, **598**, 292
Insertion reaction
Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of $[Cp^o_2ZrCl(PHCy)]$ ($Cp^o = \eta^5\text{-}C_5EtMe_4$, Cy = cyclohexyl) and $[Cp'_2ZrCl(PHTipp)]$ ($Cp' = \eta^5\text{-}C_5H_4Me$, Tipp = 2,4,6-$Pr^i_3C_6H_2$). Molecular structures of $[Cp^o_2ZrCl\{\eta^2\text{-}NCyC(PHCy)\}]$ and $[Cp'_2Zr(Cl)\{\eta^2\text{-}NCyC(PHTipp)\}]$, **608**, 21
Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, **599**, 112
Inter band level
Optical properties of pyrrolyl-substituted polysilanes, **611**, 64
Inter-element linkage
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, **611**, 494
Protecting groups for stabilization of inter-element linkages, **611**, 210
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, **611**, 449
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, **611**, 20
Interferences in commercial F and Ru analyses
Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4-1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1 −)], **610**, 112
Intermetallic
Analogies between Group 13 metal clusters in organometallic and intermetallic structures, **597**, 54
Intermolecular arylation
Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine, **603**, 40
Intermolecular coordination
Results and perspectives in the chemistry of side-chain-functionalized cyclopentadienyl compounds, **600**, 127
Intermolecular crystalline-state reaction
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, **611**, 217
Intermolecular interaction
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, **611**, 116
Intermolecular secondary bonds
Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl diiodide, **608**, 96
Internal coordination
Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, **608**, 153

Inter nuclear separation
Synthesis, characterization, structural and theoretical analysis of a series of electron deficient, monomeric thallium iron carbonylate isostructural and isolobal to diiron nonacarbonyl, **614–615**, 243
Interstitial hydrido ligand
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, **609**, 184
Intramolecular
Intramolecular Friedel–Crafts acylation of acyclic (η^4-diene)$Fe(CO)_3$ complexes, **599**, 128
Intramolecular N···E interactions in N-functionalised alkyl complexes $R'ECl_2$ (E = P, As, Sb; R = 6-Me-2-Pyr($SiMe_3$)$_2C^-$), **607**, 213
Intramolecular adduct
Precursor chemistry of Group III nitrides: Part XVI. Synthesis and structure of monomeric penta-coordinated intramolecularly adduct-stabilized amidobisazides of aluminum, gallium and indium with an all-nitrogen coordination sphere: OMCVD of GaN using $(N_3)_2Ga\{N[CH_2CH_2(NEt_2)]_2\}$, **602**, 29
Intramolecular coordination
C–H activation at the 3-position of pentane chains to form [N–C(sp^3)–N]$^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with [N–C(sp^2)–N]$^-$ complexes, **607**, 194
Facial and meridional [N–C–N]$^-$ intramolecular coordination systems: structure of *fac*-$PtBrMe_2\{2,6\text{-}(pzCH_2)_2C_6H_3\}\cdot 1/2C_6H_6$ {[2,6-($pzCH_2$)$_2C_6H_3$]$^-$ = 2,6-(bis{(pyrazol-1-yl)-methyl}phenyl)} and *mer*-$PtBr\{2,6\text{-}(3,5\text{-}Me_2pzCH_2)_2\text{-}C_6H_3\}$, and an alternative synthetic route to the platinum(II) [N–C–N]$^-$ kernel, **599**, 195
Protecting groups for stabilization of inter-element linkages, **611**, 210
Results and perspectives in the chemistry of side-chain-functionalized cyclopentadienyl compounds, **600**, 127
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, **611**, 100
Syntheses of titanium μ-arylimido and μ-pyridylimido complexes bearing (un)substituted cyclopentadienyl ligand, **598**, 339
Intramolecular exchange
Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, **616**, 10
Intramolecular interaction
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates [(RCSS)$_x$MPh$_{4-x}$, M = Ge, Sn, Pb; x = 1–3]: affinity between thiocarbonyl sulfur and Group 14 elements, **611**, 190
Intramolecular N–H···Co bond
An intramolecular N–H···Co hydrogen bond and a structure correlation study of the pathway for protonation of the $Co(CO)_3L^-$ anion (L = CO, PR_3), **609**, 36
Intramolecular proton transfer
Electron-transfer processes in the reaction of K^-, K^+(15-crown-5)$_2$ with carbazole: unexpected formation of metallic potassium, **595**, 66
Intramolecular transformation
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
Inversion
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, **611**, 100
Ionic coupling
Reactivity of the mixed-metal cluster $[Os_6(CO)_{17}(Au_2dppm)]$ towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), **614–615**, 231
Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[Os_6(CO)_{17}(Au_2dppm)]$ and $[Os_6(CO)_{17}(Au_2dppm)\{Ru(\eta^5\text{-}C_5H_5)\}_2]$ (dppm = $Ph_2PCH_2PPh_2$), **596**, 204
Ionic liquid
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B{\cdot}NHMe_2$ and (HOOC)-$(F_3C)_2B{\cdot}NHMe_2$, **604**, 43
Ionic product
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, **614–615**, 5
Ionization potentials
A theoretical study of gas-phase and solid-state $Hg(CF_3)_2$, **598**, 374
Ion-pair
Organometallic color chemistry: studies on [FcCH–CHC_5H_4-$NCH_2C_6H_4(^tBu)$]X (X = BPh_4^-, ClO_4^-), **608**, 146
Ion pairs
Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies, **593–594**, 119
IPPP–CLOPPA–INDO/S
Implementation of the IPPP–CLOPPA–INDO/S method for the study of indirect nuclear spin coupling constants and its application to molecules containing tin nuclei, **598**, 193
IR and FT-Raman spectroscopy
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, **612**, 125
Iridium
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, **609**, 60
π-Allyliridium(I) complexes, $Ir(\eta^1\text{-}CH_2CHCHAr)(CO)(PPh_3)_2$ (Ar = Ph, C_6H_4Me-*p*, C_6H_4Br-*p*). Comparison of their structures and chemical properties with analogous Rh complexes, **602**, 144
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), **607**, 3
Catalytic and stoichiometric reactions of tertiary silanes with $[Ir(Me)_2Cp^*L]$ (Cp^* = $\eta^5\text{-}C_5Me_5$; L = PMe_3, PMe_2Ph, $PMePh_2$, PPh_3) in the presence of one-electron oxidants. A unique case of Si–H, Si–C, Ir–C and P–F bonds one-step activation: crystal structure of $[Ir(Ph)(SiPh_2F)Cp^*(PMe_3)]$, **593–594**, 154
Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with C_{60} and C_{70}: syntheses and electrochemical properties, **599**, 87
Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(Diphenylphosphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von $[Rh(PPh_3)_2(2\text{-}Ph_2PC_6H_4NH\text{-}\kappa N,\kappa P)]$ und $[Ir(CO)(PPh_3)(2\text{-}Ph_2PC_6H_4NH\text{-}\kappa N,\kappa P)]$, **616**, 19
Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, **593–594**, 479

Iridium carbonyl cluster complexes with bidentate phosphine ligands; the X-ray crystal structure of $[Ir_4(CO)_8(dppa)_2]\cdot 3(THF)$, **602**, 137

Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[Ir_4(CO)_{11}(CPh{=}CHPh)]^-$ and $[Ir_4(CO)_{11}(COOMe)_2]^{2-}$, **593–594**, 63

Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os halfsandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, **604**, 170

New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, **614–615**, 83

Reactions of cationic dirhodium and diiridium complexes $[Cp^*M(\mu\text{-}Cl)(\mu\text{-}SPr^i)_2MCp^*][OTf]$ (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, **599**, 221

Rh and Ir complexes containing multidentate, C_2-symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation, **601**, 284

Structures and properties of complexes $[MCl(C_5Me_5)(N^{\frown}S)](PF_6)$, M = Rh, Ir, with N^S = 1-methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, **596**, 84

Substrate binding and activation via pendant hydrogen-bonding groups as an approach to biomimetic homogeneous catalysis, **600**, 7

Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-}C_5Me_5)Ir(\mu\text{-}pz)_2PtMe_3]$ (pz = pyrazolate), **606**, 197

Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of $[(C_6H_6)Ru(\mu\text{-}CO)_2\{\mu\text{-}Ph_2PN(H)PPh_2\}IrCl_2]$, **605**, 1

The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), **609**, 110

Iridium complexes

Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, **593–594**, 251

Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacenide ligands, **593–594**, 315

Synthesis, structure and reactivity of homobimetallic Rh(I) and Ir(I) complexes of *s*- and *as*-indacene-diide, **600**, 94

Iron

Al_2O_3-mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, **613**, 263

Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, **604**, 234

Convenient routes to mono- and dinuclear (C_5Me_5)iron(II) complexes bearing acyl, alkynyl, aryl and thienyl ligands, **595**, 81

Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, **613**, 200

(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, **607**, 57

(η^5-Cyclopentadienyl)$Fe(CO)_2$ complexes of barbiturate anions, **597**, 17

Ferrocenyl ligands in mixed valence high-oxidation state rhenium complexes, **598**, 103

Intramolecular Friedel–Crafts acylation of acyclic (η^4-diene)-$Fe(CO)_3$ complexes, **599**, 128

Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238

New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)-benzene ligands, **610**, 71

Reaction of $[Et_3NH][(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]$ (E = S, Se) with azides. Synthesis of $(\mu\text{-}RE)(\mu\text{-}p\text{-}R^1C_6H_4N_3H)Fe_2(CO)_6$ and crystal structure of $(\mu\text{-}Bu^tS)(\mu\text{-}PhN_3H)Fe_2(CO)_6$, **601**, 87

Reaction of $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-}RE)[\mu\text{-}\eta^2\text{-}N\text{–}NCH(R^1)CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-}PhSe)[\mu\text{-}\eta^1\text{-}N\text{–}NCH(Me)CO_2Me]Fe_2(CO)_6$, **604**, 214

Reactions of $[\{\mu\text{-}\eta^2\text{-}C(R^1){=}CHR^2\}(\mu\text{-}CO)Fe_2(CO)_6]^-$ with $(\mu\text{-}S_2)Fe_2(CO)_6$: synthesis and structures of $[\mu\text{-}\eta^2\text{-}C(R^1){=}CHR^2](\mu\text{-}RS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ (R = alkyl, phenyl or acyl), **595**, 158

Reactions of $(\mu\text{-}\eta^2\text{-}RCH{=}CH)(\mu\text{-}Cl)Fe_2(CO)_6$ with $[(\mu\text{-}E)(\mu\text{-}R^1E^1)Fe_2(CO)_6]^-$ (E, E^1 = S or Se). Synthesis and characterization of $(\mu\text{-}\eta^2\text{-}RCH{=}CH)(\mu\text{-}R^1S)[Fe_2(CO)_6]_2(\mu_4\text{-}E)$ and $[(\mu\text{-}\eta^2\text{-}PhCH{=}CH)Fe_2(CO)_6]_2(\mu_4\text{-}Se)$, **599**, 256

Reactions of $[(\mu\text{-}RS)(\mu\text{-}S)\{Fe_2(CO)_6\}_2(\mu_4\text{-}S)]$ with acid chlorides and diacid chlorides. Crystal structure of $(\mu\text{-}PhCH_2S)(\mu\text{-}CH_2{-}C(Me)COS][Fe_2(CO)_6]_2(\mu_4\text{-}S)$, **601**, 108

Reactivity of $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}dppm)]$ towards unsaturated sulfur-containing compounds, SO_2, CS_2 and ArNCS: facile carbon–sulfur bond cleavage at the diiron centre, **595**, 134

Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex $[(OC)_4Fe(\mu\text{-}PPh_2)Co(CO)_3]$, **601**, 271

Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, **604**, 150

Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, **601**, 57

Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral $W_2Fe(\mu_3\text{-}S)$ cluster cores $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ (n = 1–3). Crystal structures of $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ (n = 2,3), **616**, 140

Synthesis and characterisation of $[Fe_2M_2(\mu_4\text{-}E)(\mu_3\text{-}E')(CO)_{12}]$ and $[Os_4(\mu_3\text{-}E)(\mu_3\text{-}E')(CO)_{12}]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), **606**, 176

Synthesis and molecular structure of $[Fe_3(\mu_2\text{-}H)(\mu_3\text{-}Te)(CO)_9][Cp_2^*Nb(CO)_2]$ (Cp^* = C_5Me_5, C_5Me_4Et), **603**, 135

Synthesis and molecular structures of $Co_2(CO)_{6-n}(PPh_3)_n[\mu\text{-}C_2(CH_2R)_2]$ (R = CH_2OH or CH_2SCMe_3) derivatives containing chelated $[CpFe(CO)_2]_2Sn$ or $W(CO)_4$ fragments, **597**, 196

Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2S_2(CO)_6\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2S_2(CO)_6\}_2Ph_2P(CH_2)_nPPh_2]$ (n = 3, 4 and 6), **595**, 191

Synthesis, crystal and molecular structure of $[\{C_5Me_5FeC_5Me_4CH_2\}^+B\{C_6H_3(CF_3)_2\}_4^-]$, the first example of a structurally characterized primary ferrocenylcarbocation, **616**, 106

Synthesis of $-\{Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OR)_3]Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OR)_3]\}-$ via selective CO-substitution of $-[Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)_2Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)_2]-$ by $P(OR)_3$ (R = Ph, ^{n}Bu, ^{i}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-$\{Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OMe)_3]Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OMe)_3]\}-$, **613**, 1

The chemistry of bridged borylene complexes, **614–615**, 18

The mutual influence of the imine substituents of terephthal-bis-imines concerning their reactivity towards $Fe_2(CO)_9$, **610**, 102

The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, **613**, 33

The reactions of *cis*-$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CNMe_2)_2][SO_3CF_3]_2$ and related compounds with nucleophiles, **612**, 18

The thermal rearrangement of $-[Me_2Si\text{-}\eta^5\text{-}C_5H_4(CO)Fe(CO)_2Fe(CO)\text{-}\eta^5\text{-}C_5H_4SiMe_2]-$ in the presence of phosphorus ligands, **595**, 268

Iron(0)
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P,N*-phosphine ligand, **605**, 15
Iron carbonyl
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2\{P(OPh)_3\}_2(\eta^2\text{-PhCCPh})$, $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1{:}\eta^1\text{-C(O)C(Me)C[CH(OEt)}_2\text{]C(O)}\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2(PhCCH)_2$, **612**, 61
Iron clusters
The structure and fluxionality of $[Fe_3(CO)_{10}(dppe)]$: a merry-go-round with no sense of direction, **607**, 175
Iron complex
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, **611**, 314
Synthesis and superoxide dismutase activity of novel iron complexes, **611**, 586
Iron complexes
Synthesis of coupling dinuclear iron complexes from μ-*N*-(2-oxo-2-methylethanaminato)-μ-*N'*-(dimethylamino)-$Fe_2(CO)_6$ complex with acetylene derivatives, **613**, 132
Iron lone pair
Synthesis, characterization, structural and theoretical analysis of a series of electron deficient, monomeric thallium iron carbonylate isostructural and isolobal to diiron nonacarbonyl, **614–615**, 243
Ironpentacarbonyl
Carbonyl insertion into zirconium–nitrogen bonds: synthesis and X-ray structure of a carbene complex composed of $[Zr(NMe_2)_4]_2$ and three $Fe(CO)_5$ units containing $Fe \rightarrow Zr$ donor–acceptor interactions, **598**, 403
IR spectroscopy
Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, **596**, 183
Structural and energetic aspects of hydrogen bonding and proton transfer to $ReH_2(CO)(NO)(PR_3)_2$ and $ReHCl(CO)(NO)(PMe_3)_2$ by IR and X-ray studies, **610**, 58
Isocyanate
Synthesis and properties of arylpalladium(II) azido complexes $PdAr(N_3)(PR_3)_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, **603**, 152
Isocyanide
Development of a T-joint for covalent molecular construction based on 2,2′-bipyridine and phenanthroline isocyanide metal complexes, **598**, 55
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[$(\eta^5$-cyclopentadienyl)$(\eta^5$-amino-cyclopentadienyl)-cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, **611**, 570
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, **611**, 304
Isocyanide complexes
A series of mono- and dihydrido- as well as mono- and dimethylosmium(II) complexes containing [(mes)Os(CNR)] as a building block, **593–594**, 192
Isocyanide ligation at ruthenium(II) complexes with chelating tertiary amine and porphyrin ligands. Structural and electrochemical studies, **595**, 114
Reactions of the dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br; dppm = $Ph_2PCH_2PPh_2$) with isocyanides: Part XX. Oxidation of the complexes $Re_2X_4(\mu\text{-dppm})_2(L)$ (X = Cl or Br; dppm = $Ph_2PCH_2PPh_2$; L = *t*-BuNC, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[Re_2(\mu\text{-X})_2(\mu\text{-dppm})_2X_3(L)]^+$, **596**, 27
Use of the aqua complex $[fac\text{-Mn(CO)}_3(dppe)OH_2]BF_4$ for the preparation of a series of *fac*-Mn(CO)$_3$(dppe)Z and $[fac\text{-Mn(CO)}_3(dppe)Z]BF_4$ complexes. X-ray crystal structures of three representative examples, **602**, 97
Isocyanide ligands
Transition metal complexes of 2,2,2-trifluoroethyl isocyanide and 1H,1H-perfluorooctyl isocyanide, **612**, 96
Isocyanides
Reactivity studies of $[Pd_2(\mu\text{-X})_2(PBu^t_3)_2]$ (X = Br, I) with CNR (R = 2,6-dimethylphenyl), H_2 and alkynes, **600**, 198
Isolation
Recent progress in the studies of endohedral metallofullerenes, **599**, 74
Isomer
Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2S_2(CO)_5\}Ph_2P(CH_2)_nPPh_2\{Fe(CO)_4\}]$ and $[\{Fe_2S_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ (n = 3, 4 and 6), **595**, 191
Isomerization
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, **614–615**, 48
New insight into role of *ortho*-metallation in rhodium triphenylphosphite complexes. Hydrogen mobility in hydrogenation and isomerization of unsaturated substrates, **597**, 69
Stable cyclic and acyclic persilyldisilenes, **611**, 236
Isomers
The heteronuclear cluster $RuOs_3(\mu\text{-H})_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, **609**, 104
Isonido geometry
Eleven-vertex polyhedral metalladicarbaborane chemistry. Reactions of neutral *nido*-5,6-$C_2B_8H_{12}$ and the $[nido\text{-6,9-}C_2B_8H_{10}]^{2-}$ anion to give formally *closo* isomeric 1-(arene) and 1-(cyclopentadiene)-1,2,4- and 1,2,3-metalladicarbaundecaboranes, and some substituent chemistry. Chiral separations, and crystal and molecular structures of $[5\text{-Br-1-}(\eta^6\text{-}C_6Me_6)\text{-1,2,4-RuC}_2B_8H_{10}]$ and $[2\text{-Me-1-}(\eta^5\text{-}C_5Me_5)\text{-1,2,3-RhC}_2B_8H_{10}]$, **614–615**, 269
Isonitriles
Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of $[Cp^*_2ZrCl(PHCy)]$ ($Cp^* = \eta^5\text{-}C_5EtMe_4$, Cy = cyclohexyl) and $[Cp'_2ZrCl(PHTipp)]$ ($Cp' = \eta^5\text{-}C_5H_4Me$, Tipp = 2,4,6-$Pr^i_3C_6H_2$). Molecular structures of $[Cp^*_2ZrCl\{\eta^2\text{-NCyC(PHCy)}\}]$ and $[Cp'_2Zr(Cl)\{\eta^2\text{-NCyC(PHTipp)}\}]$, **608**, 21
Isoprene
Copper(I) complexes with conjugated dienes, **602**, 5
Isopropenylacetylene
Copper(I) complexes with conjugated dienes, **602**, 5
Isotope effects
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, **604**, 229
Isotopic substitution
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, **612**, 125
Isoxazolidine
Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands, **603**, 6

Ketoesters
Ruthenium clay catalyzed reduction of α-iminoesters and α-iminoketones, and the reductive amination of α-ketoesters, **593–594**, 454

Ketones
Enantioselective hydride transfer hydrogenation of ketones catalyzed by [(η^6-*p*-cymene)Ru(amino acidato)Cl] and [(η^6-*p*-cymene)Ru(amino acidato)]$_3$(BF_4)$_3$ complexes, **593–594**, 299
The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, **593–594**, 211
Ketophosphine ligands
Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of [PdMe{$Ph_2PCH_2C(O)Ph$}-(PCy_3)](PF_6) and [Pd{$Ph_2PCH{=}C(-O)Ph$}(SMe_2)$_2$](PF_6), **601**, 43
Kinetic data
The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-[$FeH(H_2)(DPPE)_2$]$^+$ and related compounds, **609**, 29
Kinetic resolution
Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, **603**, 105
Kinetics
Kinetics and mechanisms of the ligand substitution of (η^5-C_9H_7)$M(CO)_4$, where M = Nb or Ta, and a reinvestigation of the kinetics of (η^5-C_9H_7)$M(CO)_4$. Molecular structure of (η^5-C_9H_7)$Nb(Co)_3$[$P(C_6H_5)_3$], **605**, 168
Mechanism of the hydrogenation of 2,5-norbornadiene catalyzed by [$Rh(NBD)(PPh_3)_2$]BF_4 in dichloromethane: a kinetic and spectroscopic investigation, **599**, 178
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium BDPP system, **608**, 115
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, **613**, 19
Rh(acac)(CO)(PR_3) and Rh(oxinate)(CO)(PR_3) complexes—substitution chemistry and structural aspects, **602**, 59
Kinetic studies
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, **614–615**, 144
Kinetic study
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, **611**, 332

Labeled isocyanato complexes
Reaction of [*fac*-$(CO)_3$(dppe)$Mn(OH_2)$]BF_4 with ^{13}CO and conversion of the resulting tetracarbonyl to labeled isocyanato complexes, **610**, 118
γ-Lactam
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, **613**, 231
Lactone
Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139
Ladder oligogermane
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, **611**, 52
Ladder oligosilane
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, **611**, 52
Langmuir–Blodgett
Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, **599**, 62
Langmuir–Blodgett film
Langmuir–Blodgett films of the endohedral metallofullerene Dy@C_{82} at the air–water interface, **599**, 42
Lanthanacarboranes
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of [$LnCl_2(THF)_5$][*nido*-$C_2B_9H_{12}$] (Ln = Y, Yb), **614–615**, 107
Lanthanide
Early lanthanide organometallic hydrides: electronic and steric control of the stability, **609**, 21
Lanthanide catalysis
Lanthanide-catalyzed asymmetric 1,3-dipolar cycloaddition of nitrones to alkenes using 3,3′-bis(2-oxazolyl)-1,1′-bi-2-naphthol (BINOL-Box) ligands, **603**, 6
Lanthanide(III) halides
Syntheses and crystal structures of two ytterbocene complexes [Yb(η-Cp″)$_2$I(THF)] and [Yb(η-Cp″)$_2$(μ-Cl)$_2$Li(THF)$_2$] (Cp″ = $C_5H_3(SiMe_3)_2$-1,3), **613**, 105
Lanthanides
Bridged aminotroponiminate complexes of lutetium, **603**, 161
Mixed pyrazolylborate/cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of ($Tp^{Bu,Me}$)Yb(C_5H_4R) (R = H, $SiMe_3$), **596**, 95
Progress report, **600**, 144
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]$·$28H_2O$, **607**, 146
Lanthanocene
Anionic dichlorolanthanocene compounds. X-ray crystal structures of [{$(Me_3Si)_2C_5H_3$}$_2$$LnCl_2$][$Li(THF)_4$] (Ln = Er, Yb) and {$(Me_3Si)_2C_5H_3$}$_2$Yb(μ-Cl)$_2$$Li(THF)_2$, **601**, 160
Laser flash photolysis
Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of ^1H CIDNP and laser pulse photolysis, **601**, 324
Laser-induced thermolysis
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, **605**, 202
Layer-by-layer growth
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, **611**, 85
Lewis acid
Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, **605**, 239
Synthesis and structure of fluorinated dialacycles, **604**, 132
Lewis acid–base adducts
First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, **604**, 202
Lewis acids
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, **611**, 445
Ligand
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, **613**, 68
The synthesis and characterisation of bis(phenylpyridylphosphino)ethane, **598**, 111
Ligand coupling
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, **611**, 494
Ligand design
Progress report, **600**, 144
Ligand effects
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274

Ligand properties
Water-soluble phosphines: Part XII. Pd catalyzed P–C coupling reactions: a novel synthetic route to cationic phosphines with *para*- and *meta*-guanidiniumphenyl moieties, **602**, 158
Ligand redistribution
Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of $Ti(\eta^5\text{-}C_5H_4PPh_2)Cl_3$, **593–594**, 202
Ligand substitution
Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2′-pyridine). The crystal and molecular structure of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N'](DMSO)Cl} and of σ-{Pt-[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N')][–C(OCH$_2$CH$_3$)-(CH$_2$C$_6$H$_5$)]Cl}, **608**, 34
Rh(acac)(CO)(PR$_3$) and Rh(oxinate)(CO)(PR$_3$) complexes—substitution chemistry and structural aspects, **602**, 59
Ligand transfer reaction
Cyclopentadienyl transfer reaction: thermal reaction between $Re_2(CO)_{10}$ and a series of cyclopentadienyl transition metal complexes, **593–594**, 167
Ligand transfer reactions
Multiple ligand transfer reaction between [CpRu(L)(AN)$_2$][PF$_6$] (L = AN, CO, P(OMe)$_3$; AN = acetonitrile) and CpFe(CO)L′X (L′ = CO, PMe$_3$, PMe$_2$Ph, PMePh$_2$, PPh$_3$, P(OPh)$_3$; X = Cl, Br, I), **610**, 31
Linear
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, **604**, 7
Linear dichroism spectrum
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente II. Erstmalige Aufklärung der Elektronenstruktur eines metallorganischen σ-Komplexes der f-Elemente: Tris(bis-(trimethylsilyl)methyl)erbium(III), **602**, 65
Line-shape analysis
Formation of μ_4-Se$_2$ complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se$_2$ complex [{(Cp*Rh)$_2$(μ-CH$_2$)$_2$}$_2$(μ$_4$-Se$_2$)]$^{2+}$ (Cp* = η^5-C$_5$Me$_5$), **611**, 386
Linked amido-cyclopentadienyl ligand
Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, **605**, 55
Liquid crystals
Chiral cyclopalladated liquid crystals from amino acids, **601**, 305
Lithiated pnictanes
Sterically encumbered terphenyl substituted primary pnictanes ArEH$_2$ and their metallated derivatives ArE(H)Li (Ar = –C$_6$H$_3$-2,6-Trip$_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), **609**, 152
Lithium
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, **613**, 37
Hydridoborates and hydridoborato metallates: Part 26. Preparation and structures of dihydridoborates of lithium and potassium, **614–615**, 168
Reaction of nickelocene with methyllithium in the presence of 2-butyne, **593–594**, 245
Regiospecific synthesis of alpha-lithiated alkoxysilanes, **595**, 87
Syntheses of some bulky alkylalanes and alkyltrihydroaluminates: crystal structures of [Li(THF)$_2$AlH$_3$C(SiMe$_3$)$_2$(SiMe$_2$NMe$_2$)]$_2$, Li(THF)$_2$Al$_2$H$_5${C(SiMe$_3$)$_3$}$_2$, (Me$_3$Si)$_3$CAlH$_2$·THF and the pyrazolato derivative [LiAlH(C$_3$H$_3$N$_2$)$_2$C(SiMe$_3$)$_3$]$_2$ (THF = tetrahydrofuran), **597**, 3
Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, **607**, 105
Lithium azapentadienyls
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, **599**, 147
Lithium compounds
Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, **601**, 233
Lithium perchlorate
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, **608**, 49
Lithium reagents
Preparation of germatranyl triflates: reactions of germatranes Ni(CH$_2$CHRO)$_3$X (X = Br, OTf, OSiMe$_3$; R = H, Me) with lithium reagents, **598**, 387
Low coordination
Protecting groups for stabilization of inter-element linkages, **611**, 210
Low-valent lanthanoid
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, **611**, 509
Luminescence
Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^I tricarbonyls, **593–594**, 267
Synthesis and structural characterization of the luminescent tetranuclear complex [NBu$_4$]$_2$[(C$_6$F$_5$)$_2$(μ-OH)$_2$Pt$_2$HgCl] with Pt–Hg bonds unsupported by covalent bridging ligands, **593–594**, 421
Lutetium
Bridged aminotroponiminate complexes of lutetium, **603**, 161

Macrocycle
The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, **593–594**, 86
Macrocycles
Ring closing alkyne metathesis: stereoselective synthesis of civetone, **606**, 75
Macrocyclic chemistry
Synthesis and molecular structures of dimeric boron compounds, **604**, 273
Macrocyclic dioxopolyamine
Synthesis and properties of some novel ferrocene macrocyclic dioxopolyamines, **598**, 42
Macrocyclization
Preparation, properties and reactions of metal-containing heterocycles: Part C: tetraazatetraphosphadimolybdacyclophanes: synthesis, isolation, characterization, and X-ray crystal structures, **595**, 166
Synthesis and structural characterization of chiral thiacrowns: the crystal and molecular structure of (*R,R,R*)-2,6,10-trimethyl-1,5,9-trithiacyclododecane, **596**, 115
Magnesium
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, **614–615**, 70
Mixed reagent (aminosilyl)lithium/*i*-PrMgBr for the synthesis of functionalized oligosilanes, **601**, 259
The first structurally characterised oligosilylmagnesium compound, **603**, 185
The synthesis and structural characterization of phenyl tris(3-*t*-butylpyrazolyl)borato alkyl complexes of magnesium and zinc, [PhTp$^{Bu^t}$]MgR (R = Me, Et) and [PhTp$^{Bu^t}$]ZnMe, **596**, 22
Magnesium electrode
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, **611**, 26
Magnetic properties
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex [π-(CH$_3$C$_3$H$_4$)Cr(μ-SPh)]$_2$Se and trinuclear mixed-metal cluster [π-(CH$_3$C$_3$H$_4$)$_2$Cr$_2$(μ-SPh)](μ$_3$-S)(μ$_3$-Se)Co(CO)$_2$, **612**, 9

Main group chemistry
First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, **604**, 202
Main group compounds
Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, **596**, 70
Main Group elements
Some past vignettes of and future prospects for Main Group chemistry, **600**, 168
Maleoyl
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2\{P(OPh)_3\}_2(\eta^2\text{-PhCCPh})$, $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1{:}\eta^1\text{-C(O)C(Me)C[CH(OEt}_2\text{]C(O)}\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2(PhCCH)_2$, **612**, 61
Manganese
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn{-}CH_2Cl_2$ complex, **609**, 95
Koordinationschemie perhalogenierter Cyclopentadiene und Alkine, XXVI. Umsetzung von lithiierten Halogencymantrenen mit N-Elektrophilen. Molekülstrukturen von $(OC)_3Mn[\eta^5\text{-}C_5Cl_4{-}NH{-}N{=}C_5Cl_4]$ und $(OC)_3Mn[\eta^5\text{-}C_5H_3Cl(NH_2)\text{-}1,2]$, **599**, 247
Reactions of $[(CO)_4(P\text{-}P)Mn]_2$ with primary alcohols, where, P-P is dppe $\{Ph_2P(CH_2)_2PPh_2\}$, dppp $\{Ph_2P(CH_2)_3PPh_2\}$, dppb $\{Ph_2P(CH_2)_4PPh_2\}$, dpppe $\{Ph_2P(CH_2)_5PPh_2\}$, dtpe $\{(p\text{-tol})_2P(CH_2)_2P(p\text{-tol})_2\}$, or dcpe $\{(^c\text{hex})_2P(CH_2)_2P(^c\text{hex})_2\}$. Synthesis of *fac*-$(CO)_3(P\text{-}P)MnH$ and the X-ray structure of *fac*-$(CO)_3(dtpe)MnH$, **613**, 13
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, **612**, 160
Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, **601**, 57
Synthese und Struktur von {{*N*-[Bis(diisopropylamino)-phosphanyl]amino(phenyl)carben}dicarbonyl(η⁵-methylcyclopentadienyl)mangan(0)} und versuchte Darstellung von {[2-Bis(trimethylsilyl)methyl-3-phenyl-2*H*-azaphosphiren-κ*P*]-dicarbonyl(η⁵-methylcyclopentadienyl)mangan(0)}, **595**, 12
Synthesis and X-ray structures of manganese(I) and rhenium(I) formato complexes, *fac*-$(CO)_3(dppp)M{-}OC(H)O$, **599**, 308
The chemistry of bridged borylene complexes, **614–615**, 18
Manganese and rhenium
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), **616**, 1
Manganese carbonyl complexes
Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)methane]$Mn(CO)_3\}SO_3CF_3$ complexes: comparison of ligand donor properties, **607**, 120
Manganese complexes
Use of the aqua complex [*fac*-$Mn(CO)_3(dppe)OH_2]BF_4$ for the preparation of a series of *fac*-$Mn(CO)_3(dppe)Z$ and [*fac*-$Mn(CO)_3(dppe)Z]BF_4$ complexes. X-ray crystal structures of three representative examples, **602**, 97
Manganese compounds
Geometrical and electronic structures of the acetyl complex $Re(bpy)(CO)_3(COCH_3)$ and of $[M(bpy)(CO)_4](OTf)$, M = Mn,Re, **598**, 136
Manganese (I)
Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight, **603**, 225
Manganese pentacarbonyl
Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of C-glycosyl derivatives, **593–594**, 49
Masked disilene
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, **611**, 32
Mass spectrometry
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, **607**, 203
Mass spectroscopy
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, **605**, 22
Materials
The future of aluminum chemistry, **600**, 186
Matrix isolation
Matrix isolation infrared and density functional theoretical studies of cryogenic reactions of silicon atoms with dimethyl ether and methanol: new route to generation and stabilization of transient silanones, **595**, 248
Mechanism
Evidence for the involvement of pentacoordinate P-intermediates during the UV light-mediated fragmentation of a 2-phosphabicyclo[2.2.2]octene 2-oxide in the presence of O-nucleophiles, **595**, 109
Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, **593–594**, 479
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, **614–615**, 144
On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, **601**, 100
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **608**, 122
The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-$[FeH(H_2)(DPPE)_2]^+$ and related compounds, **609**, 29
Mercuration
Mercury derivatives of *exo-nido*-ruthenacarborane, **597**, 48
Mercury
Mesityl gold(III) complexes. X-ray structure of mononuclear $[Au(mes)_2Cl(PPh_3)]$ and the dimer $[Au(mes)_2Cl]_2$, **607**, 129
Synthesis of 1,3,5-tri- and 1,2,4,5-tetrasubstituted tin and mercury derivatives of benzene. Crystal structure of 1,3,5-tris(chloromercurio)benzene, **593–594**, 369
Mercury(II)
Heterobimetallische Komplexe von Titan(IV)–Quecksilber(II) und Platin(II)–Quecksilber(II), **602**, 91
Mercury(II) and gold(III) derivatives of 2-phenyl pyridines and 2-phenyl-4-(methylcarboxylato)quinoline, **596**, 165
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (L^1) and bis{2-(*N*-morpholino)ethyl}telluride (L^2): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(L^1)_2]$ and *trans*-$[PdCl_2(L^2)_2]$, **612**, 46
Mesityl
Mesityl gold(III) complexes. X-ray structure of mononuclear $[Au(mes)_2Cl(PPh_3)]$ and the dimer $[Au(mes)_2Cl]_2$, **607**, 129
Mesitylpseudohalogermanes $Mes_2Ge(CN)_2$ and Mes_3GeX (X = CN, NCS, N_3, NCO and OH; Mes = 2,4,6-trimethylphenyl): syntheses, crystal and molecular structures, **598**, 276
Mesogenic
Chiral cyclopalladated liquid crystals from amino acids, **601**, 305
Mesoionic compounds
Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, **610**, 1
meta-Carborane
Syntheses and reactions of some new C-pentafluorophenyl and tetrafluorophenylene carborane systems, **597**, 157

Metal acyl anions
Halophilic reactions of pentafluorohalobenzenes with transition-metal carbonyl anions, **597**, 77
Metal amides
Carbonyl insertion into zirconium–nitrogen bonds; synthesis and X-ray structure of a carbene complex composed of $[Zr(NMe_2)_4]_2$ and three $Fe(CO)_5$ units containing $Fe \rightarrow Zr$ donor–acceptor interactions, **598**, 403
Metalations
Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers, **603**, 244
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, **614–615**, 70
Metal carbenes
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$ UV system, **603**, 252
Metal–carbon backbonding
Trends in back-bonding in the series *trans*-$[M(C{=}CR)Cl(PH_3)_4]$ (M = Fe, Ru, Os; R = H, Ph, $C_6H_4NO_2$-4), **607**, 208
Metal carbonyl
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, **616**, 80
Metal carbonyl complex
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, **611**, 558
Metal carbonyl complexes
Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, **596**, 226
Metal carbonyls
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6/CCl_4$ UV system, **603**, 252
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-}SPh)]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-}SPh)](\mu_3\text{-}S)(\mu_3\text{-}Se)Co(CO)_2$, **612**, 9
Density functional calculations of dinuclear organometallic carbonyl complexes. Part I: metal–metal and metal–CO bond energies, **596**, 212
Synthesis and coordination behavior of a zirconocene bis(borylphosphane), **611**, 99
Metal-catalyzed reaction
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, **611**, 392
Metal cluster compounds
Polycarbon linked metal cluster compounds, **614–615**, 318
Metal complexes
Development of a T-joint for covalent molecular construction based on 2,2′-bipyridine and phenanthroline isocyanide metal complexes, **598**, 55
Metal containing oligomers
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, **616**, 80
Metal exchange reaction
New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23
Metal fluoride complexes
Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of $[PhC(NSiMe_3)_2]_2TaF_3$ and $[PhC(NSiMe_3)_2]_2TaFPh_2$, **607**, 227
Metal–halogen exchange
Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, **601**, 233
Metal hydride
Synthesis and structure of $[(\eta^5\text{-}C_5Me_5)WCl_2(\mu\text{-}H)]_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH_3THF with $(\eta^5\text{-}C_5Me_5)WCl_4$, **609**, 77
Metal hydrides
An 'atoms in molecules' (AIM) analysis of the dihydrogen bond in organometallic compounds, **609**, 53
Metallaalkylidyne
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, **607**, 12
Metallaborane
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$. $Cp^* = \eta^5\text{-}C_5Me_5$. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, **614–615**, 92
Metallaboranes
Synthesis and structure of $[(\eta^5\text{-}C_5Me_5)WCl_2(\mu\text{-}H)]_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH_3THF with $(\eta^5\text{-}C_5Me_5)WCl_4$, **609**, 77
Metallacarbathiaborane
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
Metallacarborane
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, **614–615**, 10
Metallacarboranes
Chemistry of nickel and iron bis(dicarbollides). A review, **614–615**, 27
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, **614–615**, 48
Mercury derivatives of *exo-nido*-ruthenacarborane, **597**, 48
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of $[LnCl_2(THF)_3][nido\text{-}C_2B_9H_{12}]$ (Ln = Y, Yb), **614–615**, 107
Metallacycle
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, **607**, 164
Metallacycles
Synthesis and resolution of a new P-chiral hydroxy phosphine, **603**, 235
Synthesis, characterization and catalytic properties of metallacyclic zirconocene complexes, **599**, 261
Metallacyclic compounds
Alkyne diruthenium chemistry, **593–594**, 77
Metalladicarbaborane
Eleven-vertex polyhedral metalladicarbaborane chemistry. Reactions of neutral *nido*-5,6-$C_2B_8H_{12}$ and the $[nido\text{-}6,9\text{-}C_2B_8H_{10}]^{2-}$ anion to give formally *closo* isomeric 1-(arene) and 1-(cyclopentadiene)-1,2,4- and 1,2,3-metalladicarbaundecaboranes, and some substituent chemistry. Chiral separations, and crystal and molecular structures of $[5\text{-}Br\text{-}1\text{-}(\eta^6\text{-}C_6Me_6)\text{-}1,2,4\text{-}RuC_2B_8H_9]$ and $[2\text{-}Me\text{-}1\text{-}(\eta^5\text{-}C_5Me_5)\text{-}1,2,3\text{-}RhC_2B_8H_9]$, **614–615**, 269
Metallafullerenes
Redox behavior of the molybdenum and tungsten metallafullerenes $Mo(CO)_3(dppe)(\eta^2\text{-}C_{60})$ (dppe = bis-(1,2-diphenylphosphino)ethane) and $W(CO)_3(dppb)(\eta^2\text{-}C_{60})$ (dppb = bis-(1,2-diphenylphosphino)benzene), **593–594**, 7
Metallapyrrole
New metallapyrrole complexes from $[M_2(\mu\text{-}CNMe_2)(\mu\text{-}CO)(CO)_5(Cp)_2]SO_3CF_3$ (M = Fe, Ru) and acetonitrile anions; structure of $[(Cp)(CO)FeC(NMe_2)N(H)C(Me)C(CN)]$, **593–594**, 335

Metallic silicon
Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, **616**, 74
Metalloboranes
Synthesis and characterization of μ,μ'-$M(B_3H_8)_2$ (M = Cd, Hg and Zn): a reassignment of the NMR spectra for 2,3-μ-metalloderivatives of pentaborane(9), **614–615**, 223
Metallocane conformation
Synthesis, characterization and X-ray structure of stannocanes substituted with a cyclic dithiophosphate ligand $X(CH_2CH_2S)_2Sn^nBu$ [$S_2P(OCH_2C(Et_2)CH_2O)$], (X = O, S): a study about the conformational tendencies and the relationship with the anomeric effect of the stannocane rings, **598**, 160
Metallocene
Anionic dichlorolanthanocene compounds. X-ray crystal structures of $[\{(Me_3Si)_2C_5H_3\}_2LnCl_2][Li(THF)_4]$ (Ln = Er, Yb) and $\{(Me_3Si)_2C_5H_3\}_2Yb(\mu\text{-}Cl)_2Li(THF)_2$, **601**, 160
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, **599**, 304
Synthesis and properties of unsolvated bis(cyclopentadienyl)titanium alumohydride. Structure of $\{[(\eta^5\text{-}C_5H_5)_2Ti(\mu\text{-}H)]_2[(\eta^5\text{-}C_5H_5)Ti(\mu\text{-}H)_2]Al_2(\mu\text{-}H)_4(H)\}_2\cdot C_6H_6$, a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, **603**, 167
Synthesis and X-ray crystal structure of decamethylrhodocenium hexafluorophosphate, **593–594**, 494
The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities, **593–594**, 36
Metallocene complexes
Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, **606**, 203
ω-Phenylalkyl-substituted zirconocene dichloride complexes as catalyst precursors for homogeneous ethylene polymerization, **599**, 275
Synthesis and characterization of Group 4 metallocene complexes with two disiloxanediyl bridges, **595**, 147
Zirconium bis-indenyl compounds. Synthesis and X-ray crystallography study of 1- and 2-substituted bis(R-indenyl)zirconium dichloride metallocenes, **616**, 112
Metallocenes
Studies on the reactivity of $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(X)(L)$, X = H,Cl; L = CNXylyl, CNCy, CO and $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(H)_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, **609**, 123
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, **599**, 107
Metallodendrimer
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, **609**, 189
Metalloene reaction
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, **608**, 49
Metallofullerene
Fluxional processes and structural characterization of μ_3-η^2,η^2,η^2-C_{60} triosmium cluster complexes, $Os_3(CO)_{9-n}(PMe_3)_n(\mu_3\text{-}\eta^2,\eta^2,\eta^2\text{-}C_{60})$ (n = 1, 2, 3), **599**, 49
Metallo-ligand
Synthesis and characterization of some mono and binuclear $(\eta^3{:}\eta^3\text{-}C_{10}H_{16})$ containing ruthenium(IV) complexes. Crystal structure of $[Ru(\eta^3{:}\eta^3\text{-}C_{10}H_{16})Cl_2(CNPy)]$, **613**, 250
Metalloligand
Reactions of $[Pt_2(\mu\text{-}S)_2(PPh_3)_4]$ with Group 6 and 7 metal carbonyls; crystal structure of the apparently unsaturated heterometallic complex $[Pt_2Re(\mu_3\text{-}S)_2(PPh_3)_4(CO)_3]^+$, **595**, 276
Metallo-ligands
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$, (P = PPh_3, PEt_3, $MePPr^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), **605**, 74
Metallonium cations
Synthesis, crystal and molecular structure of $\{[C_5Me_5\text{-}FeC_5Me_4CH_2\}^+B\{C_6H_3(CF_3)_2\}_4^-]$, the first example of a structurally characterized primary ferrocenylcarbocation, **616**, 106
Metallotropic
Intramolecular versus intermolecular mechanism of metallotropic rearrangements of chiral chromium tricarbonyl complexes of substituted naphthalenes and other polyaromatic compounds investigated by chiral HPLC of its racemic mixtures, **597**, 42
Metal–metal bond
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P,N*-phosphine ligand, **605**, 15
Metal–metal bonds
Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, **596**, 159
Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), **593–594**, 27
Synthesis and characterization of [*trans*-di(μ-acetato)(μ-bis-(diphenylphosphino)methylamine)bis(pyridine)dimolybdenum-(II)]bis(tetrafluoroborate) and derivatives, **596**, 177
Metal–metal charge transfer
Cyanide-bridged tetranuclear complexes with T-shaped $Pt(CN\text{–}M)_3$ arrangements, **597**, 38
Metal–metal interactions
Cyanide bridged trinuclear complexes with Fe–CN–MCl_2–NC–Fe backbones (M = Ni, Cu, Zn), **593–594**, 44
Oligonuclear cyanide complexes from silver containing building blocks, **614–615**, 131
Metal–metal multiple bond
Synthesis, characterization, and X-ray crystallography of a series of ditungsten complexes with bis(diphenylphosphino)amine, **596**, 136
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans*/*anti* and *trans*/*syn*-$[(\eta^5\text{-}RC_5H_4)_2M_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$ (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-$[(\eta^5\text{-}EtO_2CC_5H_4)_2Mo_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$, **613**, 42
Metal–metal triple bonds
Octakis(trimethylsilylmethyl)dioxotetramolybdenum. A novel tetranuclear compound with two localized metal–metal triple bonds, **614–615**, 238
Metal salts
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, **614–615**, 5
meta-, *para*-Guanidiniumphenyl phosphines
Water-soluble phosphines: Part XII. Pd catalyzed P–C coupling reactions: a novel synthetic route to cationic phosphines with *para*- and *meta*-guanidiniumphenyl moieties, **602**, 158
Metathesis
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, **611**, 420
Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, **606**, 88
Ring closing alkyne metathesis: stereoselective synthesis of civetone, **606**, 75

Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37

Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[RuCl_2(=CHSC_6H_4)(P^iPr_3)_2]$ and $[RuCl_2(CHCH_2CH_2\text{-}C,N\text{-}2\text{-}C_5H_4N)(P^iPr_3)]$, **606**, 65

The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, **606**, 79

The thermal rearrangement of $-[Me_2Si\text{-}\eta^5\text{-}C_5H_4(CO)Fe(CO)_2Fe(CO)\text{-}\eta^5\text{-}C_5H_4SiMe_2]-$ in the presence of phosphorus ligands, **595**, 268

Metathesis polymerisation

Studies on the nature of active species in $W(CO)_6/CCl_4/h\nu$ system as applied to metathesis polymerisation reactions, **601**, 16

Methane C–H bond activation

Activation of CH_4 and H_2 by zirconium(IV) and titanium(IV) cationic complexes. Theoretical DFT study, **597**, 182

Methanol

Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, **616**, 74

Methoxycarbonyl ligand

Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[Ir_4(CO)_{11}(CPh{=}CHPh)]^-$ and $[Ir_6(CO)_{14}(COOMe)_2]^{2-}$, **593–594**, 63

2-Methoxy-2-methyltetrahydrofurans

Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)-methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation, **593–594**, 409

α-Methylated

Water soluble phosphines: Part XIII. Chiral phosphine ligands with amino acid moieties, **598**, 116

7-Methylbicyclo[2.2.1]hepta-2,5-diene

Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37

Methyldiphenylphosphine

Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, **607**, 222

Methylenecyclopentane

Oligomerization and simultaneous cyclization of ethylene to methylenecyclopentane catalyzed by zirconocene complexes, **599**, 143

Methylidene complex

Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex $[(\eta^5\text{-}C_5Me_5)Re(NO)(P(4\text{-}C_6H_4CH_3)_3)(CH_3)]^+$ $B(3,5\text{-}C_6H_3(CF_3)_2)_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, **616**, 54

7-Methylnorbornadiene

Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37

1-Methylpentaborane

Gas-phase reactions of *nido*-1-methylpentaborane with propyne and 2-pentyne. Formation of B-alkyl *nido* and *closo* carbaboranes, **614–615**, 262

Micro-crystal diffraction

The preparation, molecular structure and catalytic relevance of $Ti(OSiPh_3)_4$ and $Ti(OGePh_3)_4$, **596**, 221

Microwave

Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions, **603**, 240

Microwave chemistry

Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, **603**, 2

Migration

Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, **611**, 376

Migratory insertion

The chemistry of transition metal complexes containing a phosphenium ligand, **611**, 349

Mixed complexes

Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, **608**, 153

Mixed dicyclopentadienyl

Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, **604**, 103

Mixed-metal

Metal segregation in bimetallic clusters and its possible role in synergism and bifunctional catalysis, **600**, 1

Mixed-metal cluster

Synthesis and molecular structures of $Co_2(CO)_{6-n}(PPh_3)_n[\mu\text{-}C_2(CH_2R)_2]$ (R = CH_2OH or CH_2SCMe_3) derivatives containing chelated $[CpFe(CO)_2]_2Sn$ or $W(CO)_4$ fragments, **597**, 196

Mixed metal clusters

Molecular and crystal structure of an iodo-gold-silver-platinum cluster, $[(Ph_3P)_6Au_6Ag_6Pt(AgI_4)_2](THF)_2$, with a trimetallic icosahedral core capped with two planar $[AgI_4]$ units, **614–615**, 66

Mixed-metal clusters

Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-}SPh)]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-}SPh)](\mu_3\text{-}S)(\mu_3\text{-}Se)Co(CO)_2$, **612**, 9

Mixed-metal complexes

Reactions of binuclear ruthenium–platinum μ-allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $L(PPh_3)Pt(\mu\text{-}\eta^1{:}\eta^2_{\gamma,\beta}\text{-}C(Ph){=}C{=}CH_2)Ru(CO)Cp$ (L = PPh_3, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, **593–594**, 465

Mixed-spin

Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds, **593–594**, 101

MNDO calculations

Polyhedral-based nonlinear optical materials. Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, **614–615**, 309

^{55}Mn-NMR

Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, **593–594**, 49

MO

Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$. $Cp^* = \eta^5\text{-}C_5Me_5$. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, **614–615**, 92

MO calculations

Reactions of cationic dirhodium and diiridium complexes $[Cp^*M(\mu\text{-}Cl)(\mu\text{-}SPr^i)_2MCp^*][OTf]$ (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, **599**, 221

MOCVD

Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, **601**, 133

Modification
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, **613**, 68
Molecular conformation
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
Molecular dynamics
X-ray structure and fluxional behaviour of *N,N'*-di-*p*-fluorophenyltriazenido complex of nickel(II), **597**, 164
Molecular modeling
Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, **596**, 159
Molecular models
An experimental and theoretical study of the electronic and molecular structure of $[Zn_4(\mu_4\text{-}S)\{\mu\text{-}S_2P(OC_2H_5)_2\}_6]$: the first molecular model of ZnS, **593–594**, 307
Molecular orbital
Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study, **609**, 83
Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight, **603**, 225
Molecular structure and conformational composition of decamethyl-*n*-tetrasilane, Si_4Me_{10}, by gas electron diffraction and density functional theory calculations, **597**, 87
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, **607**, 203
Molecular orbital calculations
Computational modeling of the elemental catalysis in the Stone–Wales fullerene rearrangements, **599**, 57
Molecular orbitals
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1'-$[P]_2$-ferrocene ligand, **599**, 37
Molecular orbital schemes
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente II. Erstmalige Aufklärung der Elektronenstruktur eines metallorganischen σ-Komplexes der f-Elemente: Tris(bis-(trimethylsilyl)methyl)erbium(III), **602**, 65
Molecular orientation
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, **611**, 85
Molecular recognition
Results and perspectives in the chemistry of side-chain-functionalized cyclopentadienyl compounds, **600**, 127
Molecular structure
Formation of elastomeric polypropylene promoted by the dynamic complexes $[TiCl_2\{N(PPh_2)_2\}_2]$ and $[Zr(NPhPPh_2)_4]$, **604**, 116
Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of $[Cp^*_2ZrCl(PHCy)]$ ($Cp^* = \eta^5\text{-}C_5EtMe_4$, Cy = cyclohexyl) and $[Cp'_2ZrCl(PHTipp)]$ ($Cp' = \eta^5\text{-}C_5H_3Me$, Tipp = 2,4,6-$Pr^i_3C_6H_2$). Molecular structures of $[Cp^*_2ZrCl\{\eta^2\text{-}NCyC(PHCy)\}]$ and $[Cp'_2Zr(Cl)\{\eta^2\text{-}NCyC(PHTipp)\}]$, **608**, 21
Kinetics and mechanisms of the ligand substitution of $(\eta^5\text{-}C_9H_7)M(CO)_4$, where M = Nb or Ta, and a reinvestigation of the kinetics of $(\eta^5\text{-}C_5H_5)M(CO)_4$. Molecular structure of $(\eta^5\text{-}C_5H_5)Nb(Co)_3[P(C_6H_5)_3]$, **605**, 168
Molecular structure and packing of organopolysilanes, **611**, 36
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, **609**, 196
Molecular structures
Mesitylpseudohalogermanes $Mes_2Ge(CN)_2$ and Mes_3GeX (X = CN, NCS, N_3, NCO and OH; Mes = 2,4,6-trimethylphenyl): syntheses, crystal and molecular structures, **598**, 276
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, **611**, 52
Molecular weight control
Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, **606**, 16
Molecular wire
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, **611**, 551
Molybdenum
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, **604**, 234
Chelated η^5-cyclopentadienyl-η-ethyl complexes of molybdenum and tungsten; molecular structure of $W(\eta^5\text{-}C_5H_4CH_2\text{-}\eta\text{-}CH_2)(CO)_3$, **604**, 126
Chiral molybdenum(VI) and tungsten(VI) 2'-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, **603**, 69
Development of a T-joint for covalent molecular construction based on 2,2'-bipyridine and phenanthroline isocyanide metal complexes, **598**, 55
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, **607**, 12
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, **607**, 156
From molecules to aggregates: crystal structures of molybdenum binuclear complexes, **601**, 34
Halogenation and oxygenation of the metal and oxidation of phosphorus in complexes of the type $M(dppe)_2(N_2)_2$ (M = Mo, W) by reaction with thionylhalides, **602**, 24
Preparation and structure of the 17-electron $(\eta^5\text{-}C_5R_5)Mo(OH)_2(dppe)$ (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, **596**, 64
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, **611**, 308
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, **612**, 160
Ring closing alkyne metathesis: stereoselective synthesis of civetone, **606**, 75
Synthesis, optical nonlinearity and crystal structure of a novel mixed-chalcogen, thiolato-bridged complex $[(\eta^5\text{-}C_5H_5)_2Mo_2(\mu\text{-}S)(\mu\text{-}Te)(\mu\text{-}SPh)_2]$, **595**, 140
2,2':6',2''-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-}PhC_2Ph)]I$ and $[WI(terpy)(\eta^2\text{-}PhC_2Ph)_2]I\cdot CDCl_3$, **604**, 191
The ligand $[Cp_2MoH_2]$ in complexes with Ag–S bonds, **609**, 44
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, **612**, 106
Molybdenum carbene complexes
Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37
Molybdenum complexes
Preparation, properties and reactions of metal-containing heterocycles: Part C: tetraazatetraphosphadimolybdacyclophanes: synthesis, isolation, characterization, and X-ray crystal structures, **595**, 166
Molybdenum dioxide
A mononuclear alkyne-stabilized $Mo^{(IV)}O_2$ moiety, **602**, 72
Molybdenum(II)
Cis- and *trans*-bis(diphenylphosphino)ethene seven-coordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of $[MI_2(CO)_3(cis\text{-dppen})]$ {M = Mo or W; dppen = bis(diphenylphosphino)ethene}, $[WI(CO)_2(cis\text{-dppen})_2]I$, $[MI_2(CO)_2\{P(OR)_3\}(cis\text{-dppen})]$ (M = Mo, R = Me; M = W, R = Et or Ph), **602**, 115

Molybdenum–silicon bonds
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, **611**, 308
Mono- and polynuclear complexes
Platinum–alkynyl and –alkyne complexes: old systems with new chemical and physical perspectives, **600**, 37
Monoazafulleroid
New mono- and polyazafulleroids $C_{60}(NR)_n$ ($n = 1, 2, 4, 6$) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with $[RhCl(CO)_2]_2$, **599**, 8
Monocationic
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand $[Cr_6S_8(H)(PEt_3)_6](BF_4)$, **609**, 184
Monocyclopentadienyl
Monocyclopentadienyl and mono(2-methoxyethylcyclopentadienyl) zirconium methyl complexes, **602**, 51
Monoheterodicarbaborane clusters
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, **614–615**, 61
Monometallic complexes
Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacenide ligands, **593–594**, 315
Mononuclear
Ruthenium(II) chemistry of phosphorus-based ligands. $Ph_2PN(R)PPh_2$ (R = Me or Ph) and $Ph_2PN(Ph)P(E)Ph_2$ (E = S or Se). Solution thermochemical study of ligand substitution reactions in the $Cp^*RuCl(COD)$ ($Cp^* = Cp$, Cp^*; COD = cyclooctadiene) system, **599**, 159
Monosilanes
1,2-Dithiolate derivatives of monosilanes and disilanes, **612**, 133
Mono zirconium complexes
Monocyclopentadienyl and mono(2-methoxyethylcyclopentadienyl) zirconium methyl complexes, **602**, 51
Mo_2Se_2 clusters
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans*/*anti* and *trans*/*syn*-$[(\eta^5\text{-}RC_5H_4)_2M_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$ (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-$[(\eta^5\text{-}EtO_2CC_5H_4)_2Mo_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$, **613**, 42
Mössbauer
Synthesis and spectroscopic characterisation of compounds with formula $[\{Fe_2S_2(CO)_5\}\{Ph_2P(CH_2)_nPPh_2\}\{Fe(CO)_4\}]$ and $[\{Fe_2S_2(CO)_5\}_2Ph_2P(CH_2)_nPPh_2]$ ($n = 3$, 4 and 6), **595**, 191
Triphenylphosphine oxide adducts of diphenylantimony(V) and diorganotin(IV) Lewis acids: structures of $SnPh_2Cl_2{\cdot}OPPh_3$, $SnPh_2Cl_2{\cdot}2OPPh_3$, $SnPh_2Br_2{\cdot}OPPh_3$ and $SbPh_2Cl_3{\cdot}OPPh_3$, **612**, 53
Mössbauer spectroscopy
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, **612**, 1
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, **611**, 558
Multidentate ligands
Rh and Ir complexes containing multidentate, C_2-symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation, **601**, 284
Multifunctional ligand
Syntheses, characterization and structures of chromium group carbonyl complexes containing a multifunctional $Ph_2P(o\text{-}C_6H_4)CH{=}N(CH_2)_2o\text{-}C_5H_4N)$ ligand, **598**, 353
Multinuclear NMR
Syntheses and reactions of some new C-pentafluorophenyl and tetrafluorophenylene carborane systems, **597**, 157
Multiple addition
Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to C_{60}, **599**, 32
Multiple bonding
Analogies between Group 13 metal clusters in organometallic and intermetallic structures, **597**, 54
Some past vignettes of and future prospects for Main Group chemistry, **600**, 168
MX_2 (M = Si, Ge, Sn, Pb)
Progress report, **600**, 144

Nanocomposites
Formation of a Pt_1Sn_1(niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, **596**, 252
Nanocrystalline
Preparation of $[Et_2InSb(SiMe_3)_2]_3$: a trimeric single-source precursor to indium antimonide, **598**, 182
Synthesis and characterization of single-source precursors to nanocrystalline GaP, GaP_xAs_{1-x}, and GaP_xSb_{1-x}. X-ray crystal structures of $[Et_2GaP(SiMe_3)_2]_2$, $(Me_3Si)_2P[\mu\text{-}GaEt_2]_2As(SiMe_3)_2$, and $(Me_3Si)_2P[\mu\text{-}GaEt_2]_2Sb(SiMe_3)_2$, **601**, 191
Nanoparticles
Formation of a Pt_1Sn_1(niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, **596**, 252
N-aryl imines
Addition of *N*-aryl imines to alkynyl(pentacarbonyl)chromium and tungsten — a novel route to alkenyl(amino)carbene complexes, **599**, 288
N-arylsulfonyl aldimines
Rhodium-catalyzed phenylation of *N*-arylsulfonyl aldimines with sodium tetraphenylborate or trimethyl(phenyl)stannane, **595**, 31
N-Bromosuccinimide
Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide, **603**, 220
N-Confused porphyrin
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, **611**, 551
[2*n*] cyclophanes
Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight, **603**, 225
Negatively charged monomer
Synthesis, characterization, structural and theoretical analysis of a series of electron deficient, monomeric thallium iron carbonylate isostructural and isolobal to diiron nonacarbonyl, **614–615**, 243
Neodymium
Early lanthanide organometallic hydrides: electronic and steric control of the stability, **609**, 21
Neutron capture therapy
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, **614–615**, 37
N_2 evolution
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), **613**, 159
N-functionalized cymantrenes
Koordinationschemie perhalogenierter Cyclopentadiene und Alkine, XXVI. Umsetzung von lithiierten Halogencymantrenen mit N-Elektrophilen. Molekülstrukturen von $(OC)_3Mn[\eta^5\text{-}C_5Cl_4\text{–}NH\text{–}N{=}C_5Cl_4]$ und $(OC)_3Mn[\eta^5\text{-}C_5H_3Cl(NH_2)\text{-}1,2]$, **599**, 247
N-Heterocyclic carbene
N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, **606**, 8

N-Heterocyclic carbenes
N-Heterocyclic carbenes: Part 26. *N*-Heterocyclic carbene complexes of palladium(0): synthesis and application in the Suzuki cross-coupling reaction, **595**, 186
N-Heterocyclic carbenes: state of the art in transition-metal-complex synthesis, **600**, 12
Nickel
A convenient route to vinylsiloxane-tertiary phosphine-nickel(0) complexes; the molecular structure of $[(Ni\{P(C_6H_4Me\text{-}4)_3\}_2\{\mu\text{-}(L^{\wedge}L'')\}_2]$ $\{(L^{\wedge}L'')_2 = [CH_2{=}CH(Me)Si(\mu\text{-}O)]_4\}$, **605**, 221
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, **613**, 37
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, **613**, 257
Komplexkatalyse LVI: Zur Kation-Anion-Wechselwirkung in den C_{12}-Allylnickel(II)-Komplexen $[Ni(\eta^3,\eta^2,\eta^2\text{-}C_{12}H_{19})]X$ als Steuergröße für die Katalyse der stereospezifischen Butadienpolymerisation. Synthese des Tetrakis(pentafluorphenyl)borats (X = $B(C_6F_5)_4$) und Charakterisierung des Tetrafluoroborats sowie des Trifluor-methansulfonats (X = BF_4, CF_3SO_3) durch Röntgenkristallstrukturanalyse und Leitfähigkeitsmessungen, **597**, 92
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_2[Ni_{12}Rh(CO)_{24}]\cdot C_7H_8CN$, $[NMe_3CH_2Ph]_2[Ni_6Rh_3(CO)_{15}]$ and $[NEt_4]_4[Ni_8Rh_4(CO)_{22}]$, **614–615**, 294
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, **606**, 112
Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, **596**, 3
Reaction of nickelocene with methyllithium in the presence of 2-butyne, **593–594**, 245
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, **604**, 241
Reactions of nickelocene with sodium in the presence of terminal alkenes, **597**, 133
Synthesis, reactions and structure of bromo(η^5-diphenylphosphinylcyclopentadienyl)nickel(II) dimer, **593–594**, 142
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, **607**, 164
Nickel(0)
1-Azadienes as bridging ligands in nickel(0) complexes of the type $[(1\text{-aza-}1,3\text{-diene})Ni(L)]_2$ (L = 1-aza-1,3-diene, alkyne, triphenylphosphine), **597**, 116
Nickelacarboranes
Chemistry of nickel and iron bis(dicarbollides). A review, **614–615**, 27
Nickel catalysts
Nickel-catalyzed allylation of lithium 1-alkynyl(trialkoxy)borates with 1,3-disubstituted allyl carbonates, **603**, 189
Nickel clusters
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, **613**, 37
Reaction of nickelocene with methyllithium in the presence of 2-butyne, **593–594**, 245
Nickel complexes
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, **603**, 116
Catalysis of hydrosilylation: Part XXXIV. High catalytic efficiency of the nickel equivalent of Karstedt catalyst $[\{Ni(\eta\text{-}CH_2{=}CHSiMe_2)_2O\}_2\{\mu\text{-}(\eta\text{-}CH_2{=}CHSiMe_2)_2O\}]$, **597**, 175
Organonickel chemistry in the catalytic hydrodechlorination of polychlorobiphenyls (PCBs): ligand steric effects and molecular structure of reaction intermediates, **600**, 63
Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, **593–594**, 180
X-ray structure and fluxional behaviour of *N,N'*-di-*p*-fluorophenyltriazenido complex of nickel(II), **597**, 164
Nicotinic acid
Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, **607**, 222
nido-Dicarbahexaborane clusters
Gas-phase reactions of *nido*-1-methylpentaborane with propyne and 2-pentyne. Formation of B-alkyl *nido* and *closo* carbaboranes, **614–615**, 262
Niggliite
Formation of a Pt_3Sn_4(niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, **596**, 252
Niobium
A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, **610**, 42
Chemical behaviour of alkyl imido cyclopentadienyl niobium and tantalum(V) complexes in insertion processes. X-ray crystal structures of $[MCpCl(NAr)\{\eta^2\text{-}C(Me){=}NAr\}]$ (Ar = 2,6-$Me_2C_6H_3$; M = Nb, Cp = η^5-$C_5H_4SiMe_3$; M = Ta, Cp = η^5-C_5Me_5) and $[Ta(\eta^5\text{-}C_5Me_5)Me(NAr)\{\eta^2\text{-}C(CH_2CMe_2Ph){=}O\}]$ (Ar = 2,6-$Me_2C_6H_3$), **595**, 36
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra. X-ray crystal structures and ab initio HF and DFT B3LYP calculations, **613**, 7
Studies on the reactivity of alkoxo-niobium(V) compounds towards *O,O*- or *S,S*-enolate ligands. Synthesis and structural characterisation of (alkoxo)(β-diketonato)- and (alkoxo)-[dialkyl(aryl)dithiocarbamato] complexes of niobium(V), **603**, 194
Synthesis and reactivity of new oxo alkyl or oxo acyl niobocene complexes and crystal structure of $Cp'_2Nb(=O)(OC(O)CF_3)$ ($Cp' = \eta^5$-$C_5H_4SiMe_3$), **598**, 167
Niobocene
Studies on the reactivity of $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(X)(L)$, X = H,Cl; L = CNXylyl, CNCy, CO and $Nb(\eta^5\text{-}C_5H_4SiMe_3)_2(H)_3$ complexes toward the Lewis acids $B(C_6F_5)_3$ and BF_3, **609**, 123
Niobocene carbonyl
Synthesis and molecular structure of $[Fe_4(\mu_3\text{-}H)(\mu_3\text{-}Te)(CO)_{13}][Cp''_2Nb(CO)_2]$ ($Cp'' = C_5Me_4$, C_5Me_4Et), **603**, 135
Nioxime
Synthesis, characterization and *cis–trans* influence in cobaloximes with nioxime, **608**, 106
Nitration
Organotin mediated nitration in heteroaromatic series using tetranitromethane or dinitrogen tetroxide, **598**, 187
Nitrato complexes
Use of the aqua complex $[fac\text{-}Mn(CO)_3(dppe)OH_2]BF_4$ for the preparation of a series of $fac\text{-}Mn(CO)_3(dppe)Z$ and $[fac\text{-}Mn(CO)_3(dppe)Z]BF_4$ complexes. X-ray crystal structures of three representative examples, **602**, 97
Nitride semiconductor
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, **611**, 514
Nitrido bridges between rhenium and titanium
Syntheses and structures of di- and trinuclear heterometallic complexes with nitrido bridges between rhenium and titanium, **593–594**, 175
Nitridosulfur(VI)
The structures of $[Ph_2XS{-}N{-}SPh_2NH]^+$ cations (X–NH, O), **611**, 272

Nitrile complexes
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, $n = 1$ or 2), **604**, 219
Use of the aqua complex [*fac*-$Mn(CO)_3$(dppe)OH_2]BF_4 for the preparation of a series of *fac*-$Mn(CO)_3$(dppe)Z and [*fac*-$Mn(CO)_3$(dppe)Z]BF_4 complexes. X-ray crystal structures of three representative examples, **602**, 97
Nitriles
Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, **613**, 60
Nitrobenzene
Promotion of the [PPN][$Rh(CO)_4$]-catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, **593–594**, 109
2-Nitrobenzo[*b*]furan
Organotin mediated nitration in heteroaromatic series using tetranitromethane or dinitrogen tetroxide, **598**, 187
2-Nitrobenzo[*b*]thiophene
Organotin mediated nitration in heteroaromatic series using tetranitromethane or dinitrogen tetroxide, **598**, 187
Nitrogen ligand
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, **606**, 112
2-Nitroindoles
Organotin mediated nitration in heteroaromatic series using tetranitromethane or dinitrogen tetroxide, **598**, 187
2-Nitropyridine
Organotin mediated nitration in heteroaromatic series using tetranitromethane or dinitrogen tetroxide, **598**, 187
N-Ligands
Bridged aminotroponiminate complexes of lutetium, **603**, 161
Synthesis of N-substituted derivatives of the *hypho*-(amine)(amino)B_8H_{11} system, **614–615**, 215
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (**L**^{1}) and bis{2-(*N*-morpholino)ethyl}telluride (**L**^{2}): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-[$PdCl_2$(**L**^{1})$_2$] and *trans*-[$PdCl_2$(**L**^{2})$_2$], **612**, 46
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (**L**^{1}): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of **L**^{1}, its oxidized product and of [$RuCl_2$(*p*-cymene)·**L**^{1}], **605**, 39
NMR
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η^5-C_5Me_5)$_2$-*nido*-2,7,8,6-$Ir_2CSB_6H_8$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, **613**, 7
Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, **608**, 63
Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-H})_2Os_3(CO)_{10}$, **593–594**, 135
(Fluoroorgano)fluoroboranes and -fluoroborates I: synthesis and spectroscopic characterization of potassium fluoroaryltrifluoroborates and fluoroaryldifluoroboranes, **598**, 127
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os halfsandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, **604**, 170
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, **606**, 125
On some reactions of undecamethylcyclohexasilanyl-substituted silanes, **598**, 202
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), **605**, 68
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, **604**, 229
Synthesis and decomposition of bis(alkoxyethynyl)dimethyltin, **598**, 211
Use of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)Pt(II) as a chiral derivatizing agent for the determination by ^{195}Pt-NMR of the enantiomeric composition of unsaturated ethers or alcohols having a quaternary chiral carbon atom, **598**, 174
NMR and ^{119}Sn Mössbauer spectra
Synthesis and structural characterisation of bis(trimethylsilyl)amidotin(II) triflate [{$Sn(NR_2)(\mu\text{-}\eta^2\text{-OTf})_2$}$_2$], (R = $SiMe_3$, $^-$OTf = $^-OSO_2CF_3$), **601**, 142
NMR chemical shifts
Benzhydroximic acids — NMR study of trimethylsilyl derivatives, **597**, 200
NMR spectra
Disupersilyldisilane $R^*X_2Si\text{–}SiX_2R^*$: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, **612**, 141
Synthesis, crystal and molecular structure of [{$C_5Me_5FeC_5Me_4CH_2$}$^+$ B{$C_6H_3(CF_3)_2$}$_4^-$], the first example of a structurally characterized primary ferrocenylcarbocation, **616**, 106
NMR spectroscopy
Electrochemistry of ruthenium metallocenes: Part 3. Synthesis and properties of ruthenium [2$_2$]paracyclophane complexes with methacrylic acid and methacrylate ester substitutents, **602**, 75
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, **613**, 19
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, **605**, 117
Synthesis and characterization of μ,μ′-$M(B_3H_8)_2$ (M = Cd, Hg and Zn): a reassignment of the NMR spectra for 2,3-μ-metallo-derivatives of pentaborane(9), **614–615**, 223
Synthesis and structure of Rh(I) tris(pyrazolyl)borate complexes of the type $Tp^{Ph,Me}RhL_1L_2$, **595**, 178
Synthesis, crystal structure, and NMR investigation of methyl α,α-dimethyl acetate-substituted π-allylpalladium complexes, **605**, 109
Synthesis of N-substituted derivatives of the *hypho*-(amine)(amino)B_8H_{11} system, **614–615**, 215
Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ^{1}H-, ^{13}C- and ^{119}Sn-NMR data and crystal structure, **608**, 86
The X-ray crystallographic study of the reaction of bis(2-thienyl)ditelluride with tetrakis(triphenylphosphine)platinum or -palladium, **595**, 232

NMR T_1 measurements
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, **609**, 196
N,N-dimethylbenzylamine
Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, **616**, 149
^{15}N-NMR
Synthesis and structural analysis of palladium(II) pyridinylpyrazole complexes by ^{1}H-, ^{13}C-, ^{15}N-NMR and X-ray diffraction. Comparison of binuclear methylpalladium, chloromethylpalladium, and dichloropalladium complexes by ^{15}N-NMR, **595**, 208
NOESY NMR spectroscopy
Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies, **593–594**, 119
Non-bonded interactions
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, **611**, 172
Nonlinear optics
Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, **607**, 72
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-HC≡CC$_6$H$_4$N=NC$_6$H$_4$NO$_2$, **605**, 193
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, **605**, 184
Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)-benzene ligands, **610**, 71
Polyhedral-based nonlinear optical materials. Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, **614–615**, 309
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, **604**, 248
Norbornene
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, **606**, 112
Studies on the nature of active species in W(CO)$_6$/CCl$_4$/*hv* system as applied to metathesis polymerisation reactions, **601**, 16
The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, **606**, 79
Normal coordinate analysis
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), **616**, 1
N-(phenyliodonio)-*p*-toluenesulfonamidate
Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, **611**, 376
N-Salicylidene 2-aminopyridine
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, **605**, 234
N-Salicylidene 2-methoxyaniline
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, **605**, 234
N-(2-thienylmethylidene)aniline
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, **613**, 231
[*N*-(Tosyl)imino]phenyliodinane
Asymmetric imidation of organic selenides into selenimides, **611**, 475
Nuclear magnetic resonance
Platinum complexes of heteroannularly bridged heterobidentate ferrocenyl diphosphine ligands: their molecular structure and their use in catalytic carbonylation reactions, **595**, 93
Preparation and characterization of immobilized constrained-geometry hafnium complexes, **606**, 169
Nuclear Overhauser effect
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, **603**, 138
Nucleophiles
The reactions of *cis*-[Fe$_2$(η-C$_5$H$_5$)$_2$(CO)$_2$(μ-CNMe$_2$)$_2$][SO$_3$CF$_3$]$_2$ and related compounds with nucleophiles, **612**, 18
Nucleophilic aromatic substitution
Halophilic reactions of pentafluorohalobenzenes with transition-metal carbonyl anions, **597**, 77
Nucleophilic carbene
A sterically demanding nucleophilic carbene: 1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene). Thermochemistry and catalytic application in olefin metathesis, **606**, 49
Nucleophilic fluorination
Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, **613**, 239
Nucleophilic phosphination
Water soluble phosphines: Part XIII. Chiral phosphine ligands with amino acid moieties, **598**, 116
Nucleophilic substitution
Platinum complexes of stanna-*closo*-dodecaborate, **614–615**, 137
Nucleophility
Evidence for the involvement of pentacoordinate P-intermediates during the UV light-mediated fragmentation of a 2-phosphabicyclo[2.2.2]octene 2-oxide in the presence of O-nucleophiles, **595**, 109
Nucleosides
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, **614–615**, 37

o-Carborane
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, **614–615**, 83
Octahedral complexes
Pt(IV) derivatives formed by oxidative addition of organic halides to [Pt(CH$_3$)$_2$(*N,N*-chelate)] substrates: geometric isomers at equilibrium, **593–594**, 445
Octahedral core
Synthesis, structure, ESI mass spectrum and magnetic property of a monocationic cluster complex of chromium-sulfide with a hydrido ligand [Cr$_6$S$_8$(H)(PEt$_3$)$_6$](BF$_4$), **609**, 184
Octakis(trimethylsilylmethyl)dioxotetramolybdenum
Octakis(trimethylsilylmethyl)dioxotetramolybdenum. A novel tetranuclear compound with two localized metal–metal triple bonds, **614–615**, 238
Octamethyl ferrocenyl polymers
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, **612**, 1
O-Ethylcobalticinium salts
A comparison between CpCo-stabilized cyclopentadienone complexes and their *O*-alkylated or protonated congeners, **610**, 80

Oganoaluminum compounds
Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, **601**, 133
O–H activation
Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, **593–594**, 479
Olefin
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, **613**, 68
Olefin and ligand exchange
Synthesis, characterization and X-ray structural determination of palladium(0)–olefin complexes containing pyridin-thioethers as ancillary ligands. Equilibria and rates of olefin and ligand exchange, **601**, 1
Olefin formation
Small ring compounds containing highly coordinate Group 14 elements, **611**, 256
Olefin metathesis
A sterically demanding nucleophilic carbene: 1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene). Thermochemistry and catalytic application in olefin metathesis, **606**, 49
Ethenolysis of silicon containing cycloolefins, **606**, 3
Olefin-metathesis
N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, **606**, 8
Olefin polymerization
Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, **596**, 70
Olefins
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, **603**, 122
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, **603**, 50
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, **599**, 107
The reaction of 1,2,3-selenadiazole with olefins, **611**, 488
α,ω-Olefins
Ethenolysis of silicon containing cycloolefins, **606**, 3
Oligo-ethyleneoxy linkage
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, **611**, 566
Oligosilane
Formation and characterization of cyclic and polycyclic silthianes containing Si–Si bonds, **602**, 193
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, **611**, 78
Oligosilanes
Mixed reagent (aminosilyl)lithium/*i*-PrMgBr for the synthesis of functionalized oligosilanes, **601**, 259
Oligothiophene
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], **611**, 537
Oligothiophenes
Polyterthiophene π-conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5-C_5H_5)$_2$Mo$_2$-(O)$_2$(μ-O){μ-η^2:η^2-C(Ph)=C[C_4HS(C_4H_3S-2)$_2$-2,5]}], **608**, 133
Synthesis and physical properties of α,ω-bis[$Co_2(CO)_6$){μ-η^2:η^2-C(R)=C}]oligothiophenes, **599**, 232
OMCVD
Precursor chemistry of Group III nitrides: Part XVI. Synthesis and structure of monomeric penta-coordinated intramolecularly adduct-stabilized amidobisazides of aluminum, gallium and indium with an all-nitrogen coordination sphere: OMCVD of GaN using $(N_3)_2$Ga{N[CH_2CH_2(NEt_2)]$_2$}, **602**, 29
o-Methoxyphenyl
Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, **601**, 246
Opening reaction
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, **599**, 304
Optically active Schiff base
Synthesis, characterization and X-ray structure of *N*-2-pyridylmethylidene-1-phenylethylamine–$PdCl_2$ complexes, **608**, 1
Optically active silyllithium
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, **611**, 20
Optically pure bismuthane
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, **611**, 100
Optical resolution of boron cluster
Eleven-vertex polyhedral metalladicarbaborane chemistry. Reactions of neutral *nido*-5,6-$C_2B_5H_{12}$ and the [*nido*-6,9-$C_2B_8H_{10}$]$^{2-}$ anion to give formally *closo* isomeric 1-(arene)- and 1-(cyclopentadiene)-1,2,4- and 1,2,3-metalladicarbaundecaboranes, and some substituent chemistry. Chiral separations, and crystal and molecular structures of [5-Br-1-(η^6-C_6Me_6)-1,2,4-$RuC_2B_8H_{10}$] and [2-Me-1-(η^5-C_5Me_5)-1,2,3-$RhC_2B_9H_{11}$], **614–615**, 269
OR$^-$ abstraction
The chemistry of transition metal complexes containing a phosphenium ligand, **611**, 349
Organic–inorganic hybrid film
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, **611**, 40
Organic polysilane
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, **611**, 40
Organic selenides
Asymmetric imidation of organic selenides into selenimides, **611**, 475
Organic selenimides
Asymmetric imidation of organic selenides into selenimides, **611**, 475
Organic semiconductors
Alkyne metathesis with in situ catalysts: $W(CO)_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, **606**, 13
Organoactinide
Diverse catalytic activity of the cationic actinide complex [(Et_2N)$_3$U][BPh_4] in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex [(Et_2N)$_2$U(C≡C^{t}Bu)(η^2-HC≡C^{t}Bu)][BPh_4], **604**, 83
Organoantimony
Triphenylphosphine oxide adducts of diphenylantimony(V) and diorganotin(IV) Lewis acids: structures of $SnPh_2Cl_2$·$OPPh_3$, $SnPh_2Cl_2$·2$OPPh_3$, $SnPh_2Br_2$·$OPPh_3$ and $SbPh_2Cl_3$·$OPPh_3$, **612**, 53
Organoantimony compounds
Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, **610**, 38

Organoboron compound
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, **611**, 392
Organocobaloximes
para-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, **601**, 114
Organocopper reagent
Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to C_{60}, **599**, 32
Organogallium compounds
Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, **601**, 133
Organogermane
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, **611**, 420
Organogermanium
Mesitylpseudohalogermanes $Mes_2Ge(CN)_2$ and Mes_2GeX (X = CN, NCS, N_3, NCO and OH; Mes = 2,4,6-trimethylphenyl): syntheses, crystal and molecular structures, **598**, 276
Organoheterobimetallic complexes
Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, **605**, 102
Organolanthanide
Anionic dichlorolanthanocene compounds. X-ray crystal structures of $[\{(Me_3Si)_2C_5H_3\}_2LnCl_2][Li(THF)_4]$ (Ln = Er, Yb) and $\{(Me_3Si)_2C_5H_3\}_2Yb(\mu\text{-}Cl)_2Li(THF)_2$, **601**, 160
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides $Cp^*LnCl_2{\cdot}2THF$ (Ln = Dy, Ho, Gd) and Cp^*_2LnCl (Ln = Sm, Dy). The crystal structures of Cp^*_2SmCl and $Cp^*_2Sm(C_5N_2HMe_2)$, **612**, 176
Organolanthanides
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of $[LnCl_2(THF)_3][nido\text{-}C_2B_9H_{12}]$ (Ln = Y, Yb), **614–615**, 107
Organometallic azapentadienes
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, **599**, 147
Organometallic complexes
Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds, **593–594**, 101
Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), **607**, 27
Organometallic dehydroannulenes
A novel weakly diatropic dehydroannulene containing the cyclobutadiene(cyclopentadienyl)cobalt unit. An organometallic dehydroannulene that obeys Hückel's rule, **600**, 56
Organometallic dyes
Organometallic color chemistry: studies on $[FcCH{=}CHC_5H_4\text{-}NCH_2C_6H_4(^tBu)]X$ (X = BPh_4^-, ClO_4^-), **608**, 146
Organometallic hormone
The first organometallic derivative of 11β-ethynylestradiol, a potential high-affinity marker for the estrogen receptor, **596**, 242
Organometallic polymer
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly{(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)-cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)}s, **611**, 570
Organometallic polymers
1,2,4-Triazolium-5-ylidene and 1,2,4-triazol-3,5-diylidene as new ligands for transition metals, **600**, 112
Organometallic π-tweezers
Heterobimetallische Komplexe von Titan(IV)–Quecksilber(II) und Platin(II)–Quecksilber(II), **602**, 91
Organopalladium
C–H activation at the 3-position of pentane chains to form $[N\text{–}C(sp^3)\text{–}N]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[N\text{–}C(sp^2)\text{–}N]^-$ complexes, **607**, 194
Organophosphorus compounds
Protecting groups for stabilization of inter-element linkages, **611**, 210
Organoplatinum
Facial and meridional $[N\text{–}C\text{–}N]^-$ intramolecular coordination systems: structure of *fac*-$PtBrMe_2\{2,6\text{-}(pzCH_2)_2C_6H_3\}\cdot 1/2C_6H_6$ ({[2,6-(pzCH$_2$)$_2$C$_6$H$_3$]$^-$ = 2,6-(bis{(pyrazol-1-yl)-methyl}phenyl)} and *mer*-$PtBr\{2,6\text{-}(3,5\text{-}Me_2pzCH_2)_2C_6H_3\}$, and an alternative synthetic route to the platinum(II) $[N\text{–}C\text{–}N]^-$ kernel, **599**, 195
Organopolysilane
Molecular structure and packing of organopolysilanes, **611**, 36
Organosilane
Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, **616**, 74
Structurally characterised silyls, **608**, 164
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, **611**, 323
Organosilicon polymer
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], **611**, 537
Organostannanes
Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, **610**, 38
Organotin
Chiral organotin hydrides containing intramolecular coordinating substituents, **605**, 209
Triphenylphosphine oxide adducts of diphenylantimony(V) and diorganotin(IV) Lewis acids: structures of $SnPh_2Cl_2{\cdot}OPPh_3$, $SnPh_2Cl_2{\cdot}2OPPh_3$, $SnPh_2Br_2{\cdot}OPPh_3$ and $SbPh_2Cl_3{\cdot}OPPh_3$, **612**, 53
Organotin complexes
Diorganotin(IV) derivatives of arenephosphinothiol ligands. The crystal structure of $[Ph_2Sn\{2\text{-}(Ph_2P)C_6H_4S\}_2]$ and $[Me_2Sn\{2\text{-}(Ph_2PO)\text{-}6\text{-}(Me_3Si)C_6H_3S\}_2]$, **595**, 59
On the behaviour of organotin compounds with cyclodextrins: Part 1. The complex between allyl-di-*n*-butyltin chloride and β-cyclodextrin, **605**, 127
Organotin dendrimer
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, **609**, 189
Organotin hydride
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, **609**, 189

Organotin hydrides
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, **613**, 236
Organotin mercaptides
Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, **605**, 82
Organozirconocene compound
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, **603**, 249
Origosilane
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, **611**, 85
ortho-Carborane
Syntheses and reactions of some new C-pentafluorophenyl and tetrafluorophenylene carborane systems, **597**, 157
ortho-Carborane–dithiolato complexes
The 16-electron dithiolene complexes (*p-cymene*)M[$S_2C_2(B_{10}H_{10})$] (M = Ru, Os) containing both η^6-(*p-cymene*) and η^2-(*ortho*-carborane-dithiolate): adduct formation with Lewis bases, and X-ray crystal structures of (*p-cymene*)Ru[$S_2C_2(B_{10}H_{10})$](L) (L = PPh_3) and {(*p-cymene*)Ru[$S_2C_2(B_{10}H_{10})$]}$_2$(μ-LL) (LL = $Ph_2PCH_2CH_2PPh_2$ and N_2H_4), **598**, 142
ortho-Metalated
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, **612**, 36
Orthometallated
Reactivity of Pd(II) complexes containing the orthometallated C,C-chelating ligand C_6H_4-2-$PPh_2C(H)COCH_2PPh_3$ towards deprotonating reagents. Part 2, **602**, 151
ortho-Metallation
Bromination and nitration reactions of metallated (Ru and Os) multiaromatic ligands and crystal structures of selected products, **598**, 262
Mercury(II) and gold(III) derivatives of 2-phenyl pyridines and 2-phenyl-4-(methylcarboxylato)quinoline, **596**, 165
New insight into role of *ortho*-metallation in rhodium triphenylphosphite complexes. Hydrogen mobility in hydrogenation and isomerization of unsaturated substrates, **597**, 69
Synthesis, structure and properties of cycloruthenated complexes: crystal structure of mono-chloro-(η^6-*p*-cymene)-{(phenylazo)-phenyl}ruthenium(II), **596**, 232
Orthometallation
Preparation of some dinuclear rhodium complexes with the orthometallated ligand $[2,6\text{-}(PPh_2CH_2)_2C_6H_3]^-$ and their catalytic activity for polymerization of phenylacetylene, **598**, 228
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2\{P(OPh)_3\}_2(\eta^2\text{-PhCCPh})$, $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1{:}\eta^1\text{-}C(O)C(Me)C[CH(OEt)_2]C(O)\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2\text{-}(PhCCH)_2$, **612**, 61
Os_3 clusters
Syntheses and crystal structure of bridged Os_3-clusters with chiral 3-carane-type ligands, **604**, 1
Osmium
A series of mono- and dihydrido- as well as mono- and dimethyl-osmium(II) complexes containing [(mes)Os(CNR)] as a building block, **593–594**, 192
Bromination and nitration reactions of metallated (Ru and Os) multiaromatic ligands and crystal structures of selected products, **598**, 262
C–F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of $[Os(SC_6F_4(F\text{-}2))(SC_6F_5)_2\text{-}(PMe_2Ph)_2]$, $[Os(SC_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)]$ and $[Os(C_6F_5)_2\text{-}(o\text{-}S_2C_6F_4)(PMe_2Ph)_2]$, **599**, 170
Cyclometallated complexes of ruthenium and osmium containing the *o*-$C_6H_4PPh_2$ ligand, **601**, 299
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os halfsandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, **604**, 170
Monocarbollide complexes of osmium: X-ray crystal structure of $[Os(CO)_3\{\eta^5\text{-}5\text{-}(NMe_3)\text{-}7\text{-}CB_{10}H_{10}\}]$, **614–615**, 208
Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)-benzene ligands, **610**, 71
Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)C_2\text{-}(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1{:}\eta^2{:}\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2(CO)_6]\}]$, **609**, 169
Reactivity of the mixed-metal cluster $[Os_6(CO)_{17}(Au_2dppm)]$ towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), **614–615**, 231
Silatranyl, hydride complexes of osmium(II) and osmium(IV): crystal structure of $Os(Si\{OCH_2CH_2\}_3N)H_3(PPh_3)_2$, **609**, 177
Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), **607**, 27
Synthesis and characterisation of $[Fe_2M_3(\mu_4\text{-}E)(\mu_3\text{-}E')(CO)_{17}]$ and $[Os_3(\mu_3\text{-}E)(\mu_3\text{-}E')(CO)_9]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), **606**, 176
Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyridyl azo ligands, **596**, 36
Synthesis, structure, and reactivity of osmium π-thiophene complexes, **596**, 46
Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[Os_6(CO)_{17}(Au_2dppm)]$ and $[Os_6(CO)_{17}(Au_2dppm)\{Ru(\eta^5\text{-}C_5H_5)\}_2]$ (dppm = $Ph_2PCH_2\text{-}PPh_2$), **596**, 204
The 16-electron dithiolene complexes (*p-cymene*)M[$S_2C_2(B_{10}H_{10})$] (M = Ru, Os) containing both η^6-(*p-cymene*) and η^2-(*ortho*-carborane-dithiolate): adduct formation with Lewis bases, and X-ray crystal structures of (*p-cymene*)Ru[$S_2C_2(B_{10}H_{10})$](L) (L = PPh_3) and {(*p-cymene*)Ru[$S_2C_2(B_{10}H_{10})$]}$_2$(μ-LL) (LL = $Ph_2PCH_2CH_2PPh_2$ and N_2H_4), **598**, 142
The heteronuclear cluster $RuOs_3(\mu\text{-}H)_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, **609**, 104
The synthesis, structure, and reactivity of the osmium(IV) trihydrido silyl complex, $OsH_3(SiMe_3)(CO)(PPh_3)_2$, **593–594**, 458
Osmium carbonyl clusters
Syntheses and crystal structure of bridged Os_3-clusters with chiral 3-carane-type ligands, **604**, 1
Osmium cluster
Binding modes of a mixed donor multidentate iminobisphosphane ligand to the triosmium cluster: the crystal structures of $[\{Os_3(CO)_{11}\}_2(PNCHP)]$, $[Os_3(\mu\text{-}H)(\mu_3\text{-}PNCP)(CO)_7]$ and $[Os_3(\mu\text{-}H)(\mu_2\text{-}PNCP)(CO)_8]$, **609**, 2
Oxaruthenacycle
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, **607**, 18
Oxazoles
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, **611**, 89
Oxetane
Decomposition of the crown ether ring in the reaction of K^-, K^+(15-crown-5)$_2$ with oxetane, **604**, 283

Oxidants
Selective oxidants for organometallic compounds containing a stabilising anion of highly reactive cations: $(3,5(CF_3)_2C_6H_3)_4B^-$)Cp_2Fe^+ and $(3,5(CF_3)_2C_6H_3)_4B^-$)-$Cp^*_2Fe^+$, **601**, 126
Oxidation
Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, **601**, 172
Oxidation of tetrathiolanes: isolation of a *cis*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', **611**, 127
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_3H_4S_5)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, **611**, 364
Preparation and structure of the 17-electron (η^5-C_5R_5)Mo(OH)$_2$(dppe) (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, **596**, 64
Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, **593–594**, 416
Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, **601**, 57
Synthesis of acylsilanes via oxidative hydrolysis of 2-silyl-1,3-dithianes mediated by *N*-bromosuccinimide, **603**, 220
Oxidation catalysis
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]\cdot 28H_2O$, **607**, 146
Oxidation potential
Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, **601**, 246
Oxidative addition
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, **609**, 60
Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of [PtMe{3-(PhCH$_2$NCH)C$_4$H$_2$S}PPh$_3$], **601**, 22
Facial and meridional [N–C–N]$^-$ intramolecular coordination systems: structure of *fac*-PtBrMe$_2${2,6-(pzCH$_2$)$_2$C$_6$H$_3$}·1/2C$_6$H$_6$ {[2,6-(pzCH$_2$)$_2$C$_6$H$_3$]$^-$ = 2,6-(bis{(pyrazol-1-yl)-methyl}phenyl)} and *mer*-PtBr{2,6-(3,5-Me$_2$pzCH$_2$)$_2$-C$_6$H$_3$}, and an alternative synthetic route to the platinum(II) [N–C–N]$^-$ kernel, **599**, 195
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of [PtMe{3-((*S*)-PhCHMeNCH)C$_4$H$_2$S}SMe$_2$], **604**, 178
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl]-(PPh$_3$)$_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl](PPh$_3$)$_2$}·0.25CH$_2$Cl$_2$, **607**, 41
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of [(Cl)Pd{Me$_2$NCH$_2$CH$_2$N=(H)C}C$_6$H$_2${C(H)=NCH$_2$-CH$_2$NMe$_2$}Pd(Cl)] and [{(Ph$_2$PCH$_2$CH$_2$)$_2$PPh-*P,P,P*}-Pd{Me$_2$NCH$_2$CH$_2$N=(H)C}C$_6$H$_2${C(H)=NCH$_2$CH$_2$NMe$_2$}Pd-{(Ph$_2$PCH$_2$CH$_2$)$_2$PPh-*P,P,P*}][Cl]$_2$, **612**, 85
Reactivity of [Pd$_3$(μ-OAc)$_3$(μ,η^2-MeSCHCO$_2$Et-*C,S*)$_3$] in the presence of triphenylphosphine: a model of the early steps of the Pd/PR$_3$-catalysed Heck reaction, **601**, 201
Solvent effects on the rate of oxidative addition of methyl iodide to di(4-thiocresol)(2,2′-bipyridyl) platinum(II), **599**, 166
Oxidative esterification
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274
Oxide
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, **613**, 7
Oxo bridges: Mo–Mo
Octakis(trimethylsilylmethyl)dioxotetramolybdenum. A novel tetranuclear compound with two localized metal–metal triple bonds, **614–615**, 238
Oxo/imido/imido/imido exchange
Oxo and imido/imido exchange and C–H activation reactions based on pentamethylcylopentadienyl imido tantalum complexes, **597**, 61
Oxomolybdenum complexes
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_3H_4S_5)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, **611**, 364
Oxopyridine
Selectivity in alkynylation: the reaction between Ru$_2$(LL)$_4$Cl and Me$_3$SnC≡CR (LL = 2-anilinopyridine, 2-chloro- and 2-bromo-oxypyridine), **595**, 300
Oxo synthesis
The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, **593–594**, 211
β-Oxothioether ligands
Reactivity of [Pd$_3$(μ-OAc)$_3$(μ,η^2-MeSCHCO$_2$Et-*C,S*)$_3$] in the presence of triphenylphosphine: a model of the early steps of the Pd/PR$_3$-catalysed Heck reaction, **601**, 201
Oxovanadium complexes
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_3H_4S_5)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, **611**, 364
Oxygenation
Halogenation and oxygenation of the metal and oxidation of phosphorus in complexes of the type M(dppe)$_2$(N$_2$)$_2$ (M = Mo, W) by reaction with thionylhalides, **602**, 24
Oxygen tripod ligand
Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, **608**, 139

Packing
Molecular structure and packing of organopolysilanes, **611**, 36
Packing force
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, **611**, 164
Palladacycle conformation
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, **603**, 138
Palladacycles
Aromatic arylation via palladacycles: interception of reaction intermediates, **593–594**, 240
Palladium
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1′-[P]$_2$-ferrocene ligand, **599**, 37
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (**L**): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl$_2$**L**] and *trans*-[PdCl$_2$(**L**)$_2$], **613**, 244
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, **611**, 392

Chiral cyclopalladated liquid crystals from amino acids, **601**, 305
Complexes *cis*-[PdCl$_2$(OSMeR)$_2$] (R = Me, Ph, and C$_6$H$_4$Me-4) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, **601**, 51
Cyclometallation of anthracen-9-ylmethylene-phenyl-amine by palladium(II) compounds, **595**, 54
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, **607**, 12
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238
New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes Pd(PPh$_2$H)$_4$ and [Pd(PPh$_2$H)$_4$](BF$_4$)$_2$, **593–594**, 12
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes [Pd(η^1-2-CH$_2$C$_6$H$_4$)-(bpz*mPh)](CF$_3$SO$_3$) and [Pd(bpz*mpy)$_2$](BF$_4$)$_2$, bpz*mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane, **603**, 174
N-Heterocyclic carbenes: Part 26. *N*-Heterocyclic carbene complexes of palladium(0): synthesis and application in the Suzuki cross-coupling reaction, **595**, 186
Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, **607**, 78
On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, **601**, 100
Organopalladium(IV) complexes containing phosphine ligands, and the structure of the platinum(IV) complex [PtMe$_3$(bpy)-(PPh$_3$)][O$_3$SCF$_3$] (bpy = 2,2′-bipyridine), **595**, 296
Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)-methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation, **593–594**, 409
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl]-(PPh$_3$)$_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl]-(PPh$_3$)$_2$}·0.25CH$_2$Cl$_2$, **607**, 41
Photo-assisted formation of a chelating diphos ligand from PPh$_3$ and a cyclometallated [P(C$_6$H$_4$)(C$_6$H$_5$)$_2$] ligand. Crystal structure of Pd{η^2-*o*-[P(C$_6$H$_4$)$_2$]$_2$(C$_6$H$_4$)}Br$_2$, **596**, 248
Platinum complexes of heteroannularly bridged heterobidentate ferrocenyl diphosphine ligands: their molecular structure and their use in catalytic carbonylation reactions, **595**, 93
Platinum(II) and palladium(II) compounds derived from [(η^5-C$_5$H$_5$)Fe{(η^5-C$_5$H$_4$)–CH=N–CH$_2$–CH$_2$–OH}], **598**, 87
P,N-Heterodifunctional ligands by selective Staüdinger reaction of β-substituted vinylazides with (*Z*)-1,2-bis(diphenylphosphanyl)ethene and formation of cyclometalled complexes of palladium(II) of these ligands — crystal and molecular structure of a new chiral cyclometallaphosphoraniminophosphane of palladium(II), **598**, 329
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of [(Cl)Pd{Me$_2$NCH$_2$CH$_2$N=(H)C}C$_6$H$_2$-{C(H)=NCH$_2$-CH$_2$NMe$_2$}Pd(Cl)] and [{(Ph$_2$PCH$_2$CH$_2$)$_2$PPh-*P,P,P*}-Pd{Me$_2$NCH$_2$CH$_2$N=(H)C}C$_6$H$_2$-{C(H)=NCH$_2$CH$_2$NMe$_2$}Pd-{(Ph$_2$PCH$_2$CH$_2$)$_2$PPh-*P,P,P*}][Cl]$_2$, **612**, 85
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, **606**, 112
Reactivity of cyclometallated semicarbazone complexes of Pd(II): crystal and molecular structures of [Pd{C$_6$H$_4$C(Et)=NN(H)C-(=O)NH$_2$}(PPh$_3$)][ClO$_4$] and [Pd{C$_6$H$_4$C(Et)=NN(H)C-(=O)NH$_2$}{(Ph$_2$PCH$_2$CH$_2$)$_2$PPh-*P,P,P*}][Cl], **598**, 1
Reactivity of Pd(II) complexes containing the orthometallated C,C-chelating ligand C$_6$H$_4$-2-PPh$_2$C(H)COCH$_2$PPh$_3$ towards deprotonating reagents. Part 2, **602**, 151
Reactivity studies of [Pd$_2$(μ-X)$_2$(PBu$^t_3$)$_2$] (X = Br, I) with CNR (R = 2,6-dimethylphenyl), H$_2$ and alkynes, **600**, 198
Revising the [PdCl$_2$(1,2-(PPh$_2$)$_2$-1,2-C$_2$B$_{10}$H$_{10}$)] synthesis and comparison of its behavior with [PdCl$_2$(1,2-(P^{i}Pr$_2$)$_2$-1,2-C$_2$B$_{10}$H$_{10}$)]. Crystal structure of [PdCl$_2$(1,2-(PPh$_2$)$_2$-1,2-C$_2$B$_{10}$H$_{10}$)], **606**, 183
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, **613**, 77
Synthesis and properties of arylpalladium(II) azido complexes PdAr(N$_3$)(PR$_3$)$_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, **603**, 152
Synthesis and resolution of a new P-chiral hydroxy phosphine, **603**, 235
Synthesis and structural analysis of palladium(II) pyridinylpyrazole complexes by ^{1}H-, ^{13}C-, ^{15}N-NMR and X-ray diffraction. Comparison of binuclear methylpalladium, chloromethylpalladium, and dichloropalladium complexes by ^{15}N-NMR, **595**, 208
Synthesis, crystal structure, and NMR investigation of methyl α,α-dimethyl acetate-substituted π-allylpalladium complexes, **605**, 109
Synthesis of the diphenylacetylene-based, tetra-amine ligand 1,2-bis(3,5-bis[(dimethylamino)methyl]phenyl)acetylene by palladium-catalysed cross-coupling: isolation and crystal structure of the catalyst *trans*-(3,5-bis[(dimethylamino)methyl]phenyl)-bis(triphenylphosphine)palladium(II) iodide, **598**, 24
Synthesis, structure and coordination chemistry of mono- and bis-heterocyclic-ferrocenyl derivatives, **598**, 248
Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, **616**, 10
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274

Palladium and compounds
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, **611**, 433

Palladium black
New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), **593–594**, 427

Palladium carbonyl
New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), **593–594**, 427

Palladium-catalysis
Microwave-mediated palladium-catalyzed asymmetric allylic alkylation; an example of highly selective fast chemistry, **603**, 2

Palladium catalysis
First intermolecular palladium catalyzed arylation of an unfunctionalized aromatic hydrocarbon, **606**, 108
The application of Pd-complexes of diphenylphosphinoferrocenyl-oxazoline ligands to catalytic enantioselective allylic amination, **603**, 110

Palladium catalyst
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403

Palladium-catalyzed
Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, **610**, 38

Palladium chloride
New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), **593–594**, 427
Palladium complex
Reactivity of $[Pd_3(\mu\text{-}OAc)_3(\mu,\eta^2\text{-}MeSCHCO_2Et\text{-}C,S)_3]$ in the presence of triphenylphosphine: a model of the early steps of the Pd/PR_3-catalysed Heck reaction, **601**, 201
The X-ray crystallographic study of the reaction of bis(2-thienyl)ditelluride with tetrakis(triphenylphosphine)platinum or -palladium, **595**, 232
Palladium complexes
Catalytic activity of cationic diphospalladium(II) complexes in the alkene/CO copolymerization in organic solvents and water in dependence on the length of the alkyl chain at the phosphine ligands, **602**, 173
Complexation of hydrophosphoranes: possible mechanism and coordination activity, **613**, 148
Enantioface discriminating carbonylations of styrene with cationic palladium(II) catalyst precursors, **603**, 122
Fluoroalkylated *N*-heterocyclic carbene complexes of palladium, **598**, 409
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, **608**, 89
Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, **616**, 149
Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, **593–594**, 180
Palladium(II)
Influence of phenyl ring substituents in the cyclometallation of Schiff base ligands: crystal and molecular structures of $[Pd\{3,4\text{-}(OCH_2O)C_6H_2C(H)\text{=}N(Cy)\text{-}C2,N\}(\mu\text{-}O_2CMe)]_2$ and $[Pd\{3,4\text{-}(OCH_2CH_2O)C_6H_2C(H)\text{=}N(Cy)\text{-}C6,N\}(\mu\text{-}O_2CMe)]_2$, **598**, 71
N-{2-(4-Methoxyphenyltelluro)ethyl}morpholine (**L**^{1}) and bis{2-(*N*-morpholino)ethyl}telluride (**L**^{2}): synthesis and complexation with palladium(II) and mercury(II). Crystal structures of *trans*-$[PdCl_2(\mathbf{L}^1)_2]$ and *trans*-$[PdCl_2(\mathbf{L}^2)_2]$, **612**, 46
Oxidation of olefins by palladium(II): Part 17. An asymmetric chlorohydrin synthesis catalyzed by a bimetallic palladium(II) complex, **603**, 50
Palladium(II) complex
Synthesis, characterization and X-ray structure of *N*-2-pyridylmethylidene-1-phenylethylamine–$PdCl_2$ complexes, **608**, 1
Palladium–olefin complexes
Synthesis, characterization and X-ray structural determination of palladium(0)–olefin complexes containing pyridin-thioethers as ancillary ligands. Equilibria and rates of olefin and ligand exchange, **601**, 1
^{31}P- and ^{19}F{^{1}H}-HOESY NMR spectroscopy
Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph_2P ligand, **593–594**, 392
para-Carborane
Syntheses and reactions of some new C-pentafluorophenyl and tetrafluorophenylene carborane systems, **597**, 157
Paramagnetic susceptibility
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er\text{-}CNC_6H_{11}$, **604**, 296
Parasitic reactions
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, **611**, 514
p-Benzoquinones
Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, **606**, 84
P–C bond breaking
Photo-assisted formation of a chelating diphos ligand from PPh_3 and a cyclometallated $[P(C_6H_4)(C_6H_5)_2]^-$ ligand. Crystal structure of $Pd\{\eta^2\text{-}o\text{-}[P(C_6H_5)_2]_2(C_6H_4)\}Br_2$, **596**, 248
P–C cleavage
Binuclear hydrido platinum(II) complexes: syntheses of $[\{Pt(P\text{–}P)\}_2(\mu\text{-}CHCH_2R)(\mu\text{-}H)][BF_4]$ (R = C_6H_5, H) and easy cleavage of a P–C bond in a chelating 1,4-bis (diphenyl)phosphinobutane (P–P), **595**, 224
P-chiral
Synthesis and resolution of a new P-chiral hydroxy phosphine, **603**, 235
p-Cymene complexes
The 16-electron dithiolene complexes (*p-cymene*)$M[S_2C_2(B_{10}H_{10})]$ (M = Ru, Os) containing both η^6-(*p-cymene*) and η^2-(*ortho*-carborane-dithiolate): adduct formation with Lewis bases, and X-ray crystal structures of (*p-cymene*)$Ru[S_2C_2(B_{10}H_{10})](L)$ (L = PPh_3) and $\{(p\text{-}cymene)Ru[S_2C_2(B_{10}H_{10})]\}_2(\mu\text{-}LL)$ (LL = $Ph_2PCH_2CH_2PPh_2$ and N_2H_4), **598**, 142
Pd-catalysis
Kinetic resolution in Pd-catalyzed allylic substitution using the helical PHelix ligand, **603**, 105
Pd catalyzed P–C coupling
Water-soluble phosphines: Part XII. Pd catalyzed P–C coupling reactions: a novel synthetic route to cationic phosphines with *para*- and *meta*-guanidiniumphenyl moieties, **602**, 158
Pd(II) and Pt(II) complexes
Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with $Ph_2P\text{–}C\equiv C\text{–}PPh_2$ spacer, **596**, 53
Pentaborane
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, **614–615**, 10
Pentachlorophenolato complexes
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)-methanes as ligands, **607**, 182
Pentacoordinate
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, **606**, 125
Pentacoordinated complexes
Pentacoordinated diolefinic rhodium(I) organocomplexes with π-diimine ligands. Crystal structures of $[Rh(Nbd)(LL)(PPh_3)]ClO_4$ (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), **601**, 311
Pentacoordinated intermediate
Evidence for the involvement of pentacoordinate P-intermediates during the UV light-mediated fragmentation of a 2-phosphabicyclo[2.2.2]octene 2-oxide in the presence of O-nucleophiles, **595**, 109
Pentacoordinate 1,2-oxagermetanide
Small ring compounds containing highly coordinate Group 14 elements, **611**, 256
Pentacoordinate 1,2-oxasiletanide
Small ring compounds containing highly coordinate Group 14 elements, **611**, 256
Pentacoordinate 1,2-oxastannetanide
Small ring compounds containing highly coordinate Group 14 elements, **611**, 256
1,3-Pentadiene
Copper(I) complexes with conjugated dienes, **602**, 5
Pentamethylcyclopentadienyl
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, **604**, 59
Pentatetraenylidene
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(\text{=}C\text{=}C\text{=}C\text{=}CAr_2)]^+BF_4^-$ (CAr_2 = 9-fluorenylidene), **604**, 52

Peptides
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, **611**, 445
Perfluorinated
Synthesis and structure of fluorinated dialacycles, **604**, 132
Perfluorinated complex anion
Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, **613**, 239
Perfluorobutyl germanium
Synthesis of perfluoropropyl and perfluorobutyl germanium by direct fluorination: a potential general synthesis for perfluorinated metal alkyls, **596**, 6
Perfluoropropyl germanium
Synthesis of perfluoropropyl and perfluorobutyl germanium by direct fluorination: a potential general synthesis for perfluorinated metal alkyls, **596**, 6
Perfluorovinyl
CFC replacement HCFC-133a (CF_3CH_2Cl) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, **616**, 96
Peterson-type reactions
Small ring compounds containing highly coordinate Group 14 elements, **611**, 256
$(PhCH_2)_2Se_2$
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans*/*anti* and *trans*/*syn*-$[(\eta^5\text{-}RC_5H_4)_2M_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$ (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-$[(\eta^5\text{-}EtO_2CC_5H_4)_2Mo_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$, **613**, 42
Phenanthroline
Development of a T-joint for covalent molecular construction based on 2,2′-bipyridine and phenanthroline isocyanide metal complexes, **598**, 55
Phenolate
O,*N*-Chelated boron aminophenolate complexes. Crystal structure of $BPh_2(OC_6H_4(CH_2NMe_2)\text{-}2)$, **608**, 27
Phenols
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, **607**, 18
Phenoxides
New η^5- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^5-complexes towards carbon dioxide, **605**, 143
Phenoxo-complexes
New η^5- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^5-complexes towards carbon dioxide, **605**, 143
Phenylacetylene
Studies on the nature of active species in $W(CO)_6$, CCl_4/*hv* system as applied to metathesis polymerisation reactions, **601**, 16
π-Phenyl complexes
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, **607**, 112
Phenylglycine
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, **611**, 445
2-Phenyl-2-oxazoline
Direct *ortho*-palladation of 2-phenyl-2-oxazoline: Crystal structure of $Cl_2Pd(OCH_2CH_2N{=}C(Ph))_2$ and $Cl(PPh_3)Pd(OCH_2CH_2N{=}C{-}C_6H_4)$, **603**, 86
2-Phenylpyridines
Mercury(II) and gold(III) derivatives of 2-phenyl pyridines and 2-phenyl-4-(methylcarboxylato)quinoline, **596**, 165
9-Phenyl-9-silaanthracene
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, **611**, 71
Phenylthiolate
Synthesis and structural characterization of polymeric dimethylaluminum phenylthiolate, **597**, 105
Pheromone
Asymmetric synthesis of the Japanese beetle pheromone via boronic esters, **614–615**, 314
P–H functionalised phosphinoalkoxide
P–H functionalised phosphinoalkoxides as ligands: synthesis and catalytic properties of $[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\text{-}C_6H_{10})]$ (Tipp = 2,4,6-$Pr^i_3C_6H_2$), $[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\{Mo(CO)_5\}\text{-}C_6H_{10})]$ and $[Cp_2Zr(BH_4)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Mes)(BH_3)\text{-}C_6H_{10})]$ (Mes = 2,4,6-$Me_3C_6H_2$), and molecular structure of $(R_C,R_C,R_P/S_C,S_C,S_P)$-$[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\text{-}C_6H_{10})]$, **595**, 126
pH-indicator
Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^I tricarbonyls, **593–594**, 267
$[PH_2NHS{-}N{-}SPH_2NH]^+$ cation
The structures of $[Ph_2XS{-}N{-}SPh_2NH]^+$ cations (X=NH, O), **611**, 272
$[PH_2OS{-}N{-}SPH_2NH]^+$ cation
The structures of $[Ph_2XS{-}N{-}SPh_2NH]^+$ cations (X=NH, O), **611**, 272
Phosphaalkenes
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, **613**, 33
Phosphaazaallene
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, **604**, 260
Phosphametallacycles
[2 + 2]-Cycloaddukte PH-funktioneller Phosphenium-Komplexe mit Alkylisothiocyanaten: Darstellung von $C_5R_4(OC)_2M{-}P(H)(t\text{-}Bu){-}C(=NR'){-}S$ (R = H, Me; M = Mo, W; R′ = Me, Et, *t*-Bu) und Reaktion unter Beanspruchung der PH-Funktion: Phosphenium-Übergangsmetallkomplexe, 37, **595**, 285
Phosphanylidene-σ^4-phosphorane
Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP=PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, **608**, 12
Phosphenium complexes
[2 + 2]-Cycloaddukte PH-funktioneller Phosphenium-Komplexe mit Alkylisothiocyanaten: Darstellung von $C_5R_4(OC)_2M{-}P(H)(t\text{-}Bu){-}C(=NR'){-}S$ (R = H, Me; M = Mo, W; R′ = Me, Et, *t*-Bu) und Reaktion unter Beanspruchung der PH-Funktion: Phosphenium-Übergangsmetallkomplexe, 37, **595**, 285
Phosphide
Binuclear hydrido platinum(II) complexes: syntheses of $[\{Pt(P{-}P)\}_2(\mu\text{-}CHCH_2R)(\mu\text{-}H)][BF_4]$ (R = C_6H_5, H) and easy cleavage of a P–C bond in a chelating 1,4-bis(diphenyl)phosphinobutane (P–P), **595**, 224
Phosphido
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, **607**, 156
Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex $[(OC)_4Fe(\mu\text{-}PPh_2)Co(CO)_3]$, **601**, 271

Phosphido-bridged
New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes $Pd(PPh_2H)_4$ and $[Pd(PPh_2H)_4](BF_4)_2$, **593–594**, 12
Phosphine
Fluxional processes and structural characterization of μ_3-η^2,η^2,η^2-C_{60} triosmium cluster complexes, $Os_3(CO)_{9-n}(PMe_3)_n(\mu_3$-$\eta^2,\eta^2,\eta^2$-$C_{60})$ ($n = 1, 2, 3$), **599**, 49
New 1,1′- or 1,2- or 1,3-bis(diphenylphosphino)ferrocenes, **598**, 365
Platinum complexes of heteroannularly bridged heterobidentate ferrocenyl diphosphine ligands: their molecular structure and their use in catalytic carbonylation reactions, **595**, 93
Preparation of some dinuclear rhodium complexes with the orthometallated ligand $[2,6$-$(PPh_2CH_2)_2C_6H_3]^-$ and their catalytic activity for polymerization of phenylacetylene, **598**, 228
Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex $[(OC)_4Fe(\mu$-$PPh_2)Co(CO)_3]$, **601**, 271
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, **613**, 77
Synthesis and structural characterization of hetero-binuclear complexes containing a $Fe^0 \rightarrow M^{n+}$ bond bridged by a non-rigid *P,N*-phosphine ligand, **605**, 15
Synthesis, characterization, and X-ray crystallography of a series of ditungsten complexes with bis(diphenylphosphino)-amine, **596**, 136
The clusters $HRu_3W(\eta^5$-$Cp)(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5$-$Cp)(CO)_{10}(PPh_3)BH$, **609**, 89
Phosphine complexes
Organopalladium(IV) complexes containing phosphine ligands, and the structure of the platinum(IV) complex $[PtMe_3(bpy)(PPh_3)][O_3SCF_3]$ (bpy = 2,2′-bipyridine), **595**, 296
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of $[(Cl)Pd\{Me_2NCH_2CH_2N$-$(H)C\}C_6H_2\{C(H)$=$NCH_2CH_2NMe_2\}Pd(Cl)]$ and $[\{(Ph_2PCH_2CH_2)_2PPh$-$P,P,P\}Pd\{Me_2NCH_2CH_2N$-$(H)C\}C_6H_2\{C(H)$=$NCH_2$-$CH_2NMe_2\}Pd\{(Ph_2PCH_2CH_2)_2PPh$-$P,P,P\}][Cl]_2$, **612**, 85
Phosphine derivatives
Photochemical studies of $Co_2(CO)_6$(acetylene) complexes and their phosphine derivatives in frozen Nujol matrices, **605**, 7
Water soluble phosphines: Part XIII. Chiral phosphine ligands with amino acid moieties, **598**, 116
Phosphine enolate ligands
Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of $[PdMe\{Ph_2PCH_2C(O)Ph\}$-$(PCy_3)](PF_6)$ and $[Pd\{Ph_2PCH{:}{:}C(O)Ph\}(SMe_2)_2](PF_6)$, **601**, 43
Phosphine ligands
2-Thioanisyldichlorophosphine, new starting material for the preparation of multidentate phosphine ligands: syntheses and characterization of derivatives of 2-anisyl- and 2-thioanisyldichlorophosphines, **598**, 235
Phosphine oxide
Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, **601**, 293
Phosphines
Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, **599**, 298
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, **603**, 61
Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers, **603**, 244
Photoreactivity of the triphenylphosphine adduct of methyl(trioxo)rhenium(VII) induced by ligand-to-metal charge transfer excitation, **606**, 207
Reactivity of $[Pd_2(\mu$-$OAc)_2(\mu,\eta^2$-$MeSCHCO_2Et$-$C,S)_2]$ in the presence of triphenylphosphine: a model of the early steps of the Pd/PR_3-catalysed Heck reaction, **601**, 201
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of $[CpRu(dppe)\{SSO_2(4$-$C_6H_4Cl)\}]$, **612**, 14
Phosphine sulfide
Synthesis and reactions of the ferrocene derived hydroxymethyl phosphine $FcCH(CH_3)P(CH_2OH)_2$ and its sulfide: crystal structures of $[FcCH(CH_3)P(S)R_2]$ $R = CH_2OH$, CH_2CH_2CN and $FcCH(CH_3)P(S)(CH_2O)_2PPh$ (Fc = ferrocenyl), **602**, 125
Phosphinic acid
Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3$-2,6-$Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), **609**, 152
Phosphinidene
Crystal structure of the phosphanylidene-σ^4-phosphorane $DmpP{=}PMe_3$ (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, **608**, 12
Precursors of quadruply bridging phosphorus monoxide ligands: synthesis and structural characterization of a new family of anionic fluoro and alkoxyphosphinidene clusters $Ru_5(CO)_{15}(\mu_4$-PR) (R = N^{i}Pr$_2$, NCy$_2$, F, OMe, OEt, O^{i}Pr): generation and structure of $[H_2NCy_2][Ru_5(CO)_{15}(\mu_4$-PO)], **600**, 84
Phosphinite-oxazoline ligand
Palladium-catalyzed asymmetric intermolecular arylation of cyclic or acyclic alkenes using phosphinite-oxazoline ligands derived from D-glucosamine, **603**, 40
Phosphinoalkyne
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, **604**, 234
Phosphinodithioato
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, **607**, 64
Phosphinothiolate complexes
Diorganotin(IV) derivatives of arenephosphinothiol ligands. The crystal structure of $[Ph_2Sn\{2$-$(Ph_2P)C_6H_4S\}_2]$ and $[Me_2Sn\{2$-(Ph_2PO)-6-$(Me_3Si)C_6H_3S\}_2]$, **595**, 59
Phosphite
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a $Mn{-}CH_2Cl_2$ complex, **609**, 95
The photolysis of $Fe(CO)_3\{P(OPh)_3\}_2$ and reaction of the photoproduct with alkynes: crystal structures of $Fe(CO)_2$-$\{P(OPh)_3\}_2(\eta^2$-PhCCPh), $Fe(CO)_2\{P(OPh)_3\}_2\{\eta^1{:}\eta^1$-$C(O)C(Me)C[CH(OEt)_2]C(O)\}$ and $Fe_2(CO)_4\{P(OPh)_3\}_2$-$(PhCCH)_2$, **612**, 61

Phosphole
Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of (η^6-arene)Ru(DMPP)Cl_2 complexes with dieneophilic ligands, **613**, 177
Phospholes
Convenient route for the preparation of unsymmetrical phospholes via zirconacyclopentadienes, **595**, 261
Phosphonate
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, **599**, 200
Phosphoniodithiocarboxylate
Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, **608**, 139
Phosphonium salt
Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, **601**, 293
Phosphoranes
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, **599**, 304
Phosphorus
Crystal structure of the phosphanylidene-σ^4-phosphorane DmpP–PMe_3 (Dmp = 2,6-$Mes_2C_6H_3$) and reactions with electrophiles, **608**, 12
Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]-ferrocenophanes — synthesis, characterization and ring-opening polymerization, **601**, 211
Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of Ti(η^5-$C_5H_4PPh_2$)Cl_3, **593–594**, 202
Synthesis of –{Me_2Si-η^5-$C_5H_4Fe(CO)[P(OR)_3]Me_2Si$-$\eta^5$-$C_5H_4Fe(CO)[P(OR)_3]$}– via selective CO-substitution of –[Me_2Si-η^5-$C_5H_4Fe(CO)_2Me_2Si$-η^5-$C_5H_4Fe(CO)_2$]– by $P(OR)_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me_2Si-η^5-$C_5H_4Fe(CO)[P(OMe)_3]Me_2Si$-$\eta^5$-$C_5H_4Fe(CO)[P(OMe)_3]$}–, **613**, 1
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, **604**, 260
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, **611**, 200
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, **613**, 33
The thermal rearrangement of –[Me_2Si-η^5-$C_5H_4(CO)Fe(CO)_2$-$Fe(CO)$-η^5-$C_5H_4SiMe_2$]– in the presence of phosphorus ligands, **595**, 268
Phosphorus heterocycle
Convenient route for the preparation of unsymmetrical phospholes via zirconacyclopentadienes, **595**, 261
Phosphorus monoxide
Precursors of quadruply bridging phosphorus monoxide ligands: synthesis and structural characterization of a new family of anionic fluoro and alkoxyphosphinidene clusters $Ru_3(CO)_{13}(\mu_4$-PR) (R = N^iPr_2, NCy_2, F, OMe, OEt, O^{i}Pr): generation and structure of [H_2NCy_2][$Ru_3(CO)_{13}(\mu_4$-PO)], **600**, 84
Phosphoylides
Reactivity of Pd(II) complexes containing the orthometallated C,C-chelating ligand C_6H_4-2-$PPh_2C(H)COCH_2PPh_3$ towards deprotonating reagents. Part 2, **602**, 151
Photochemical studies
Photochemical studies of $Co_2(CO)_6$(acetylene) complexes and their phosphine derivatives in frozen Nujol matrices, **605**, 7
Photochemistry
Aldol-type condensation reactions of cyclic ketones by the $W(CO)_6$/CCl_4/UV system, **603**, 252
Photoreactivity of the triphenylphosphine adduct of methyl(trioxo)rhenium(VII) induced by ligand-to-metal charge transfer excitation, **606**, 207
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp^{pAn}. Intramolecular C–H bond activation and dehydro-chlorination processes, **605**, 117
Synthesis of –{Me_2Si-η^5-$C_5H_4Fe(CO)[P(OR)_3]Me_2Si$-$\eta^5$-$C_5H_4Fe(CO)[P(OR)_3]$}– via selective CO-substitution of –[Me_2Si-η^5-$C_5H_4Fe(CO)_2Me_2Si$-η^5-$C_5H_4Fe(CO)_2$]– by $P(OR)_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me_2Si-η^5-$C_5H_4Fe(CO)[P(OMe)_3]Me_2Si$-$\eta^5$-$C_5H_4Fe(CO)[P(OMe)_3]$}–, **613**, 1
Photoinduced effect
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, **611**, 40
Photoinduced electron transfer
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, **611**, 414
Photoinduced electron-transfer reaction between C_{60} and cyclic silicon compounds, **599**, 216
Photoluminescence
Optical properties of pyrrolyl-substituted polysilanes, **611**, 64
Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with Ph_2P–C≡C–PPh_2 spacer, **596**, 53
Photolysis
(η^5-Cyclopentadienyl)$Fe(CO)_2$ complexes of barbiturate anions, **597**, 17
Evidence for the involvement of pentacoordinate P-intermediates during the UV light-mediated fragmentation of a 2-phosphabicyclo[2.2.2]octene 2-oxide in the presence of O-nucleophiles, **595**, 109
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, **605**, 89
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, **611**, 71
Reactivity of [$Fe_2(CO)_6(\mu$-CO)(μ-dppm)] towards unsaturated sulfur-containing compounds, SO_2, CS_2 and ArNCS: facile carbon–sulfur bond cleavage at the diiron centre, **595**, 134
Studies on the nature of active species in $W(CO)_6$/CCl_4/*hv* system as applied to metathesis polymerisation reactions, **601**, 16
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, **611**, 52
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, **611**, 314
Photolysis of dihydro-9-silaanthracene
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, **604**, 20
Photophysical process
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, **611**, 71
Photophysics
Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, **599**, 62
Photoreduction
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, **607**, 93
pK_a in THF
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, **604**, 208

Platinum
Binuclear hydrido platinum(II) complexes: syntheses of [{Pt(P–P)}$_2$(μ-CHCH$_2$R)(μ-H)][BF$_4$] (R = C$_6$H$_5$, H) and easy cleavage of a P–C bond in a chelating 1,4-bis (diphenyl)phosphinobutane (P–P), **595**, 224
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, **611**, 392
Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η^1-propenyl- and η^3-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, **605**, 28
Crystal structures and spectroscopic properties of platina-β-diketones — a new mode of stacking in platinum complexes, **598**, 286
Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of [PtMe{3-(PhCH$_2$NCH)C$_4$H$_2$S}PPh$_3$], **601**, 22
Metal-containing fullerenyl radicals: generation in solution and EPR study, **599**, 28
Metal segregation in bimetallic clusters and its possible role in synergism and bifunctional catalysis, **600**, 1
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, **614–615**, 75
New cyclometallated platinum(II) compounds with thiosemicarbazones: crystal and molecular structure of [Pt{4-MeC$_6$H$_3$C(Me)=NN=C(S)NH$_2$}(PPh$_3$)], **595**, 199
Organopalladium(IV) complexes containing phosphine ligands, and the structure of the platinum(IV) complex [PtMe$_3$(bpy)(PPh$_3$)][O$_3$SCF$_3$] (bpy = 2,2′-bipyridine), **595**, 296
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of [PtMe{3-((*S*)-PhCHMeNCH)C$_4$H$_2$S}SMe$_2$], **604**, 178
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl](PPh$_3$)$_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl](PPh$_3$)$_2$}·0.25CH$_2$Cl$_2$, **607**, 41
Platinum–alkynyl and –alkyne complexes: old systems with new chemical and physical perspectives, **600**, 37
Platinum complexes of heteroannularly bridged heterobidentate ferrocenyl diphosphine ligands: their molecular structure and their use in catalytic carbonylation reactions, **595**, 93
Platinum(II) and palladium(II) compounds derived from [(η^5-C$_5$H$_5$)Fe{(η^5-C$_5$H$_4$)–CH=N–CH$_2$–CH$_2$–OH}], **598**, 87
Pt(IV) derivatives formed by oxidative addition of organic halides to [Pt(CH$_3$)$_2$(*N*,*N*-chelate)] substrates: geometric isomers at equilibrium, **593–594**, 445
Reactions of binuclear ruthenium–platinum μ-allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of L(PPh$_3$)Pt(μ-η^1:$\eta^2_{\alpha,\beta}$-C(Ph)=C–CH$_2$)Ru(CO)Cp (L = PPh$_3$, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, **593–594**, 465
Reactions of [Pt$_2$(μ-S)$_2$(PPh$_3$)$_4$] with Group 6 and 7 metal carbonyls; crystal structure of the apparently unsaturated heterometallic complex [Pt$_2$Re(μ$_3$-S)$_2$(PPh$_3$)$_4$(CO)$_3$]$^+$, **595**, 276
Solvent effects on the rate of oxidative addition of methyl iodide to di(4-thiocresol)(2,2′-bipyridyl) platinum(II), **599**, 166
Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of [(η^5-C$_5$Me$_5$)Ir(μ-pz)$_3$PtMe$_3$] (pz = pyrazolate), **606**, 197
Synthesis, characterization and decomposition behavior of novel acyl(hydrido)platinum(IV) complexes, **597**, 10
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, **611**, 332
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, **607**, 164
Platinum black
New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), **593–594**, 427
Platinum carbene complexes
Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2′-pyridine). The crystal and molecular structure of σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N′)](DMSO)Cl} and σ-{Pt[1*H*-indole-1-methyl-2-(2′-pyridinyl-C^3,N′)](=C(OCH$_2$CH$_3$)(CH$_2$C$_6$H$_5$)}Cl}, **608**, 34
Platinum carbonyl
New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), **593–594**, 427
Platinum catalyst
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, **609**, 130
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403
Preparation of double-layered dendritic carbosilanes, **599**, 123
Preparation of ethynylsilane dendrimers, **599**, 208
Platinum chloride
New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), **593–594**, 427
Platinum complex
The X-ray crystallographic study of the reaction of bis(2-thienyl)ditelluride with tetrakis(triphenylphosphine)platinum or -palladium, **595**, 232
Platinum complexes
Platinum complexes of stanna-*closo*-dodecaborate, **614–615**, 137
Platinum(II)
Heterobimetallische Komplexe von Titan(IV)–Quecksilber(II) und Platin(II)–Quecksilber(II), **602**, 91
Influence of phenyl ring substituents in the cyclometallation of Schiff base ligands: crystal and molecular structures of [Pd-{3,4-(OCH$_2$O)C$_6$H$_2$C(H)=N(Cy)-*C*2,*N*}(μ-O$_2$CMe)]$_2$ and [Pd-{3,4-(OCH$_2$CH$_2$O)C$_6$H$_2$C(H)=N(Cy)-*C*6,*N*}(μ-O$_2$CMe)]$_2$, **598**, 71
Platinum–mercury bond
Synthesis and structural characterization of the luminescent tetranuclear complex [NBu$_4$]$_2$[(C$_6$F$_5$)$_6$(μ-OH)$_2$Pt$_2$HgCl] with Pt–Hg bonds unsupported by covalent bridging ligands, **593–594**, 421
P-ligands
Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, **613**, 128
P,*N*-Difunctional ligands
P,*N*-Heterodifunctional ligands by selective Staüdinger reaction of β-substituted vinylazides with (*Z*)-1,2-bis(diphenylphosphanyl)ethene and formation of cyclometalled complexes of palladium(II) of these ligands — crystal and molecular structure of a new chiral cyclometallaphosphoraniminophosphane of palladium(II), **598**, 329
Pnictanes
Sterically encumbered terphenyl substituted primary pnictanes ArEH$_2$ and their metallated derivatives ArE(H)Li (Ar = –C$_6$H$_3$-2,6-Trip$_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), **609**, 152
P,*N*-Ligands
Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(Diphenylphosphanyl)anilido-Komplexen des Iridiums und

Rhodiums als Katalysatoren. Molekülstrukturen von [Rh(PPh$_3$)$_2$(2-Ph$_2$PC$_6$H$_4$NH-κ*N*,κ*P*)] und [Ir(CO)(PPh$_3$)(2-Ph$_2$PC$_6$H$_4$NH-κ*N*,κ*P*)], **616**, 19
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, **608**, 89
^{31}P-NMR spectroscopy
Adducts of cyclotriphosphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts [{(triphos)Co}(P$_3$){M(CO)$_5$}$_2$] [triphos = MeC(CH$_2$PPh$_2$)$_3$; M = Cr, Mo, W], **593–594**, 127
2-Thioanisyldichlorophosphine, new starting material for the preparation of multidentate phosphine ligands: syntheses and characterization of derivatives of 2-anisyl- and 2-thioanisyldichlorophosphines, **598**, 235
Polarization memory
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, **611**, 40
Polar polysilanes
Thermochromism and solvatochromism of non-ionic polar polysilanes, **611**, 45
Polyazafulleroids
New mono- and polyazafulleroids C$_{60}$(NR)$_n$ (n = 1, 2, 4, 6) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with [RhCl(CO)$_2$]$_2$, **599**, 8
Polycarbodiimido-germylene
Bis(trimesitylgermylcarbodiimido)germylene, trimesitylgermylcyanamide and trimesitylgermylcarbodiimide, **595**, 153
Polycarbodiimidogermylene
Polycarbodiimidogermylene: synthesis, characterization, properties and theoretical studies, **612**, 69
Polychlorinated biphenyls
Organonickel chemistry in the catalytic hydrodechlorination of polychlorobiphenyls (PCBs): ligand steric effects and molecular structure of reaction intermediates, **600**, 63
Polydentate ligand
Synthesis and structural characterization of hetero-binuclear complexes containing a Fe^0→M^{n+} bond bridged by a non-rigid *P*,*N*-phosphine ligand, **605**, 15
Poly(dihexylsilane)
Molecular structure and packing of organopolysilanes, **611**, 36
Poly(dimethylsilane)
Molecular structure and packing of organopolysilanes, **611**, 36
Polyether
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, **599**, 200
Polyfluorinated aryl halides
Halophilic reactions of pentafluorohalobenzenes with transition-metal carbonyl anions, **597**, 77
Polyfluorobenzothiolate
C–F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of [Os(SC$_6$F$_4$(F-2)](SC$_6$F$_5$)$_2$(PMe$_2$Ph)$_2$], [Os(SC$_6$F$_5$)$_2$(*o*-S$_2$C$_6$F$_4$)(PMe$_2$Ph)] and [Os(C$_6$F$_5$)$_2$(*o*-S$_2$C$_6$F$_4$)(PMe$_2$Ph)$_2$], **599**, 170
Poly(*iso*-propylmethylsilane)
Molecular structure and packing of organopolysilanes, **611**, 36
Polyketones
Catalytic activity of cationic diphospalladium(II) complexes in the alkene/CO copolymerization in organic solvents and water in dependence on the length of the alkyl chain at the phosphine ligands, **602**, 173
Polymer
N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, **606**, 8
Synthesis and structural characterization of polymeric dimethylaluminum phenylthiolate, **597**, 105
The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, **606**, 79
Polymercury-containing macrocycles
Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, **613**, 60
Polymeric complex
Chain polymeric complexes of some first-series transition-metal ions with *N*,*N*,*N*′,*N*′-tetra-acetyl-1,4-diaminobutane, **596**, 16
Polymerisation of propylene
Formation of elastomeric polypropylene promoted by the dynamic complexes [TiCl$_2$\{N(PPh$_2$)$_2$\}$_2$] and [Zr(NPhPPh$_2$)$_4$], **604**, 116
Polymerization
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, **599**, 200
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, **613**, 257
Komplexkatalyse LVI: Zur Kation-Anion-Wechselwirkung in den C$_{12}$-Allylnickel(II)-Komplexen [Ni(η^3,η^2,η^2-C$_{12}$H$_{19}$)]X als Steuergröße für die Katalyse der stereospezifischen Butadienpolymerisation. Synthese des Tetrakis(pentafluorphenyl)borats (X = B(C$_6$F$_5$)$_4$) und Charakterisierung des Tetrafluoroborats sowie des Trifluor-methansulfonats (X = BF$_4$, CF$_3$SO$_3$) durch Röntgenkristallstrukturanalyse und Leitfähigkeitsmessungen, **597**, 92
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, **613**, 68
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, **606**, 112
Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37
Polymerization acetylene
Preparation of some dinuclear rhodium complexes with the orthometallated ligand [2,6-(PPh$_2$CH$_2$)$_2$C$_6$H$_3$]$^-$ and their catalytic activity for polymerization of phenylacetylene, **598**, 228
Polymerizations
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, **599**, 107
Polymer reaction
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)-cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, **611**, 570
Polymers
Recent progress in asymmetric heterogeneous catalysis: use of polymer-supported catalysts, **603**, 30
Polymetallated benzene
Synthesis of 1,3,5-tri- and 1,2,4,5-tetrasubstituted tin and mercury derivatives of benzene. Crystal structure of 1,3,5-tris(chloromercurio)benzene, **593–594**, 369
Poly(methylethylsilane)
Molecular structure and packing of organopolysilanes, **611**, 36
Polymorph
O,*N*-Chelated boron aminophenolate complexes. Crystal structure of BPh$_2$(OC$_6$H$_4$(CH$_2$NMe$_2$)-2), **608**, 27
Polymorphism
Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl diiodide, **608**, 96

Poly(*n*-butylethylsilane)
Molecular structure and packing of organopolysilanes, **611**, 36
Poly(*n*-propylmethylsilane)
Molecular structure and packing of organopolysilanes, **611**, 36
Polynuclear
Isolation of new polynuclear aluminium amides; trinuclear [Al-Cl($MeNCH_2CH_2NMe$)$_2$(Al(NMe_2)Cl)(Al(NMe_2)$_2$)] and fluxional adamantane-like [$Al_4Cl_2(NMe_2)_6$(NMe)O], **598**, 36
Polynuclear compounds
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, **607**, 156
Polynuclear zinc complexes
An experimental and theoretical study of the electronic and molecular structure of [Zn4(?4-S){μ-$S_2P(OC_2H_5)_2$}$_6$]: the first molecular model of ZnS, **593–594**, 307
Polyol
Synthesis of a water soluble boron neutron capture therapy agent: 1-amino-3-[2-(7-{3-[2-(2-hydroxymethyl-ethoxy)-1-(2-hydroxy-1-hydroxymethyl-ethoxymethyl)ethoxy]propyl}-1,7-di-carba-*closo*-dodecaboran-1-yl)ethyl]cyclobutanecarboxylic acid, **614–615**, 255
Polyoxotungstates
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_9[ThW_{10}O_{36}]\cdot 28H_2O$, **607**, 146
Poly(*para*-phenyleneethynylene)
Alkyne metathesis with in situ catalysts: $W(CO)_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, **606**, 13
Polyphosphines
Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with Ph_2P–C≡C–PPh_2 spacer, **596**, 53
Polysilane
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, **611**, 32
New type of polysilanes: poly(1,1-silole)s, **611**, 5
Optical properties of pyrrolyl-substituted polysilanes, **611**, 64
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, **611**, 78
Polysilanes
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, **611**, 26
Polysilicon
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, **611**, 531
Polysilole
New type of polysilanes: poly(1,1-silole)s, **611**, 5
Polystyrene supported
Hydrogenation of α-acetamidocinnamic acid with polystyrene-supported rhodium catalysts, **606**, 151
(Porphinato)iron(III)
Restudies of the spin state in (isothiocyanato)(pyridine)-(porphinato)iron(III) hemipyridine complex. A spin-crossover complex with two magnetically distinct sites, **601**, 253
Porphyrin
Restudies of the spin state in (isothiocyanato)(pyridine)-(porphinato)iron(III) hemipyridine complex. A spin-crossover complex with two magnetically distinct sites, **601**, 253
Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, **599**, 62
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, **611**, 200
Porphyrins
Isocyanide ligation at ruthenium(II) complexes with chelating tertiary amine and porphyrin ligands. Structural and electrochemical studies, **595**, 114
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl](PPh$_3$)$_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl](PPh$_3$)$_2$}·0.25CH_2Cl_2, **607**, 41
Potassium
Hydridoborates and hydridoborato metallates: Part 26. Preparation and structures of dihydridoborates of lithium and potassium, **614–615**, 168
Potassium anion
Decomposition of the crown ether ring in the reaction of K^-, K^+(15-crown-5)$_2$ with oxetane, **604**, 283
Potassium anions
Electron-transfer processes in the reaction of K^-, K^+(15-crown-5)$_2$ with carbazole: unexpected formation of metallic potassium, **595**, 66
Potentiometric titration
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, **611**, 577
Precursor
Preparation of [$Et_2InSb(SiMe_3)_2$]$_3$; a trimeric single-source precursor to indium antimonide, **598**, 182
Propadienylidene
Reactivity of [Re(η^2-H_2)$(CO)_2P_3$]$^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, **609**, 10
η^1-Propargyl
Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, **613**, 26
Propargyl/allenyl complexes
Biscyclopentadienylzirconium(IV) η^3-propargyl/allenyl complexes, **597**, 125
Propargylborane
Asymmetric synthesis of the Japanese beetle pheromone via boronic esters, **614–615**, 314
Propargyl complexes
Reactions of transition-metal η^1-propargyl complexes with sulfur dioxide and sulfur trioxide: transition-metal–carbon bond cleaving reactions of the cycloadducts which yield 1,2-oxathiole-2-oxides and -2,2-dioxides, **598**, 150
Property
Recent progress in the studies of endohedral metallofullerenes, **599**, 74
2-Propoxyethanol
The cyclopentadienylaluminium etheralkoxide derivative [(η^1-C_5H_5)$_2$Al(μ-OCH_2CH_2O-^{n}Pr)]$_2$: synthesis and structure, **613**, 119
Protecting group
Protecting groups for stabilization of inter-element linkages, **611**, 210
Proton affinities
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), **608**, 122
Protonation
Structural and energetic aspects of hydrogen bonding and proton transfer to $ReH_2(CO)(NO)(PR_3)_2$ and ReHCl(CO)(NO)-(PMe_3)$_2$ by IR and X-ray studies, **610**, 58

Protonation pathway
An intramolecular N–H···Co hydrogen bond and a structure correlation study of the pathway for protonation of the $Co(CO)_3L^-$ anion (L = CO, PR_3), **609**, 36
Proton–hydride bond
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), **609**, 110
Pseudocloso
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_9$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, **614–615**, 153
Pseudohalides
Mesitylpseudohalogermanes $Mes_2Ge(CN)_2$ and Mes_3GeX (X = CN, NCS, N_3, NCO and OH; Mes = 2,4,6-trimethylphenyl): syntheses, crystal and molecular structures, **598**, 276
p-Substituted diphenylborinic groups
para-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, **601**, 114
Pt(IV)
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, **604**, 290
^{195}Pt-NMR
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, **604**, 290
Pulse radiolysis
Optical properties of pyrrolyl-substituted polysilanes, **611**, 64
Pummerer-type reaction
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, **611**, 172
p-Xylene
Manganese (I) complexes of *p*-xylene and [2*n*] cyclophanes from a theoretical sight, **603**, 225
Pyrazolate
Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-}C_5Me_5)Ir(\mu\text{-}pz)_3PtMe_3]$ (pz = pyrazolate), **606**, 197
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides $Cp'LnCl_2{\cdot}2THF$ (Ln = Dy, Ho, Gd) and $Cp'_2LnCl{\cdot}$(Ln = Sm, Dy). The crystal structures of Cp'_2SmCl and $Cp'_2Sm{\cdot}(C_5N_2HMe_2)$, **612**, 176
Pyrazolate complexes
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, **605**, 226
Pyrazolato
Syntheses of some bulky alkylalanes and alkyltrihydroaluminates: crystal structures of $[Li(THF)_2AlH_3C(SiMe_3)_2(SiMe_2NMe_2)]_2$, $Li(THF)_2Al_2H_5\{C(SiMe_3)_3\}_2$, $(Me_3Si)_2CAlH_2{\cdot}THF$ and the pyrazolato derivative $[LiAlH(C_3H_3N_2)_2C(SiMe_3)_3]_2$ (THF = tetrahydrofuran), **597**, 3
Pyrazole
Catalyzed reaction of triethylborane with pyrazole, **597**, 190
Pyrazoles
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, **605**, 226
Pyrazolylborate complexes
Synthesis and structure of Rh(I) tris(pyrazolyl)borate complexes of the type $Tp^{Ph,Me}RhL_1L_2$, **595**, 178
Pyridine
Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, **601**, 237
The synthesis and characterisation of bis(phenylpyridylphosphino)ethane, **598**, 111
Pyridine derivatives
Synthesis and characterization of [*trans*-di(μ-acetato)(μ-bis(diphenylphosphino)methylamine)bis(pyridine)dimolybdenum(II)]bis(tetrafluoroborate) and derivatives, **596**, 177
Pyridine-2-thiol
Reactivity of $[(\mu\text{-}H)Os_3(CO)_9\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with organic heterothiols: X-ray structures of $[H(\mu\text{-}H)Os_3(CO)_9(\eta^2\text{-}pyS)\{Ph_2PCH_2P(Ph)C_6H_4\}]$ and $[Os_3(CO)_9(\mu\text{-}\eta^2\text{-}pyS)\{Ph_2PCH_2P(Ph)C_6H_4\}]$, **616**, 157
Pyridinethione
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), **609**, 110
2′-Pyridinyl alcoholate
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, **603**, 69
Pyridinylpyrazole
Synthesis and structural analysis of palladium(II) pyridinylpyrazole complexes by ^{1}H-, ^{13}C-, ^{15}N-NMR and X-ray diffraction. Comparison of binuclear methylpalladium, chloromethylpalladium, and dichloropalladium complexes by ^{15}N-NMR, **595**, 208
Pyridyl
Syntheses of titanium μ-arylimido and μ-pyridylimido complexes bearing (un)substituted cyclopentadienyl ligand, **598**, 339
Pyridylphosphines
The synthesis and characterisation of bis(phenylpyridylphosphino)ethane, **598**, 111
Pyrimidine-2-thiol, Carbonyl
Reactivity of $[(\mu\text{-}H)Os_3(CO)_9\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with organic heterothiols: X-ray structures of $[H(\mu\text{-}H)Os_3(CO)_9(\eta^2\text{-}pyS)\{Ph_2PCH_2P(Ph)C_6H_4\}]$ and $[Os_3(CO)_9(\mu\text{-}\eta^2\text{-}pyS)\{Ph_2PCH_2P(Ph)C_6H_4\}]$, **616**, 157
Pyrrole
The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, **593–594**, 86
Pyrrolyl
Optical properties of pyrrolyl-substituted polysilanes, **611**, 64

Quadratic hyperpolarizabilities
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-HC≡CC_6H_4N–$NC_5H_4NO_2$, **605**, 193
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, **605**, 184
Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)-benzene ligands, **610**, 71
Quantum chemical calculation
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, **611**, 514
Quantum-chemical calculations
Endohedral analogs of ferrocene: ab initio theoretical predictions, **599**, 18
Quantum chemistry
Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics, **609**, 66
Quaternary ammonium salt
The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, **606**, 79

Quincoridine derivatives
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, **608**, 89
Quinones
Synthesis, characterization and spectroscopic properties of 1,2-diiminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, **610**, 16
Quinquidentate ligands
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, **611**, 308

Racemic phosphine
Synthesis and reactions of the ferrocene derived hydroxymethyl phosphine $FcCH(CH_3)P(CH_2OH)_2$ and its sulfide: crystal structures of $[FcCH(CH_3)P(S)R_2]$ R = CH_2OH, CH_2CH_2CN and $FcCH(CH_3)P(S)(CH_2O)_2PPh$ (Fc = ferrocenyl), **602**, 125
Radical
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, **605**, 89
Radical anions
Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, **606**, 84
Radical cation
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex $[(\eta^5\text{-}C_5Me_5)Re(NO)(P(4\text{-}C_6H_4CH_3)_3)(CH_3)]^+$ $B(3,5\text{-}C_6H_3(CF_3)_2)_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, **616**, 54
Radical cations
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula $(\eta^5\text{-}C_5Me_5)Re(NO)(PR_3)(CH_3)$: in search of radical cations with enhanced kinetic stabilities, **616**, 44
Radical ion pair
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, **611**, 414
Radical ions
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, **611**, 136
Radiopharmaceuticals
New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23
Raman
Raman spectroscopic investigations of dinuclear gold ylide complexes; further relationships of Au–Au bond lengths versus Au–Au stretching frequencies, **596**, 237
Raman spectra
The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities, **593–594**, 36
Rare earth
Early lanthanide organometallic hydrides: electronic and steric control of the stability, **609**, 21
Rare earth metal complexes
Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp'_2LnX with phosphanoethyl substituted cyclopentadienyl ligands, **604**, 72
Rational drug design
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, **614–615**, 37
RCM
Co-catalyst dependent cycloisomerization or ring closing metathesis of α,ω-dienes catalyzed by arene ruthenium complex with side-arm alcohol, **616**, 135
Reaction
Reactions of $[(\mu\text{-}RS)(\mu\text{-}S)\{Fe_2(CO)_6\}_2(\mu_4\text{-}S)]^-$ with acid chlorides and diacid chlorides. Crystal structure of $(\mu\text{-}PhCH_2S)(\mu\text{-}CH_2\text{–}C(Me)COS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$, **601**, 108
Reaction mechanism
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274
Reaction mechanisms
Halophilic reactions of pentafluorohalobenzenes with transition-metal carbonyl anions, **597**, 77
Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D_2O, **593–594**, 485
Reactive polymer
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η⁵-cyclopentadienyl)(η⁵-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4'-diyl)]s, **611**, 570
Reactivity
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, **613**, 220
Rearrangement
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, **608**, 54
The thermal rearrangement of $-[Me_2Si\text{-}\eta^5\text{-}C_5H_4(CO)Fe(CO)_2Fe(CO)\text{-}\eta^5\text{-}C_5H_4SiMe_2]-$ in the presence of phosphorus ligands, **595**, 268
Rearrangement reaction
The ring expansion of a dimethyl-substituted vinylcyclobutene derivative by metal complexes that can undergo an inner-sphere electron transfer, **601**, 147
Rearrangements
Computational modeling of the elemental catalysis in the Stone–Wales fullerene rearrangements, **599**, 57
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, **613**, 56
Recyclization
Synthesis and some chemical properties of 3-ferrocenyl-3-isopropylcyclopropene: 3-ferrocenyl-3-isopropylstructures of cyclopropene and its adducts with 1,3-diphenylisobenzofuran, **598**, 254
Redox
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, **611**, 78
Redox process
Activation of a coordinated alkyne by electron transfer: crystal structures of $[Pd\{PPh_2CH\text{–}C(Bu^t)NN\text{–}C(Bu^t)CH_2PPh_2\}\{C(CO_2Me)\text{–}CH(CO_2Me)\}]$ and $[Pd\{(Z,Z)PPh_2CH_2C(Bu^t)\text{–}NN\text{–}C(Bu^t)CH_2PPh_2\}\{C(CO_2Me)=C(CO_2Me)\}]$, **598**, 318
Redox processes
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), **601**, 226
Redox properties
Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, **606**, 203
Redox reactions
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, **611**, 136
Reducing agents
Reactions of the Si–H bonds in tetrakis(dimethylsilyl)methane and silane, **597**, 111

Reduction
On the in situ trimethylsilylation of zinc acetylides, **601**, 341
Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions, **603**, 240
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, **611**, 509
The behavior of 3-ferrocenyl-1-methyl-1,2-pentamethyleneallyl and 1,5-diferrocenyl-3-methyl-2,4-tetramethylene-1,4-dienyl carbocations in the cationic dimerization of 1,3-dienes, **602**, 105
Reduction of organics
Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis, **609**, 137
Reductive amination
Ruthenium clay catalyzed reduction of α-iminoesters and α-iminoketones, and the reductive amination of α-ketoesters, **593–594**, 454
Reductive cyclization
Synthesis of γ-lactones and unsaturated bis γ-lactones via Cu–Fe-mediated reductive cyclization of di- and tri-α-halogenated carboxylic esters, **601**, 153
Reductive elimination
Reactivity of $[Pd_3(\mu\text{-}OAc)_3(\mu,\eta^2\text{-}MeSCHCO_2Et\text{-}C,S)_3]$ in the presence of triphenylphosphine: a model of the early steps of the Pd/PR_3-catalysed Heck reaction, **601**, 201
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, **611**, 323
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, **611**, 332
Regio- and stereoselective addition
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, **611**, 463
Regional density functional theory
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, **611**, 514
Regioselection
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403
Regioselectivity
Competition between sp^3 and sp^2 C–H bonds in cyclopalladation of *N*-methyl-α-*tert*-butylbenzylamine, **603**, 138
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274
relative Reaktionsgeschwindigkeiten
Addukte der Ethene $Me_2E{=}C(SiMe_3)_2$ (E = Si, Ge, Sn) mit LiR und RN_3: Wie rasch bilden sie sich?, **598**, 304
Relativistic effects
Implementation of the IPPP–CLOPPA–INDO/S method for the study of indirect nuclear spin coupling constants and its application to molecules containing tin nuclei, **598**, 193
Trends in back-bonding in the series *trans*-$[M(C{=}CR)Cl(PH_3)_4]$ (M = Fe, Ru, Os; R = H, Ph, $C_6H_4NO_2$-4), **607**, 208
Relaxation
Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-}H)_2Os_3(CO)_{10}$, **593–594**, 135
Remote reaction
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, **611**, 116
Resolution
Synthesis and resolution of a new P-chiral hydroxy phosphine, **603**, 235
Water soluble phosphines: Part XIII. Chiral phosphine ligands with amino acid moieties, **598**, 116
Reversibility
Evidence for the involvement of pentacoordinate P-intermediates during the UV light-mediated fragmentation of a 2-phosphabicyclo[2.2.2]octene 2-oxide in the presence of O-nucleophiles, **595**, 109
Rh complexes
New mono- and polyazafulleroids $C_{60}(NR)_n$ ($n = 1, 2, 4, 6$) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with $[RhCl(CO)_2]_2$, **599**, 8
Rhenium
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$. $Cp^* = \eta^5\text{-}C_5Me_5$. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, **614–615**, 92
Coordinations of vinyltetrahydrothiophene to a trirhenium cluster, **596**, 102
Development of a T-joint for covalent molecular construction based on 2,2′-bipyridine and phenanthroline isocyanide metal complexes, **598**, 55
Ferrocenyl ligands in mixed valence high-oxidation state rhenium complexes, **598**, 103
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238
Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, **596**, 159
New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23
Photoreactivity of the triphenylphosphine adduct of methyl(trioxo)rhenium(VII) induced by ligand-to-metal charge transfer excitation, **606**, 207
Reactions of $[Pt_2(\mu\text{-}S)_2(PPh_3)_4]$ with Group 6 and 7 metal carbonyls: crystal structure of the apparently unsaturated heterometallic complex $[Pt_2Re(\mu_3\text{-}S)_2(PPh_3)_4(CO)_3]^+$, **595**, 276
Reactivities of π-electron-rich phosphorus–nitrogen ligands toward Groups VIB and VIIB metal carbonyl complexes, **612**, 160
Reactivity of $[Re(\eta^2\text{-}H_2)(CO)_2P_3]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, **609**, 10
Synthesis and characterization of a first generation organorhenium dendrimer, **593–594**, 361
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula $(\eta^5\text{-}C_5Me_5)Re(NO)(PR_3)(CH_3)$: in search of radical cations with enhanced kinetic stabilities, **616**, 44
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(=C{=}C{=}C{=}C{=}CAr_2)]^+ BF_4^-$ (CAr_2 = 9-fluorenylidene), **604**, 52
Synthesis and structural characterization of chiral thiacrowns: the crystal and molecular structure of (*R,R,R*)-2,6,10-trimethyl-1,5,9-trithiacyclododecane, **596**, 115
Synthesis and X-ray structures of manganese(I) and rhenium(I) formato complexes, *fac*-$(CO)_3(dppp)M\text{–}OC(H)O$, **599**, 308
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex $[(\eta^5\text{-}C_5Me_5)Re(NO)(P(4\text{-}C_6H_4CH_3)_3)(CH_3)]^+ B(3,5\text{-}C_6H_3(CF_3)_2)_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, **616**, 54
Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, **599**, 112
Rhenium carbonyl
Cyclopentadienyl transfer reaction: thermal reaction between $Re_2(CO)_{10}$ and a series of cyclopentadienyl transition metal complexes, **593–594**, 167
Rhenium carbonyls
Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^I tricarbonyls, **593–594**, 267

Rhenium complexes
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, $n = 1$ or 2), **604**, 219
Ruthenium and rhenium complexes with silyl-substituted bipyridyl ligands, **612**, 117
Synthesis, characterization and spectroscopic properties of 1,2-diiminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, **610**, 16
Rhenium compounds
Geometrical and electronic structures of the acetyl complex $Re(bpy)(CO)_3(COCH_3)$ and of $[M(bpy)(CO)_4](OTf)$, M = Mn,Re, **598**, 136
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, $n = 1$, 2; abpy = 2,2′-azobispyridine, **604**, 267
Rhodium
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, **603**, 80
A rigid dirhodium(II) carboxylate as an efficient catalyst for the asymmetric cyclopropanation of olefins, **603**, 13
Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethyldiphosphine rhodium catalysts, **601**, 138
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), **607**, 3
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, **611**, 392
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, **599**, 298
Cooperative attractive interactions in asymmetric hydrogenations with dihydroxydiphosphine Rh(I) catalysts — a competition study, **603**, 61
Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, **607**, 97
Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with C_{60} and C_{70}: syntheses and electrochemical properties, **599**, 87
Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(Diphenylphosphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von [Rh(PPh$_3$)$_2$(2-$Ph_2PC_6H_4NH$-κ*N*,κ*P*)] und [Ir(CO)(PPh$_3$)(2-Ph_2PC_6-H_4NH-κ*N*,κ*P*)], **616**, 19
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η^5-pentamethylcyclopentdienyl)ruthenium(μ,η^5 - 1,3 - diborolyl)-rhodiumcarbaboranyl] complexes, **614–615**, 125
Hydrogenation of α-acetamidocinnamic acid with polystyrene-supported rhodium catalysts, **606**, 151
Mechanism of the hydrogenation of 2,5-norbornadiene catalyzed by $[Rh(NBD)(PPh_3)_2]BF_4$ in dichloromethane: a kinetic and spectroscopic investigation, **599**, 178
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os halfsandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, **604**, 170
New Group 9 metal complexes containing *N*,*P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, **614–615**, 83
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_3[Ni_{10}Rh(CO)_{19}]\cdot C_2H_3CN$, $[NMe_3CH_2Ph]_3[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_3[Ni_9Rh_3(CO)_{22}]$, **614–615**, 294
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, **612**, 36
Preparation and catalytic hydrogenation properties of some rhodium and ruthenium complexes with chiral tridentate phosphine ligands (*S*,*S*)-$PhP(CH_2CHMeCH_2PPh_2)_2$ and (*S*)-$Ph_2PCH_2CH(PPh_2)CH_2CH_2PPh_2$), **601**, 330
Preparation of some dinuclear rhodium complexes with the orthometallated ligand $[2,6\text{-}(PPh_2CH_2)_2C_6H_3]^-$ and their catalytic activity for polymerization of phenylacetylene, **598**, 228
Promotion of the $[PPN][Rh(CO)_4]$-catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, **593–594**, 109
Reactions of cationic dirhodium and diiridium complexes $[Cp^*M(\mu\text{-}Cl)(\mu\text{-}SPr^i)_2MCp^*][OTf]$ (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, **599**, 221
Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, **607**, 137
Regioselective C–F and C–H bond activation: synthesis and structure of an asymmetric rhodium complex comprising a η^5:η^1:η^1-cyclopentadienyl-bis(phosphine) ligand, **595**, 292
Rh(acac)(CO)(PR$_3$) and Rh(oxinate)(CO)(PR$_3$) complexes—substitution chemistry and structural aspects, **602**, 59
Rh and Ir complexes containing multidentate, C_2-symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation, **601**, 284
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, **613**, 77
Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, **601**, 320
Rhodium-catalyzed reduction of α-amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, **604**, 99
Rhodium cyclooctadiene complexes of the weakly co-ordinating carborane anion [*closo*-$CB_{11}H_{12}]^-$. Isolation and crystal structures of [(COD)Rh(η^2-$CB_{11}H_{12}$)] and [(COD)Rh(THF)$_2$][$CB_{11}H_{12}$], **614–615**, 113
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, **611**, 323
Structures and properties of complexes $[MCl(C_5Me_5)(N^\wedge S)](PF_6)$, M = Rh, Ir, with N^S = 1-methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, **596**, 84
Studies of tetrakis(trifluoroacetate) dirhodium: Part 4. Solventless synthesis of $Rh_2(O_2CCF_3)_2(CO)_4$ combined with $Rh_2(O_2CCF_3)_4$, a compound with infinite chains of rhodium atoms, **596**, 130
Synthesis and structure of Rh(I) tris(pyrazolyl)borate complexes of the type $Tp^{Ph,Me}RhL_1L_2$, **595**, 178
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, **612**, 125
Rhodium acetate
Structural and electronic properties of (2,2-*trans*)-dirhodium(II) tetrakis(*N*-phenylacetamidate), **596**, 90
Rhodium carbonyl cluster
Formation of $M(CO)_4^-$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, **606**, 147
Rhodium carbonyl complexes
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, **613**, 124
Rhodium catalyst
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, **609**, 130

Rhodium-catalyzed phenylation
Rhodium-catalyzed phenylation of *N*-arylsulfonyl aldimines with sodium tetraphenylborate or trimethyl(phenyl)stannane, **595**, 31
Rhodium complex
Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles, **603**, 18
Rhodium complexes
A new asymmetric synthesis of optically active allenes via metal catalyzed hydrosilylation, **603**, 116
Complexation of hydrophosphoranes: possible mechanism and coordination activity, **613**, 148
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, **608**, 115
New η^3- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η^2-complexes towards carbon dioxide, **605**, 143
New insight into role of *ortho*-metallation in rhodium triphenylphosphite complexes. Hydrogen mobility in hydrogenation and isomerization of unsaturated substrates, **597**, 69
Pentacoordinated diolefinic rhodium(I) organocomplexes with α-diimine ligands. Crystal structures of $[Rh(Nbd)(LL)(PPh_3)]ClO_4$ (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pydh, pyruvaldihydrazone; Bda, biacetyldianil), **601**, 311
Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, **608**, 89
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand $Tp^{0,An}$. Intramolecular C–H bond activation and dehydro-chlorination processes, **605**, 117
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, **605**, 226
Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, **593–594**, 251
Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacenide ligands, **593–594**, 315
Synthesis, structure and reactivity of homobimetallic Rh(I) and Ir(I) complexes of *s*- and *as*-indacene-diide, **600**, 94
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, **608**, 76
The crystal structure of 5-hydro- and 7-hydro-*s*-indacenide-Rh(COD). A comparison with similar complexes, **601**, 267
Rhodium(I) complexes
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, **616**, 37
Rhodium(II)
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **610**, 88
Rhodium porphyrin
Diverse reactivity of rhodium β-(tetraphenyl)tetraphenyl porphyrin chlorides with benzonitrile: formation of Rh porphyrin arene and imine complexes, **598**, 80
Synthesis and crystal structures of $[Rh(TTP)(CH_3)]_2(\mu\text{-}CNpy)$ and $[Rh(TTP)(C_5H_{11})]$ (TTP = 5,10,15,20-tetra(*p*-tolyl)porphyrin dianion; CNpy = 4-cyanopyridine; C_5H_{11} = (5-norbornen-2-yl)methyl), **604**, 197
Rhodium-pyrazolate complexes
Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, **605**, 226
Rhodium tetracarbonyl cation
Formation of $M(CO)_4^-$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, **606**, 147
Rhodocenium
Synthesis and X-ray crystal structure of decamethylrhodocenium hexafluorophosphate, **593–594**, 494
Rh–Rh bond
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), **611**, 386
Rigidity
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{-}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane, **603**, 174
Ring closing metathesis
Reactions of complex ligands: Part 91. Application of ring closing metathesis to Fischer-type carbene complexes: synthesis and structure of medium-sized chromium oxacycloalkenylidenes, **606**, 26
Ring-closing metathesis (RCM)
Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, **606**, 16
Ring compounds
cyclo-Boratrisiloxane and *cyclo*-diboratetrasiloxane derivatives and their reactions with amines: crystal and molecular structure of $(p\text{-}BrC_6H_4BO)_3(Ph_2SiO)_2$, **595**, 241
Ring conversion reaction
Unsaturated cyclic compounds possessing disulfide linkage, **611**, 106
Ring expansion
The ring expansion of a dimethyl-substituted vinylcyclobutene derivative by metal complexes that can undergo an inner-sphere electron transfer, **601**, 147
Ring-opening
Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37
Ring opening
Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, **611**, 376
Ring-opening metathesis
Ethenolysis of silicon containing cycloolefins, **606**, 3
Ring-opening metathesis polymerisation
Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, **606**, 84
Ring-opening metathesis polymerization
Synthesis and evaluation of new $RuCl_2(p\text{-cymene})(ER_2'R')$ and $(\eta^1{:}\eta^6\text{-phosphinoarene})RuCl_2$ complexes as ring-opening metathesis polymerization catalysts, **606**, 55
Ring-opening metathesis polymerization (ROMP)
Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, **606**, 16
Ring-opening polymerization (ROP)
Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes — synthesis, characterization and ring-opening polymerization, **601**, 211
Ring-opening reactions
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, **611**, 52

ROMP
N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, **606**, 8
Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[RuCl_2(=CHSC_6H_4)(P^iPr_3)_2]$ and $[RuCl_2(CHCH_2CH_2\text{-}C,N\text{-}2\text{-}C_5H_4N)(P^iPr_3)]$, **606**, 65
Röntgenstrukturanalysen
Dimere der Ethene $Me_2E{=}C(SiMe_3)_2$ (E = Si, Ge, Sn): Auf welchem Wege entstehen sie aus $Me_2EX{-}CM(SiMe_3)_2$? Wie sind sie strukturiert?, **598**, 292
Rotamers
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, **614–615**, 61
Rotational barrier
The chemistry of transition metal complexes containing a phosphenium ligand, **611**, 349
Rubidium
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, **604**, 59
Ru–ethylene
The metal–metal bond in the dibenzotetramethyltetraaza-[14]annulene–ruthenium dinuclear complex: a structural, magnetic, and theoretical analysis, **596**, 77
Ruffling
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, **611**, 200
Ru(IV) complexes
Synthesis and characterization of some mono and binuclear (η^3:η^3-$C_{10}H_{16}$) containing ruthenium(IV) complexes. Crystal structure of $[Ru(\eta^3\text{:}\eta^3\text{-}C_{10}H_{16})Cl_2(CNPy)]$, **613**, 250
Ru–macrocycle
The metal–metal bond in the dibenzotetramethyltetraaza-[14]annulene–ruthenium dinuclear complex: a structural, magnetic, and theoretical analysis, **596**, 77
Ru–Ru bonds
The metal–metal bond in the dibenzotetramethyltetraaza-[14]annulene–ruthenium dinuclear complex: a structural, magnetic, and theoretical analysis, **596**, 77
Ruthenium
Alkyne insertion reactions of $[RuH(\kappa^2\text{-}S_2CNEt_2)(CO)(PPh_3)_2]$: synthesis of alkenyl, alkynyl and enynyl complexes, **598**, 20
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, **603**, 80
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)-methanes as ligands, **607**, 182
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (**L**): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of $[Ru(p\text{-cymene})Cl_2L]$ and *trans*-$[PdCl_2(L)_2]$, **613**, 244
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), **607**, 3
Boride cluster fusion through copper and silver. Crystal structure of $[(Ph_3P)_2N][(HRu_4(CO)_{12})_2BH)_2Ag]$, **614–615**, 202
Bromination and nitration reactions of metallated (Ru and Os) multiaromatic ligands and crystal structures of selected products, **598**, 262
Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes, **593–594**, 489
Convenient synthesis of anionic dinuclear ruthenium(II) complexes $[NR_3H][\{RuCl(diphosphine)\}_2(\mu\text{-}Cl)_3]$ [diphosphine = 2,2′ - bis(diphenylphosphino) - 1,1′ - binaphthyl, 2,2′ - bis(di-(*p*-tolyl)phosphino)-1,1′-binaphthyl, and 1,2-bis(diphenylphosphino)benzene]: crystal structure of $[NEt_3H][\{RuCl(1,2\text{-bis-(diphenylphosphino)benzene})\}_2(\mu\text{-}Cl)_3]$, **607**, 51
Cyclometallated complexes of ruthenium and osmium containing the *o*-$C_6H_4PPh_2$ ligand, **601**, 299
Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, **593–594**, 292
Enantioselective hydride transfer hydrogenation of ketones catalyzed by $[(\eta^6\text{-}p\text{-cymene})Ru(amino\ acidato)Cl]$ and $[(\eta^6\text{-}p\text{-cymene})Ru(amino\ acidato)]_2(BF_4)_2$ complexes, **593–594**, 299
Ethenolysis of silicon containing cycloolefins, **606**, 3
Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, **601**, 78
Hybrid diborolyl/carbaboranyl triple-decker compounds: $[(\eta^5\text{-}$pentamethylcyclopentdienyl)ruthenium(μ,η^5 - 1,3 - diborolyl)-rhodiumcarbaboranyl] complexes, **614–615**, 125
Isocyanide ligation at ruthenium(II) complexes with chelating tertiary amine and porphyrin ligands. Structural and electrochemical studies, **595**, 114
Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, **606**, 88
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238
Ligating similarities between the novel five-electron-donor η^4-$P_2C_2Bu^t_2(R)H$ ring system, (R = $CH(SiMe_3)_2$) and the η^5-cyclopentadienyl ring. Syntheses, crystal and molecular structures of $[Co_2(CO)_4(\mu\text{-}P_2C_2Bu^t_2CH(SiMe_3)_2)]$ and $[Co(CO)_2(\eta^4\text{-}P_2C_2Bu^t_2H(CH(SiMe_3)_2)]$, **601**, 335
Metal segregation in bimetallic clusters and its possible role in synergism and bifunctional catalysis, **600**, 1
Monocarbollide complexes of osmium: X-ray crystal structure of $[Os(CO)_3\{\eta^5\text{-}5\text{-}(NMe_3)\text{-}7\text{-}CB_{10}H_{10}\}]$, **614–615**, 208
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, **614–615**, 75
N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, **606**, 8
Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, **606**, 16
Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, **607**, 72
Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-$HC{\equiv}CC_6H_4N{=}NC_6H_4NO_2$, **605**, 193
Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, **605**, 184
Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)-benzene ligands, **610**, 71
Preparation and catalytic hydrogenation properties of some rhodium and ruthenium complexes with chiral tridentate phosphine ligands (*S,S*)-$PhP(CH_2CHMeCH_2PPh_2)_2$ and (*S*)-$Ph_2PCH_2CH(PPh_2)CH_2CH_2PPh_2$, **601**, 330
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, **596**, 193
Reactions of binuclear ruthenium–platinum μ-allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $L(PPh_3)Pt(\mu\text{-}\eta^1\text{:}\eta^2_{\beta,\beta}\text{-}C(Ph){=}C{=}CH_2)Ru(CO)Cp$ (L = PPh_3, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, **593–594**, 465
Reactions of metalloalkynes: Part 6. Synthesis of open tetrametallic clusters. Reaction of $[Ru(CO)_4(ethene)]$ with ethyne-1,2-diyl compounds. Single crystal X-ray structural determinations of $[Ru_4(\mu_4\text{-}CC(\eta\text{-}C_5H_4R)_2(\mu\text{-}CO)_2(CO)_8]$ (R = H, Me), **598**, 28

Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D_2O, **593–594**, 485
Ruthenium clay catalyzed reduction of α-iminoesters and α-iminoketones, and the reductive amination of α-ketoesters, **593–594**, 454
Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, **608**, 139
Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of (η^6-arene)Ru(DMPP)Cl_2 complexes with dieneophilic ligands, **613**, 177
Solution and solid–gas reactivity of unsaturated $[RuCp(tmeda)]^+$ (tmeda = $Me_2NC_2H_4NMe_2$), **593–594**, 342
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, **607**, 18
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of $[CpRu(dppe)\{SSO_2(4\text{-}C_6H_4Cl)\}]$, **612**, 14
Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, **604**, 150
Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), **607**, 27
Synthesis and characterisation of cyclometallated orthoazobenzene complexes of Ru(II): crystal and molecular structure of $[RuCl(CO)(\eta^2\text{-}C,N\text{-}C_6H_4N{=}NPh)(PPh_3)_2]\cdot 0.5CHCl_3\cdot 0.5Et_2O$. Is there a similarity to the hydroxyazo/ketohydrazone tautomerisation in *ortho*-hydroxyazobenzenes?, **601**, 164
Synthesis and characterisation of $[Fe_2M_3(\mu_4\text{-}E)(\mu_3\text{-}E')(CO)_{17}]$ and $[Os_3(\mu_3\text{-}E)(\mu_3\text{-}E')(CO)_9]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), **606**, 176
Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-}C_5Me_5)Ir(\mu\text{-}pz)_3PtMe_3]$ (pz = pyrazolate), **606**, 197
Synthesis and evaluation of new $RuCl_2$(*p*-cymene)(ER_2R') and ($\eta^1{:}\eta^6$-phosphinoarene)$RuCl_2$ complexes as ring-opening metathesis polymerization catalysts, **606**, 55
Synthesis and properties of the 16-electron complex $[(C_5Me_5)RuCl(PMe^iPr_2)]$ and of half-sandwich ruthenium hydrido complexes containing bulky monodentate phosphine ligands, **609**, 161
Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[RuCl_2(=CHSC_6H_3)(P^iPr_3)_2]$ and $[RuCl_2(CHCH_2CH_2\text{-}C,N\text{-}2\text{-}C_5H_4N)(P^iPr_3)]$, **606**, 65
Synthesis and structural studies of Ti–Ru polymetallic systems, **605**, 151
Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, **599**, 62
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of $[(C_5H_5)Ru(\mu\text{-}CO)_2\{\mu\text{-}Ph_2PN(H)PPh_2\}IrCl_2]$, **605**, 1
Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $Cp^*Ru(CO)_2(\mu_2\text{-}CO)Co(CO)_3$, $Cp^*Ru(\mu_2\text{-}CO)_2(\mu_2\text{-dppm})Co(CO)_2$, $Cp^*Ru(CNBu^t)(CO)(\mu_2\text{-}CO)Co(CO)_3$, and $Cp^*(CO)Ru\{\eta^2{:}\eta^4\text{-}\mu_2\text{-}C(Tol)CHC(Tol)CH\}Co(CO)_2$ ($Cp^* = \eta^5\text{-}C_5Me_5$, dppm = $Ph_2PCH_2PPh_2$, Tol = C_6H_4Me-4), **596**, 121
Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[Os_6(CO)_{17}(Au_2dppm)]$ and $[Os_6(CO)_{17}(Au_2dppm)\{Ru(\eta^5\text{-}C_5H_5)\}_2]$ (dppm = $Ph_2PCH_2PPh_2$), **596**, 204
The cluster dication $[H_6Ru_4(C_6H_6)_4]^{2+}$ revisited: the first cluster complex containing an intact dihydrogen ligand?, **609**, 196
The clusters $HRu_3W(\eta^5\text{-Cp})(CO)_{11-x}(PPh_3)_xBH$ ($x = 1$, 2): preparations, characterizations and the crystal structure of $HRu_3W(\eta^5\text{-Cp})(CO)_{10}(PPh_3)BH$, **609**, 89
The 16-electron dithiolene complexes (*p-cymene*)$M[S_2C_2(B_{10}H_{10})]$ (M = Ru, Os) containing both η^6-(*p-cymene*) and η^2-(*ortho*-carborane-dithiolate): adduct formation with Lewis bases, and X-ray crystal structures of (*p-cymene*)$Ru[S_2C_2(B_{10}H_{10})](L)$ (L = PPh_3) and $[(p\text{-cymene})Ru[S_2C_2(B_{10}H_{10})]_2(\mu\text{-LL})$ (LL = $Ph_2PCH_2CH_2PPh_2$ and N_2H_4), **598**, 142
The heteronuclear cluster $RuOs_3(\mu\text{-H})_2(CO)_{13}$ — a high yield synthesis, isomerism and a triphenylphosphine derivative, **609**, 104
The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, **593–594**, 86
Triphenylphosphine-substituted *N,N*-di-*iso*-propylcarbamate of ruthenium(II) and its reactions with carbon monoxide, **596**, 144
Triruthenium cluster complexes of C_{60} and C_{70}: carbonyl site exchange probed via triphenylphosphine ligand derivatives, **599**, 97
Unbridged homo and hetero dinuclear complexes of Group 6 and 8 metals: synthesis, characterization and comparison of X-ray crystallographic data, **612**, 106

Ruthenium arene complexes
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$, (P = PPh_3, PEt_3, $MePPr^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), **605**, 74

Ruthenium carbene complex
Ring-opening metathesis polymerization of 7-methylbicyclo-[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, **606**, 37

Ruthenium catalysis
Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, **601**, 172

Ruthenium catalyst
Hydrosilylation of 1,4-bis(trimethylsilyl)-1-buten-3-ynes using late transition metal hydrides as catalyst precursors, **609**, 130

Ruthenium catalysts
Asymmetric synthesis of fluorinated β-hydroxy esters via ruthenium-mediated hydrogenation, **603**, 128

Ruthenium cluster
The reaction of $[Ru_3(CO)_{12}]$ with bis(diphenylphosphino)amine. The crystal and molecular structure of $[Ru_3(CO)_{10}(dppa)]$ and $[Ru_3(CO)_8(dppa)_2]$, **599**, 313

Ruthenium complexes
Electrochemistry of ruthenium metallocenes: Part 3. Synthesis and properties of ruthenium [2$_2$]paracyclophane complexes with methacrylic acid and methacrylate ester substitutents, **602**, 75
Reactivity of dinuclear arene ruthenium complexes: reactions of the hydrido complex $[(p\text{-Me-}C_6H_4\text{-}Pr^i)_2Ru_2Cl_2(\mu\text{-Cl})(\mu\text{-H})]$ with NaX and HX (X = F, Cl, Br, I), **602**, 188
Ruthenium and rhenium complexes with silyl-substituted bipyridyl ligands, **612**, 117
Synthesis and molecular structure of $[RuCl\{C(=CHPh)OC(=O)\text{-}CH_2CH_3\}(CO)(PPh_3)_2]$: a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, **601**, 69
Synthesis, structure, and reactivity of ruthenium(II) complexes with a hemilabile tetradentate etherdiphosphine ligand, **601**, 220

Ruthenium(II)
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide ($\mathbf{L^1}$): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of $\mathbf{L^1}$, its oxidized product and of $[RuCl_2(p\text{-cymene})\cdot\mathbf{L^1}]$, **605**, 39

Ruthenium(II) complexes
Ruthenium(II) chemistry of phosphorus-based ligands. $Ph_2PN(R)PPh_2$ (R = Me or Ph) and $Ph_2PN(Ph)P(E)Ph_2$ (E = S or Se). Solution thermochemical study of ligand substitution reactions in the Cp'RuCl(COD) (Cp' = Cp, Cp*; COD = cyclooctadiene) system, **599**, 159
Ruthenium(II)-complexes
Coordination of a Ru(II)-complex to a tetrafunctional P-ligand: a model for Ru–P carbosilane dendrimers, **603**, 244
Ruthenium(III)
N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (L^1): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of L^1, its oxidized product and of $[RuCl_2(p\text{-cymene})L^1]$, **605**, 39
Ruthenium phthalocyanine
Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, **593–594**, 416
Ruthenium, Selenium
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os halfsandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, **604**, 170
Ruthenocene
Chiral sandwich compounds of ruthenium(II) and (IV): X-ray crystal structure of $[Ru\{\eta^5\text{-}C_5H_4(neomenthyl)\}_2]I_3$, **606**, 188

S_3
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', **611**, 127
Salicylideneaminoethanol
Synthesis and molecular structures of dimeric boron compounds, **604**, 273
Samarium
Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, **613**, 26
Early lanthanide organometallic hydrides: electronic and steric control of the stability, **609**, 21
Samarium(II)
Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, **613**, 128
s- and *as*-Indacene
Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacenide ligands, **593–594**, 315
Sandwich complex
Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, **608**, 126
Sandwich complexes
Chemistry of nickel and iron bis(dicarbollides). A review, **614–615**, 27
Endohedral analogs of ferrocene: ab initio theoretical predictions, **599**, 18
Sandwich compounds
Fluorination studies of the [commo-3,3'-Co(3,1,2-$CoC_2B_9H_{11})_2^{-1}$] ion, **614–615**, 120
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of $[LnCl_2(THF)_5][nido\text{-}C_2B_9H_{12}]$ (Ln = Y, Yb), **614–615**, 107
Schiff-base
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, **604**, 248
Schiff base
Polynuclear cyclometallated palladium (II) complexes derived from potentially hexadentate Schiff base ligands. Crystal structures of $[(Cl)Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd(Cl)]$ and $[\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}Pd\{Me_2NCH_2CH_2N{=}(H)C\}C_6H_2\{C(H){=}NCH_2CH_2NMe_2\}Pd\{(Ph_2PCH_2CH_2)_2PPh\text{-}P,P,P\}][Cl]_2$, **612**, 85
Schiff bases
Chiral cyclopalladated liquid crystals from amino acids, **601**, 305
Influence of phenyl ring substituents in the cyclometallation of Schiff base ligands: crystal and molecular structures of $[Pd\{3,4\text{-}(OCH_2O)C_6H_2C(H){=}N(Cy)\text{-}C2,N\}(\mu\text{-}O_2CMe)]_2$ and $[Pd\{3,4\text{-}(OCH_2CH_2O)C_6H_2C(H){=}N(Cy)\text{-}C6,N\}(\mu\text{-}O_2CMe)]_2$, **598**, 71
New cyclometallated platinum(II) compounds with thiosemicarbazones: crystal and molecular structure of $[Pt\{4\text{-}MeC_6H_3C(Me){=}NN{=}C(S)NH_2\}(PPh_3)]$, **595**, 199
The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, **593–594**, 86
Scorpion
New palladium complexes with rigid scorpion-type ligands. Crystal structure of complexes $[Pd(\eta^3\text{-}2\text{-}CH_3\text{–}C_3H_4)(bpz^*mPh)](CF_3SO_3)$ and $[Pd(bpz^*mpy)_2](BF_4)_2$. bpz*mPh = phenyl-bis(3,5-dimethylpyrazol-1-yl)methane; bpz*mpy = pyridin-2-yl-bis(3,5-dimethylpyrazol-1-yl)methane, **603**, 174
Secondary amines
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)-β-aminovinylsilanes, **604**, 186
Secondary phosphine
New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes $Pd(PPh_2H)_4$ and $[Pd(PPh_2H)_4](BF_4)_2$, **593–594**, 12
Second generation ligands
Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)methane]$Mn(CO)_3$}SO_3CF_3 complexes: comparison of ligand donor properties, **607**, 120
Selective catalysis
Synthesis and molecular structure of $[RuCl\{C(=CHPh)OC(=O)CH_2CH_3\}(CO)(PPh_3)_2]$: a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, **601**, 69
Selectivity
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, **604**, 7
ortho-Metalated dirhodium(II)-catalyzed α-diazocarbonyl transformation. Diastereoselective cyclopropanation of menthyl-α-diazo-β-keto ester and C–H insertion of α-diazo ester, **612**, 36
1,2,3-Selenadiazole
The reaction of 1,2,3-selenadiazole with olefins, **611**, 488
Selenide
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, **611**, 547
Selenium
Reaction of $[Et_3NH][(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]$ (E = S, Se) with azides. Synthesis of $(\mu\text{-}RE)(\mu\text{-}p\text{-}R'C_6H_4N_3H)Fe_2(CO)_6$ and crystal structure of $(\mu\text{-}Bu^tS)(\mu\text{-}PhN_3H)Fe_2(CO)_6$, **601**, 87
Reaction of $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-}RE)[\mu\text{-}\eta^2\text{-}N{=}NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-}PhSe)[\mu\text{-}\eta^1\text{-}N{=}NCH(Me)CO_2Me]Fe_2(CO)_6$, **604**, 214
Selenium heterocycles
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, **611**, 136
Selenol
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, **611**, 463

Self-assembled monolayer
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, **611**, 566
Semicarbazone
Reactivity of cyclometallated semicarbazone complexes of Pd(II): crystal and molecular structures of [Pd{$C_6H_4C(Et)$=NN(H)C(=O)NH_2}(PPh$_3$)][ClO_4] and [Pd{$C_6H_4C(Et)$=NN(H)C(=O)NH_2}{($Ph_2PCH_2CH_2$)$_2$PPh-*P*,*P*,*P*}][Cl], **598**, 1
Semiconducting properties
Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, **605**, 102
Semiconductors
Polycarbodiimidogermylene: synthesis, characterization, properties and theoretical studies, **612**, 69
Semi-empirical calculations
Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, **605**, 82
Semipseudocloso
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_{11}$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, **614–615**, 153
Seven-coordinate
Cis- and *trans*-bis(diphenylphosphino)ethene seven-coordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of [$MI_2(CO)_3$(*cis*-dppen)] {M = Mo or W; dppen = bis(diphenylphosphino)ethene}, [$WI(CO)_2$(*cis*-dppen)$_2$]I, [$MI_2(CO)_2$P(OR)$_3$}(*cis*-dppen)] (M = Mo, R = Me; M = W, R = Et or Ph), **602**, 115
Si/C/H polymers
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, **605**, 202
Silaaromatics
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, **604**, 20
Silabenzene
Stable aromatic compounds containing heavier Group 14 elements, **611**, 228
Silaboration
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403
1,2-Silacyclobutene
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, **611**, 420
Silacyclopent-3-ene
IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, **605**, 202
Sila-Dewar benzene
Stable aromatic compounds containing heavier Group 14 elements, **611**, 228
Silaethene
Addukte der Ethene Me_2E–$C(SiMe_3)_2$ (E = Si, Ge, Sn) mit LiR und RN_3: Wie rasch bilden sie sich?, **598**, 304
Dimere der Ethene Me_2E–$C(SiMe_3)_2$ (E = Si, Ge, Sn): Auf welchem Wege entstehen sie aus Me_2EX–$CM(SiMe_3)_2$? Wie sind sie strukturiert?, **598**, 292
Silanaphthalene
Stable aromatic compounds containing heavier Group 14 elements, **611**, 228
Silane
Bithienylsilanes: unexpected structure and reactivity, **610**, 8
Formation and characterization of cyclic and polycyclic silthianes containing Si–Si bonds, **602**, 193
H_2 binding to and silane alcoholysis on an electrophilic Mn(I) fragment with tied-back phosphite ligands. X-ray structure of a Mn–CH_2Cl_2 complex, **609**, 95
Structurally characterised silyls, **608**, 164
Silane dendrimers
Silane dendrimers containing titanium complexes on their periphery, **602**, 208
Silane–germane copolymers
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, **611**, 26
Silanes
Catalysis of hydrosilylation: Part XXXIV. High catalytic efficiency of the nickel equivalent of Karstedt catalyst [{Ni(η-CH_2–$CHSiMe_2$)$_2$O}$_2${μ-(η-CH_2–$CHSiMe_2$)$_2$O}], **597**, 175
Catalytic and stoichiometric reactions of tertiary silanes with [Ir($Me)_2$Cp*L] (Cp* = η^5-C_5Me_5; L = PMe_3, PMe_2Ph, $PMePh_2$, PPh_3) in the presence of one-electron oxidants. A unique case of Si–H, Si–C, Ir–C and P–F bonds one-step activation: crystal structure of [Ir(Ph)(SiPh$_2$F)Cp*(PMe_3)], **593–594**, 154
Dehydrocoupling reactions of amines with silanes catalyzed by [(Et_2N)$_3$U][BPh_4], **610**, 49
Molecular structure and conformational composition of decamethyl-*n*-tetrasilane, Si_4Me_{10}, by gas electron diffraction and density functional theory calculations, **597**, 87
New zwitterionic heterocycles derived from 1-chloro(dimethyl)silyl-1-borylalkenes and 2-lithio-1-methylimidazole and 1-lithio-indazole, **602**, 45
Synthesis, structure and spectroscopic properties of branched oligosilanes, **613**, 208
Silanethiolate
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, **596**, 193
Silanol
Crystal and molecular structure of di-*tert*-butylhydridosilanol, **602**, 170
Crystal and molecular structures of 4,4′-bis(dimethylhydroxysilyl)-biphenyl and *m*-bis(dimethylhydroxysilyl)benzene, **593–594**, 161
Silanones
Matrix isolation infrared and density functional theoretical studies of cryogenic reactions of silicon atoms with dimethyl ether and methanol: new route to generation and stabilization of transient silanones, **595**, 248
1-Silaphenalene
Enhanced nucleophilicity of ambiphilic silylene and silylenoid bearing 8-(dimethylamino)-1-naphthyl group, **600**, 118
Silaprismane
Stable aromatic compounds containing heavier Group 14 elements, **611**, 228
Silatranyl complexes
Silatranyl, hydride complexes of osmium(II) and osmium(IV): crystal structure of Os(Si{OCH_2CH_2}$_3$N)H_3(PPh_3)$_2$, **609**, 177
Silylide
Enhanced nucleophilicity of ambiphilic silylene and silylenoid bearing 8-(dimethylamino)-1-naphthyl group, **600**, 118
Silazirconacyclopentene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, **611**, 304
Silene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, **611**, 304

Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyl-tris(trimethylsilyl)silane with mono(silyl)acetylenes, **611**, 248
Silene dimerization
Head-to-head versus head-to-tail dimerizations of transient silenes — the generation and dimerization behavior of 2-(2-dimethylaminoaryl)-1,1-bis(trimethylsilyl)silenes, **598**, 395
Silenes
Head-to-head versus head-to-tail dimerizations of transient silenes — the generation and dimerization behavior of 2-(2-dimethylaminoaryl)-1,1-bis(trimethylsilyl)silenes, **598**, 395
Silica
Aqueous enantioselective hydrogenations involving silica-heterogenised catalysts, **603**, 80
Preparation and characterization of immobilized constrained-geometry hafnium complexes, **606**, 169
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, **593–594**, 96
Silica xerogels
Formation of a Pt_1Sn_1(niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, **596**, 252
Silicon
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, **609**, 60
Catalysis of hydrosilylation: Part XXXIV. High catalytic efficiency of the nickel equivalent of Karstedt catalyst [{Ni(η-CH_2=$CHSiMe_2$)$_2$O}$_2${μ-(η-CH_2=$CHSiMe_2$)$_2$O}], **597**, 175
Crystal and molecular structure of di-*tert*-butylhydridosilanol, **602**, 170
Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-(tris(trimethylsilyl)stibine)chromium, **608**, 60
cyclo-Boratrisiloxane and *cyclo*-diboratetrasiloxane derivatives and their reactions with amines: crystal and molecular structure of (*p*-BrC_6H_4BO)$_2$(Ph_2SiO)$_2$, **595**, 241
Direct displacement of chlorine or iodine in reactions of $(Me_3Si)_2CSiRR'X$ with metal salts, **598**, 222
Disupersilyldisilane R*X_2Si–SiX_2R*: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, **612**, 141
Enhanced nucleophilicity of ambiphilic silylene and silylenoid bearing 8-(dimethylamino)-1-naphthyl group, **600**, 118
Head-to-head versus head-to-tail dimerizations of transient silenes — the generation and dimerization behavior of 2-(2-dimethylaminoaryl)-1,1-bis(trimethylsilyl)silenes, **598**, 395
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, **606**, 125
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, **611**, 547
Regiospecific synthesis of alpha-lithiated alkoxysilanes, **595**, 87
Structurally characterised silyls, **608**, 164
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, **599**, 147
Synthesis of –{Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]Me$_2$Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]}– via selective CO-substitution of –[Me_2Si-η^5-C_5H_4Fe(CO)$_2$Me$_2$Si-η^5-C_5H_4Fe(CO)$_2$]– by P(OR)$_3$ (R = Ph, ^{n}Bu, ^{i}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]Me$_2$Si - η^5 - C_5H_4Fe(CO)[P(OMe)$_3$]}, **613**, 1
Synthesis, structure and spectroscopic properties of branched oligosilanes, **613**, 208
The thermal rearrangement of –[Me_2Si-η^5-C_5H_4(CO)Fe(CO)$_2$-Fe(CO)-η^5-$C_5H_4SiMe_2$]– in the presence of phosphorus ligands, **595**, 268
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, **604**, 141
Silicon atoms
Matrix isolation infrared and density functional theoretical studies of cryogenic reactions of silicon atoms with dimethyl ether and methanol: new route to generation and stabilization of transient silanones, **595**, 248
Silicon clathrate
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, **611**, 543
Silicon organic compounds
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, **613**, 220
Silicon–silicon bonds
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, **611**, 12
Silole
New type of polysilanes: poly(1,1-silole)s, **611**, 5
Silole dianion
Stable aromatic compounds containing heavier Group 14 elements, **611**, 228
Silthiane
Formation and characterization of cyclic and polycyclic silthianes containing Si–Si bonds, **602**, 193
Silver
Boride cluster fusion through copper and silver. Crystal structure of [(Ph_3P)$_2$N][(HRu_4(CO)$_{12}$BH)$_2$Ag], **614–615**, 202
Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, **613**, 99
The ligand [Cp_2MoH_2] in complexes with Ag–S bonds, **609**, 44
Silver complexes
Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph_2P ligand, **593–594**, 392
1,2,4-Triazolium-5-ylidene and 1,2,4-triazol-3,5-diylidene as new ligands for transition metals, **600**, 112
Silver(I)
Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η^2-alkynyl) transition-metal complexes. The molecular structure of [(η^5-$C_5H_4SiMe_3$)$_2$Ti(C≡CFc)$_2$]CuBr, **601**, 93
Silyl
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, **611**, 299
Structurally characterised silyls, **608**, 164
Silyl acetylene
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyl-tris(trimethylsilyl)silane with mono(silyl)acetylenes, **611**, 248
Silyl anions
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, **604**, 208
Silylation
On the in situ trimethylsilylation of zinc acetylides, **601**, 341
Silylborane
Palladium-catalyzed regioselective silaboration of 1,2-dienes, **611**, 403
Silyl complex
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, **611**, 332
Silyl complexes
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, **611**, 323
The synthesis, structure, and reactivity of the osmium(IV) trihydrido silyl complex, $OsH_3(SiMe_3)(CO)(PPh_3)_2$, **593–594**, 458
Silylene
Enhanced nucleophilicity of ambiphilic silylene and silylenoid bearing 8-(dimethylamino)-1-naphthyl group, **600**, 118

IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, **605**, 202
Silylene complex
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, **611**, 314
Silylenoid
Enhanced nucleophilicity of ambiphilic silylene and silylenoid bearing 8-(dimethylamino)-1-naphthyl group, **600**, 118
Silyl ligand
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, **611**, 308
Silylstannane
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, **611**, 20
Silyl substituted bipyridyl ligands
Ruthenium and rhenium complexes with silyl-substituted bipyridyl ligands, **612**, 117
Silyl thioketone
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, **611**, 449
Single electron transfer
Fluoro-functionalization mediated by the reactive chalcogen reagents, **611**, 158
Single-point ab initio calculation
The structures of $[Ph_2XS{-}N{-}SPh_2NH]^+$ cations (X=NH, O), **611**, 272
Single-source precursors
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, **616**, 128
Singlet oxygen
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, **608**, 49
^{29}Si-NMR
Formation and characterization of cyclic and polycyclic silthianes containing Si–Si bonds, **602**, 193
Stable cyclic and acyclic persilyldisilenes, **611**, 236
Si–Sn dendrimer
$Si(CH_2CH_2SnH_3)_4$ — a unique organotin hydride featuring 12 SnH units in a dendritic molecule. Single-crystal X-ray structures of tetrakis(2-stannylethylene)silane and tetrakis[2-(triphenylstannyl)ethylene]silane, **609**, 189
4*S*-Isopropyl-1,3-thiazolidine-2-thione
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, **611**, 172
Si-sp^3 network
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, **611**, 543
Site-directed mutagenesis
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, **611**, 593
Small cage carborane
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, **614–615**, 10
Small rings
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B{\cdot}NHMe_2$ and $(HOOC)(F_3C)_2B{\cdot}NHMe_2$, **604**, 43
^{119}Sn-NMR spectroscopy
Novel triphenyltin substituted derivatives of heavier alkaline earth metals, **613**, 139
S_N2 reaction
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, **611**, 494
S_2O
Oxidation of tetrathiolanes: isolation of a *cis*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', **611**, 127
Sodium
Reactions of nickelocene with sodium in the presence of terminal alkenes, **597**, 133
Sodium borohydride
Methods of enhancement of reactivity and selectivity of sodium borohydride for applications in organic synthesis, **609**, 137
Reaction of (1-azabuta-1,3-diene)tricarbonyliron(0) complexes with sodium borohydride under microwave conditions, **603**, 240
Sodium tetraphenylborate
Rhodium-catalyzed phenylation of *N*-arylsulfonyl aldimines with sodium tetraphenylborate or trimethyl(phenyl)stannane, **595**, 31
Sol–gel chemistry
Formation of a Pt_1Sn_1(niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, **596**, 252
Sol-gel materials
Pd(II) and Rh(I) chelate complexes of the bidentate phosphino–thiourea ligand $PhNHC(S)NHCH_2CH_2PPh_2$: structural properties and activity in homogeneous and hybrid catalysis, **593–594**, 431
Sol–gel method
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, **611**, 40
Solid–gas reactivity
Solution and solid–gas reactivity of unsaturated $[RuCp(tmeda)]^+$ (tmeda = $Me_2NC_2H_4NMe_2$), **593–594**, 342
Solid-state
Structurally characterised silyls, **608**, 164
Solid state NMR
^{59}Co-NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, **604**, 27
Solid state structure
Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[Ir_4(CO)_{11}(CPh{=}CHPh)]^-$ and $[Ir_6(CO)_{14}(COOMe)_2]^{2-}$, **593–594**, 63
Solvatochromism
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)-cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, **611**, 570
Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, **601**, 293
Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyridyl azo ligands, **596**, 36
Synthesis, characterization and spectroscopic properties of 1,2-diiminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, **610**, 16
Thermochromism and solvatochromism of non-ionic polar polysilanes, **611**, 45
Solvent effect
Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, **608**, 49
Solvent effects
Solvent effects on the rate of oxidative addition of methyl iodide to di(4-thiocresol)(2,2′-bipyridyl) platinum(II), **599**, 166
Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes, **593–594**, 274
Sonogashira coupling
Synthesis of the diphenylacetylene-based, tetra-amine ligand 1,2-bis(3,5-bis[(dimethylamino)methyl]phenyl)acetylene by palladium-catalysed cross-coupling: isolation and crystal structure of the catalyst *trans*-(3,5-bis[(dimethylamino)methyl]phenyl)-bis(triphenylphosphine)palladium(II) iodide, **598**, 24

Spectroelectrochemistry
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, $n = 1$, 2; abpy = 2,2'-azobispyridine, **604**, 267
Spectroscopic studies
Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, **605**, 102
Spin-crossover
Restudies of the spin state in (isothiocyanato)(pyridine)-(porphinato)iron(III) hemipyridine complex. A spin-crossover complex with two magnetically distinct sites, **601**, 253
Spirocycles
Organotransition metal-modified sugars: Part 16. Diastereoselective synthesis of carbohydrate-derived spirocyclic 2-oxacyclohexylidene chromium and tungsten complexes, **602**, 37
Spirolactones
Efficient synthesis of spirolactones from cyclic anhydrides via an allylation/alkylation-RCM sequence, **606**, 93
SpyH
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), **609**, 110
(2*S*,4*S*)-4-Azido-1-benzyloxycarbonyl-2-(*t*butylaminocarbonyl)pyrrolidine
New mono- and polyazafulleroids $C_{60}(NR)_n$ ($n = 1, 2, 4, 6$) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with $[RhCl(CO)_2]_2$, **599**, 8
Stability
Structural properties of the metallointercalator cationic complex (2,2':6',2''-terpyridine)methylplatinum(II) ion, **593–594**, 403
Stability constants
Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^I tricarbonyls, **593–594**, 267
Stable germylene
Bis(trimesitylgermylcarbodiimido)germylene, trimesitylgermylcyanamide and trimesitylgermylcarbodiimide, **595**, 153
Stannaethene
Addukte der Ethene $Me_2E{=}C(SiMe_3)_2$ (E = Si, Ge, Sn) mit LiR und RN_3: Wie rasch bilden sie sich?, **598**, 304
Dimere der Ethene $Me_2E{=}C(SiMe_3)_2$ (E = Si, Ge, Sn): Auf welchem Wege entstehen sie aus $Me_2EX{-}CM(SiMe_3)_2$? Wie sind sie strukturiert?, **598**, 292
Stannanes
Novel triphenyltin substituted derivatives of heavier alkaline earth metals, **613**, 139
Stannocanes
Synthesis, characterization and X-ray structure of stannocanes substituted with a cyclic dithiophosphate ligand $X(CH_2CH_2S)_2Sn^nBu$ [$S_2P(OCH_2C(Et_2)CH_2O)$], (X = O, S): a study about the conformational tendencies and the relationship with the anomeric effect of the stannocane rings, **598**, 160
Stannyl-cobalt complex
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, **616**, 89
Stapled ribbons
The organometallic double metal cyanide $[(Me_2Sn)_3\{Co(CN)_6\}_2 \cdot 6H_2O]$. A three-dimensional framework of infinite, stapled ribbons, **604**, 34
Stereochemistry
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine]-(ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]-platinum(II), **605**, 68
Stereoelectronic effects
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, **613**, 220
Stereoisomers
Mixed reagent (aminosilyl)lithium/*i*-PrMgBr for the synthesis of functionalized oligosilanes, **601**, 259
Synthesis and structure of mono- and bis(tricarbonylchromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, **608**, 6
Stereoselective allylation
Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes, **593–594**, 380
Stereospecificity
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, **611**, 20
Sterically crowded
Sterically crowded aryloxides of aluminum: intramolecular coordination of bidentate ligands, **597**, 29
Sterically encumbered
Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3$-2,6-$Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), **609**, 152
Steric crowding
Some past vignettes of and future prospects for Main Group chemistry, **600**, 168
Steric effects
Disupersilyldisilane $R^*X_2Si{-}SiX_2R^*$: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, **612**, 141
Steric Hindrance
Direct displacement of chlorine or iodine in reactions of $(Me_3Si)_2CSiRR'X$ with metal salts, **598**, 222
Steric protection
Protecting groups for stabilization of inter-element linkages, **611**, 210
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, **611**, 146
Steroids
The $Co_3(CO)_9C$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, **593–594**, 232
Stibine complex
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, **611**, 558
Stille coupling
Conversion of tributylstannylferrocene to a variety of heteroaryl ferrocenes, **598**, 348
Stille reaction
A novel synthesis of 1,1'-unsymmetrical disubstituted heteroarylferrocene, **612**, 172
(s-*trans*-η^4-Butadiene)tantalocene cation
Reaction of phenylacetylene with (butadiene)tantalocene cation, **593–594**, 388
Strong acid
Formation of $M(CO)_4^+$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, **606**, 147
Strontium
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, **607**, 112
Structural correlation
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, **611**, 164

Structural relaxation
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, **611**, 525
Structure
Anionic dichlorolanthanocene compounds. X-ray crystal structures of [{(Me3Si)2C5H3}2LnCl2][Li(THF)4] (Ln = Er, Yb) and {(Me3Si)2C5H3}2Yb(μ-Cl)2Li(THF)2, **601**, 160
Cyanide bridged trinuclear complexes with Fe–CN–MCl2–NC–Fe backbones (M = Ni, Cu, Zn), **593–594**, 44
Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, **613**, 99
Oligonuclear cyanide complexes from silver containing building blocks, **614–615**, 131
Reaction of [Et3NH][(μ-RE)(μ-CO)Fe3(CO)9] (E = S, Se) with azides. Synthesis of (μ-RE)(μ-p-R'C6H4N3H)Fe2(CO)6 and crystal structure of (μ-Bu'S)(μ-PhN3H)Fe2(CO)6, **601**, 87
Reaction of [(μ-RE)(μ-CO)Fe3(CO)9]− (E = S, Se) with N2CHCO2Me. Synthesis and characterisation of (μ-RE)[μ-η2-N–NCH(R')CO2Me]Fe2(CO)6 and (μ-PhSe)(μ-η1-N–NCH-(Me)CO2Me]Fe2(CO)6, **604**, 214
Recent progress in the studies of endohedral metallofullerenes, **599**, 74
Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph2P ligand, **593–594**, 392
Structures and properties of complexes [MCl(C5Me5)-(N^S)](PF6), M = Rh, Ir, with N^S = 1-methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, **596**, 84
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, **614–615**, 195
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of [CpRu(dppe){SSO2(4-C6H4Cl)}], **612**, 14
Synthesis, characterization and X-ray structure of *N*-2-pyridylmethylidene-1-phenylethylamine–PdCl2 complexes, **608**, 1
Triphenylphosphine-substituted *N,N*-di-*iso*-propylcarbamate of ruthenium(II) and its reactions with carbon monoxide, **596**, 144
Structure correlation study
An intramolecular N–H···Co hydrogen bond and a structure correlation study of the pathway for protonation of the Co(CO)3L− anion (L = CO, PR3), **609**, 36
Structure determinations
Synthese und Struktur von {{*N*-[Bis(diisopropylamino)-phosphanyl]amino(phenyl)carben}dicarbonyl(η5-methylcyclopentadienyl)mangan(0)} und versuchte Darstellung von {[2-Bis(trimethylsilyl)methyl-3-phenyl-2*H*-azaphosphiren-κ*P*]-dicarbonyl(η5-methylcyclopentadienyl)mangan(0)}, **595**, 12
Structure elucidation
Novel triphenyltin substituted derivatives of heavier alkaline earth metals, **613**, 139
Synthesis, structure and spectroscopic properties of branched oligosilanes, **613**, 208
Structure of dihydro-9-silaanthracene
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, **604**, 20
Structures
Reactions of [{μ-η2-C(R1)–CHR2}(μ-CO)Fe2(CO)6]− with (μ-S2)-Fe2(CO)6: synthesis and structures of [μ-η2-C(R1)–CHR2](μ-RS)[Fe2(CO)6]2(μ4-S) (R = alkyl, phenyl or acyl), **595**, 158
Styrene
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, **616**, 37
Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, **608**, 115
On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, **601**, 100
Styrene polymerization
Non-bridged amido cyclopentadienyl complexes of titanium: synthesis, characterization, and olefin polymerization catalysis, **598**, 179
Substituent effects
Synthesis, characterization and spectroscopic properties of 1,2-diiminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, **610**, 16
Triple bonds between heavier Group 14 elements. A theoretical approach, **611**, 264
Substituted benzhydroximic acids
Benzhydroximic acids — NMR study of trimethylsilyl derivatives, **597**, 200
Substitution
Nucleophilic vinylic substitutions of λ5-vinyliodanes, **611**, 494
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, **611**, 100
Synthesis of –{Me2Si-η5-C5H4Fe(CO)[P(OR)3]Me2Si-η5-C5H4Fe(CO)[P(OR)3]}– via selective CO-substitution of –[Me2Si-η5-C5H4Fe(CO)2Me2Si-η5-C5H4Fe(CO)2]– by P(OR)3 (R = Ph, "Bu, "Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me2Si-η5-C5H4Fe(CO)[P(OMe)3]Me2Si - η5 - C5H4Fe(CO)[P(OMe)3]}–, **613**, 1
The kinetics and mechanisms of reactions involving the dihydrogen complex *trans*-[FeH(H2)(DPPE)2]+ and related compounds, **609**, 29
The reactions of *cis*-[Fe2(η-C5H5)2(CO)2(μ-CNMe2)2][SO3CF3]2 and related compounds with nucleophiles, **612**, 18
The thermal rearrangement of –[Me2Si-η5-C5H4(CO)-Fe(CO)2Fe(CO)-η5-C5H4SiMe2]– in the presence of phosphorus ligands, **595**, 268
Substitution reactions
Kinetics and mechanisms of the ligand substitution of (η5-C9H7)M(CO)3, where M = Nb or Ta, and a reinvestigation of the kinetics of (η5-C5H5)M(CO)4. Molecular structure of (η5-C5H5)Nb(CO)3[P(C6H5)3], **605**, 168
Successive bond activation
Successive O–H and sp3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, **607**, 18
Sulfenic acids
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, **611**, 146
Sulfenium cation
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, **611**, 116
Sulfhydryl complex
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO2 in the homogeneously catalyzed Claus reaction, **596**, 193
Sulfide
Chalcogenide-TiCl4-mediated reactions of *S*-ethyl thioacrylate with aldehydes, **611**, 4557
Reactions of [Pt3(μ-S)3(PPh3)4] with Group 6 and 7 metal carbonyls; crystal structure of the apparently unsaturated heterometallic complex [Pt2Re(μ3-S)3(PPh3)4(CO)3]+, **595**, 276
Sulfides
An experimental and theoretical study of the electronic and molecular structure of [Zn4(?4-S){μ-S2P(OC2H5)2}6]: the first molecular model of ZnS, **593–594**, 307

Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides, **603**, 98

Sulfinimines
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, **611**, 445

Sulfinyl chloride
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, **603**, 249

Sulfonyl azide
Formation and reaction of three-membered cobaltathiaziridine ring in (η⁵-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, **611**, 376

Sulfoxidation
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, **603**, 249

Sulfoxide
Complexes *cis*-[$PdCl_2$(OSMeR)$_2$] (R = Me, Ph, and C_6H_4Me-4) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, **601**, 51
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, **611**, 172

Sulfoxides
Catalytic applications of F_8BINOL: asymmetric oxidation of sulfides to sulfoxides, **603**, 98

Sulfur
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, **609**, 60
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os halfsandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, **604**, 170
Reaction of [Et_3NH][(μ-RE)(μ-CO)$Fe_2(CO)_6$] (E = S, Se) with azides. Synthesis of (μ-RE)(μ-p-$R^1C_6H_4N_3H$)$Fe_2(CO)_6$ and crystal structure of (μ-Bu^{t}S)(μ-PhN$_3$H)$Fe_2(CO)_6$, **601**, 87
Reaction of [(μ-RE)(μ-CO)$Fe_2(CO)_6$] (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of (μ-RE)(μ-η²-N–NCH(R^1)CO_2Me]$Fe_2(CO)_6$ and (μ-PhSe)(μ-η¹-N–NCH-(Me)CO_2Me]$Fe_2(CO)_6$, **604**, 214
Reactions of [(μ-RS)(μ-S){$Fe_2(CO)_6$}$_2$(μ$_4$-S)] with acid chlorides and diacid chlorides. Crystal structure of (μ-$PhCH_2$S)(μ-CH_2–C(Me)COS][$Fe_2(CO)_6$]$_2$(μ$_4$-S), **601**, 108
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of [CpRu(dppe){SSO_2(4-C_6H_4Cl)}], **612**, 14
Synthesis and spectroscopic characterisation of compounds with formula [{$Fe_2S_2(CO)_6$}$_2$$Ph_2P(CH_2)_nPPh_2${$Fe(CO)_4$}] and [{$Fe_2S_2(CO)_6$}$_2$$Ph_2P(CH_2)_nPPh_2$] (*n* = 3, 4 and 6), **595**, 191
Synthesis, optical nonlinearity and crystal structure of a novel mixed-chalcogen, thiolato-bridged complex [(η⁵-C_5H_5)$_2$$Mo_2$(μ-S)(μ-Te)(μ-$SPh)_2$], **595**, 140

Sulfur dioxide
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide: possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, **596**, 193
Reactivity of [$Fe_2(CO)_6$(μ-CO)(μ-dppm)] towards unsaturated sulfur-containing compounds, SO_2, CS_2 and ArNCS: facile carbon–sulfur bond cleavage at the diiron centre, **595**, 134

Sulfur heterocycles
Reactions of transition-metal η¹-propargyl complexes with sulfur dioxide and sulfur trioxide: transition-metal–carbon bond cleaving reactions of the cycloadducts which yield 1,2-oxathiole-2-oxides and -2,2-dioxides, **598**, 150
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, **611**, 136

Sulfur–phosphorus bond
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, **611**, 449

Sulfur–silicon bond
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, **611**, 449

Superacid
Formation of $M(CO)_4^-$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, **606**, 147

Superoxide
Synthesis and superoxide dismutase activity of novel iron complexes, **611**, 586

Superoxide anion
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, **613**, 170

Superoxide dismutase
Synthesis and superoxide dismutase activity of novel iron complexes, **611**, 586

Supramolecular
Future prospects in organometallic chemistry of the Main Group metals: small molecules — supramolecular chemistry, **600**, 174

Supramolecular assemblies
Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene: 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ^4-benzotellurole-2,2-diyl diiodide, **608**, 96

Supramolecular structure
Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, **596**, 226

Surface area effects on heterogeneous reaction rates
Improved synthesis and crystal structure of tetrakis(acetonitrile)(η⁴-1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1 −)], **610**, 112

Surface organometallic chemistry
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, **593–594**, 96

Surface species
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, **593–594**, 96

Surfactant
Rhodium-catalyzed reduction of α-amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, **604**, 99

Suzuki coupling
Water-soluble phosphines: Part XII. Pd catalyzed P–C coupling reactions: a novel synthetic route to cationic phosphines with *para*- and *meta*-guanidiniumphenyl moieties, **602**, 158

Suzuki reaction
N-Heterocyclic carbenes: Part 26. *N*-Heterocyclic carbene complexes of palladium(0): synthesis and application in the Suzuki cross-coupling reaction, **595**, 186

Sydnonylphosphinepalladium chloride
Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, **610**, 1

Sydnonylphosphines
Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, **610**, 1

Symmetrical cleavage
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, **614–615**, 5
Syn/*anti* isomers
Synthesis, structure and reactivity of homobimetallic Rh(I) and Ir(I) complexes of *s*- and *as*-indacene-diide, **600**, 94
Synchrotron
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
Synergism
Metal segregation in bimetallic clusters and its possible role in synergism and bifunctional catalysis, **600**, 1
Syntheses
Mesitylpseudohalogermanes $Mes_2Ge(CN)_2$ and Mes_3GeX (X = CN, NCS, N_3, NCO and OH; Mes = 2,4,6-trimethylphenyl): syntheses, crystal and molecular structures, **598**, 276
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, **613**, 19
Synthesis
Alkali-metal fullerides MC_{60} (THF)$_x$ (M = Li, Na, K): a new solution-phase method for the preparation and characterization with ESR, UV–NIR and IR spectroscopy, **599**, 69
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1′-[P]$_2$-ferrocene ligand, **599**, 37
CFC replacement HCFC-133a (CF_3CH_2Cl) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, **616**, 96
Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η^3-propenyl- and η^3-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, **605**, 28
Heteroleptic diphenylamido complexes of ytterbium: syntheses and molecular structures of $(MeC_5H_4)_2YbNPh_2(THF)$ and $(C_5Me_5)_2YbNPh_2$, **598**, 359
N-Heterocyclic carbenes: state of the art in transition-metal-complex synthesis, **600**, 12
Reaction of $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-}RE)[\mu\text{-}\eta^2\text{-}N{=}NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-}PhSe)[\mu\text{-}\eta^1\text{-}N{=}NCH(Me)CO_2Me]Fe_2(CO)_6$, **604**, 214
Reactions of $[\{\mu\text{-}\eta^2\text{-}C(R^1){=}CHR^2\}(\mu\text{-}CO)Fe_2(CO)_6]^-$ with $(\mu\text{-}S_2)Fe_2(CO)_6$: synthesis and structures of $[\mu\text{-}\eta^2\text{-}C(R^1){=}CHR^2]\text{-}(\mu\text{-}RS)[Fe_2(CO)_6]_2(\mu_4\text{-}S)$ (R = alkyl, phenyl or acyl), **595**, 158
Reactions of $[(\mu\text{-}RS)(\mu\text{-}S)\{Fe_2(CO)_6\}_2(\mu_4\text{-}S)]^-$ with acid chlorides and diacid chlorides. Crystal structure of $(\mu\text{-}PhCH_2S)[\mu\text{-}CH_2{-}C(Me)COS][Fe_2(CO)_6]_2(\mu_4\text{-}S)$, **601**, 108
Recent progress in the studies of endohedral metallofullerenes, **599**, 74
Syntheses and structures of di- and trinuclear heterometallic complexes with nitrido bridges between rhenium and titanium, **593–594**, 175
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, **611**, 52
Synthesis and properties of some novel ferrocene macrocyclic dioxopolyamines, **598**, 42
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides $Cp^*LnCl_2{\cdot}2THF$ (Ln = Dy, Ho, Gd) and $Cp^*_2LnCl{\cdot}(Ln = Sm, Dy)$. The crystal structures of Cp^*_2SmCl and $Cp^*_2Sm{\cdot}(C_3N_2HMe_2)$, **612**, 176
Synthesis and X-ray structures of manganese(I) and rhenium(I) formato complexes, *fac*-(CO)$_3$(dppp)M–OC(H)O, **599**, 308
Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, **601**, 133
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, **604**, 141
Synthon
Synthesis and characterization of some mono and binuclear $(\eta^3{:}\eta^3\text{-}C_{10}H_{16})$ containing ruthenium(IV) complexes. Crystal structure of $[Ru(\eta^3{:}\eta^3\text{-}C_{10}H_{16})Cl_2(CNPy)]$, **613**, 250
Synthesis and spectroscopic properties of cationic Ru(II) arene complexes $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$. (P = PPh_3, PEt_3, $MePPr^i_2$ and L = 4-cyanopyridine or 1,4-dicyanobenzene), **605**, 74

Tacticity
N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, **606**, 8
Tandem cyclization
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, **616**, 89
Tantalum
1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $TaCl_2(\eta^5\text{-}C_5Me_5)(\eta^4\text{-}1\text{-aza-}1,3\text{-butadiene})$, **593–594**, 69
Chemical behaviour of alkyl imido cyclopentadienyl niobium and tantalum(V) complexes in insertion processes. X-ray crystal structures of $[MCpCl(NAr)\{\eta^2\text{-}C(Me){=}NAr\}]$ (Ar = 2,6-$Me_2C_6H_3$; M = Nb, Cp = $\eta^5\text{-}C_5H_4SiMe_3$; M = Ta, Cp = $\eta^5\text{-}C_5Me_5$) and $[Ta(\eta^5\text{-}C_5Me_5)Me(NAr)\{\eta^2\text{-}C(CH_2CMe_2Ph){=}O\}]$ (Ar = 2,6-$Me_2C_6H_3$), **595**, 36
Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of $[PhC(NSiMe_3)_2]_2TaF_3$ and $[PhC(NSiMe_3)_2]_2TaFPh_2$, **607**, 227
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, **593–594**, 96
Tautomerisation
Synthesis and characterisation of cyclometallated orthoazobenzene complexes of Ru(II): crystal and molecular structure of $[RuCl(CO)(\eta^2\text{-}C,N\text{-}C_6H_4N{=}NPh)(PPh_3)_2]{\cdot}0.5CHCl_3{\cdot}0.5Et_2O$. Is there a similarity to the hydroxyazo/ketohydrazone tautomerisation in *ortho*-hydroxyazobenzenes?, **601**, 164
TB, MC
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, **611**, 178
TCNE
Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, **604**, 150
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula $(\eta^5\text{-}C_5Me_5)Re(NO)(PR_3)(CH_3)$: in search of radical cations with enhanced kinetic stabilities, **616**, 44
T-dependent
^{57}Fe-Mössbauer spectroscopic study of monomeric and polymeric ferrocenyl- and octamethylferrocenyl-substituted ethynes, **612**, 1
Te–chloro,*Te*–anisyl-1a-aza-4-oxa-3-tellura-1*H*,2*H*,4a*H*-9-fluorenone *N*-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (L^1): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of L^1, its oxidized product and of $[RuCl_2(p\text{-cymene}){\cdot}L^1]$, **605**, 39
Technetium
New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23
Tecton
Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, **607**, 222
Telluride cluster
Synthesis and molecular structure of $[Fe_3(\mu_3\text{-}H)(\mu_3\text{-}Te)(CO)_9]\text{-}[Cp^{\sigma}_2Nb(CO)_2]$ (Cp^{σ} = C_5Me_5, C_5Me_4Et), **603**, 135

Tellurium
Synthesis and crystal structures of the monomeric organotellurium(IV) trihalides: *trans*-2-ethoxy-cyclohexyl-tellurium(IV) trichloride, trichloro(2-chlorobicyclo[2.2.1]hept-7-yl)-λ^4-tellurane, and mesityltellurium(IV) tribromide, **598**, 49
Synthesis, optical nonlinearity and crystal structure of a novel mixed-chalcogen, thiolato-bridged complex $[(\eta^5\text{-}C_5H_5)_2Mo_2(\mu\text{-}S)(\mu\text{-}Te)(\mu\text{-}SPh)_2]$, **595**, 140
Template reactions
The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, **593–594**, 86
Terdentate ligands
Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, **593–594**, 180
Terminal alkynes
Alkyne diruthenium chemistry, **593–594**, 77
Terminal-bridge hydride exchange
Bridging-terminal exchange in *ansa*-bridged tetrahydroborate niobocene compounds: a density functional study, **609**, 83
Terpenoid
Syntheses and crystal structure of bridged Os_3-clusters with chiral 3-carane-type ligands, **604**, 1
Terphenyls
Sterically encumbered terphenyl substituted primary pnictanes $ArEH_2$ and their metallated derivatives ArE(H)Li (Ar = $-C_6H_3$-2,6-$Trip_2$; Trip = 2,4,6-triisopropylphenyl; E = N, P, As, Sb), **609**, 152
Terpyridine
2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-}PhC_2Ph)]I$ and $[WI(terpy)(\eta^2\text{-}PhC_2Ph)_2]I\cdot CDCl_3$, **604**, 191
Tertiary amine
Isocyanide ligation at ruthenium(II) complexes with chelating tertiary amine and porphyrin ligands. Structural and electrochemical studies, **595**, 114
Tertiary phosphines
$Rh(acac)(CO)(PR_3)$ and $Rh(oxinate)(CO)(PR_3)$ complexes—substitution chemistry and structural aspects, **602**, 59
Tetraalkylsilane
Functionalisation of tetraalkylsilanes derived from C–H activation: towards annulations of diterpenoids, **601**, 172
Tetra-amide
Synthesis and crystal structure of $[U(\eta\text{-}C_5H_5)]_2[\mu\text{-}\eta^4\text{:}\eta^4\text{-}HN(CH_2)_2N(CH_2)_2N(CH_2)_2NH]$, a dinuclear compound with a bridging tetra-amide ligand, **598**, 313
Tetraamine ligand
Synthesis of the diphenylacetylene-based, tetra-amine ligand 1,2-bis(3,5-bis[(dimethylamino)methyl]phenyl)acetylene by palladium-catalysed cross-coupling: isolation and crystal structure of the catalyst *trans*-(3,5-bis[(dimethylamino)methyl]phenyl)-bis(triphenylphosphine)palladium(II) iodide, **598**, 24
Tetrabromomethane
Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, **601**, 233
Tetracarbonyl complexes
Reaction of $[fac\text{-}(CO)_4(dppe)Mn(OH_2)]BF_4$ with ^{13}CO and conversion of the resulting tetracarbonyl to labeled isocyanato complexes, **610**, 118
Tetrachloromethane
Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, **601**, 233
Tetracobaltdodecacarbonyl
^{59}Co-NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, **604**, 27
Tetradentate ether–phosphine ligands
Synthesis, structure, and reactivity of ruthenium(II) complexes with a hemilabile tetradentate etherdiphosphine ligand, **601**, 220
Tetraethylpyrazabole
Solid state ^{13}C-NMR and X-ray studies on the structure of tetraethylpyrazabole, **613**, 93
Tetrahydrofurfurylcyclopentadienyl
Synthesis and studies on reactivities of tetrahydrofurfurylcyclopentadienyl lanthanide chlorides $Cp^*LnCl_2\cdot 2THF$ (Ln = Dy, Ho, Gd) and Cp^*_2LnCl (Ln = Sm, Dy). The crystal structures of Cp^*_2SmCl and $Cp^*_2Sm\cdot(C_3N_2HMe_2)$, **612**, 176
Tetrahydroindenyl ligand
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, **604**, 12
Tetrahydrothiophene
Coordinations of vinyltetrahydrothiophene to a trirhenium cluster, **596**, 102
Tetramethyldigermene
Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of ^1H CIDNP and laser pulse photolysis, **601**, 324
Tetramethyltetraaza[14]annulene
The metal–metal bond in the dibenzotetramethyltetraaza-[14]annulene–ruthenium dinuclear complex: a structural, magnetic, and theoretical analysis, **596**, 77
Tetranuclear
Reactions of metalloalkynes: Part 6. Synthesis of open tetrametallic clusters. Reaction of $[Ru(CO)_4(ethene)]$ with ethyne-1,2-diyl compounds. Single crystal X-ray structural determinations of $[Ru_4(\mu_4\text{-}CC)(\eta\text{-}C_5H_4R)_2(\mu\text{-}CO)_2(CO)_8]$ (R = H, Me), **598**, 28
Tetranuclear complex
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), **611**, 386
Tetranuclear complexes
Cyanide-bridged tetranuclear complexes with T-shaped $Pt(CN\text{–}M)_3$ arrangements, **597**, 38
Tetrarhodium dodecacarbonyl
The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, **608**, 76
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, **613**, 124
Tetrasilyldisilene
Stable cyclic and acyclic persilyldisilenes, **611**, 236
Tetrasubstituted benzene
Convenient syntheses, spectroscopic and structural characterisation of bi-functional boranes, **614–615**, 188
1,2,5,6-Tetrathiocin
Unsaturated cyclic compounds possessing disulfide linkage, **611**, 106
Tetrathiolane
Oxidation of tetrathiolanes: isolation of a *cis*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and ^1S_2O, **611**, 127
Tetrathiotungstate
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, **611**, 370
Tetrazolato
Synthesis and properties of arylpalladium(II) azido complexes $PdAr(N_3)(PR_3)_2$. Nucleophilic reactions of the azido ligand with CO and with isocyanides to afford Pd(II) isocyanate, *C*-tetrazolate and carbodiimide complexes, **603**, 152

Theoretical calculations
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/GLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, **614–615**, 195
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, **611**, 12
Theoretical studies
Polycarbodiimidogermylene: synthesis, characterization, properties and theoretical studies, **612**, 69
Theoretical study
Triple bonds between heavier Group 14 elements. A theoretical approach, **611**, 264
Thermal CVD
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, **611**, 531
Thermal decomposition
FTIR study of thermally induced transformations of trimethylsilylmethyl acetate in the temperature range 623–813 K, **599**, 185
Thermal reaction
Cyclopentadienyl transfer reaction: thermal reaction between $Re_2(CO)_{10}$ and a series of cyclopentadienyl transition metal complexes, **593–594**, 167
Thermochemistry
A sterically demanding nucleophilic carbene: 1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene). Thermochemistry and catalytic application in olefin metathesis, **606**, 49
Ruthenium(II) chemistry of phosphorus-based ligands, $Ph_2PN(R)PPh_2$ (R = Me or Ph) and $Ph_2PN(Ph)P(E)Ph_2$ (E = S or Se). Solution thermochemical study of ligand substitution reactions in the $Cp'RuCl(COD)$ (Cp' = Cp, Cp*; COD = cyclooctadiene) system, **599**, 159
Thermochromism
Thermochromism and solvatochromism of non-ionic polar polysilanes, **611**, 45
Thermolysis
C–F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of $[Os(SC_6F_4(F\text{-}2))(SC_6F_5)_2(PMe_2Ph)_2]$, $[Os(SC_6F_5)_3(o\text{-}S_2C_6F_4)(PMe_2Ph)]$ and $[Os(C_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)_2]$, **599**, 170
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, **614–615**, 144
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris(trimethylsilyl)silane with mono(silyl)acetylenes, **611**, 248
The reaction of 1,2,3-selenadiazole with olefins, **611**, 488
Thermoregulated phase-transfer catalysis
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, **616**, 37
Thiaborane cluster
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
Thia–Brook rearrangement
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, **611**, 449
Thiacrowns
Synthesis and structural characterization of chiral thiacrowns: the crystal and molecular structure of (*R,R,R*)-2,6,10-trimethyl-1,5,9-trithiacyclododecane, **596**, 115
1,3-Thiazolidine-2-thione
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, **611**, 172
Thienylcopper
Tetrameric thienylcopper and pentanuclear thienylcuprate, **595**, 102
Thienylcuprate
Tetrameric thienylcopper and pentanuclear thienylcuprate, **595**, 102
Thienylimines
Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}(PhCH_2NCH)C_4H_2S\}(PPh_3)]$, **601**, 22
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}((S)\text{-}PhCHMeNCH)C_4H_2S\}(SMe_2)]$, **604**, 178
Thiocarbonyl
Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, **608**, 139
Thioethers
Structures and properties of complexes $[MCl(C_5Me_5)(N^{\wedge}S)](PF_6)$. M = Rh, Ir, with N^S = 1-methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, **596**, 84
Synthesis, characterization and X-ray structural determination of palladium(0)–olefin complexes containing pyridin-thioethers as ancillary ligands. Equilibria and rates of olefin and ligand exchange, **601**, 1
Thiol
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, **611**, 463
Thiolate
Synthesis, structure, and reactivity of osmium π-thiophene complexes, **596**, 46
Thiolato
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, **607**, 156
Synthesis, optical nonlinearity and crystal structure of a novel mixed-chalcogen, thiolato-bridged complex $[(\eta^5\text{-}C_5H_5)_2Mo_2(\mu\text{-}S)(\mu\text{-}Te)(\mu\text{-}SPh)_2]$, **595**, 140
Thionylhalides
Halogenation and oxygenation of the metal and oxidation of phosphorus in complexes of the type $M(dppe)_2(N_2)_2$ (M = Mo, W) by reaction with thionylhalides, **602**, 24
Thiophene
Synthesis, structure, and reactivity of osmium π-thiophene complexes, **596**, 46
Thiosemicarbazone
New cyclometallated platinum(II) compounds with thiosemicarbazones: crystal and molecular structure of $[Pt\{4\text{-}MeC_6H_3C(Me)\text{–}NN\text{–}C(S)NH_2\}(PPh_3)]$, **595**, 199
Thiosulfite
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, **596**, 193
Thiosulfonate
Sulfur(IV) compounds as ligands: Part XXV. Halfsandwich ruthenium thiosulfonato complexes. Crystal and molecular structure of $[CpRu(dppe)\{SSO_2(4\text{-}C_6H_4Cl)\}]$, **612**, 14
Thiourea functions
Pd(II) and Rh(I) chelate complexes of the bidentate phosphino–thiourea ligand $PhNHC(S)NHCH_2CH_2PPh_2$: structural properties and activity in homogeneous and hybrid catalysis, **593–594**, 431
Thorium
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]\cdot 28H_2O$, **607**, 146

Three-dimensional framework
The organometallic double metal cyanide $[(Me_2Sn)_3\{Co(CN)_6\}_2 \cdot 6H_2O]$. A three-dimensional framework of infinite, stapled ribbons, **604**, 34
Three-membered ring
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, **613**, 33
Tin
Activation of E–H (E = Sn, Si, S) bonds by cyclooctadieneiridium pyridine-2-carboxylate and related compounds, **609**, 60
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, **614–615**, 70
Monoorganotin–polyoxometal compounds: Part 1. Synthesis and crystal structure of $[(^iPrSn)_{12}(V^{IV}O)O_{14}(OH)_6]Cl \cdot 2DMF \cdot H_2O$. The first example in a series of monoorganotin–polyoxometal compounds with icosahedral metal arrangement and various contents of tin and vanadium, **598**, 381
Platinum complexes of stanna-*closo*-dodecaborate, **614–615**, 137
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, **611**, 299
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, **604**, 229
Synthesis and decomposition of bis(alkoxyethynyl)dimethyltin, **598**, 211
Synthesis and molecular structures of $Co_2(CO)_{6-n}(PPh_3)_n[\mu$-$C_2(CH_2R)_2]$ (R = CH_2OH or CH_2SCMe_3) derivatives containing chelated $[CpFe(CO)_2]_2Sn$ or $W(CO)_4$ fragments, **597**, 196
Synthesis and structural characterisation of bis(trimethylsilyl)-amidotin(II) triflate $[\{Sn(NR_2)(\mu$-η^2-$OTf)_2\}_2]$ (R = $SiMe_3$, OTf = $^-OSO_2CF_3$), **601**, 142
Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, **596**, 70
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, **599**, 147
Synthesis of 1,3,5-tri- and 1,2,4,5-tetrasubstituted tin and mercury derivatives of benzene. Crystal structure of 1,3,5-tris(chloromercurio)benzene, **593–594**, 369
Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ^{1}H-, ^{13}C- and ^{119}Sn-NMR data and crystal structure, **608**, 86
Tin and compounds
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, **611**, 433
Tin complexes
Diorganotin(IV) derivatives of arenephosphinothiol ligands. The crystal structure of $[Ph_2Sn\{2$-$(Ph_2P)C_6H_4S\}_2]$ and $[Me_2Sn\{2$-(Ph_2PO)-6-$(Me_3Si)C_6H_3S\}_2]$, **595**, 59
Titanium
A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, **610**, 42
Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, **593–594**, 19
Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2 −) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium $[Ti_2(\mu$-$OH)_2(CO)_8]^{2-}$, **593–594**, 354
Interaction of bis(trimethylsilyl)acetylene complex of titanocene with tris(pentafluorophenyl)borane. Synthesis and structure of a new type of zwitterionic metallocene $(\eta^5$-$C_5H_4)\{\eta^5$-$[C_5H_4B(C_6F_5)_3]\}Ti$, **598**, 243
Non-bridged amido cyclopentadienyl complexes of titanium: synthesis, characterization, and olefin polymerization catalysis, **598**, 179
Reactions of methyl-substituted titanocene–bis(trimethylsilyl)-acetylene complexes with acetone azine: crystal structures of $(\eta^5$:η^1-$C_5HMe_3CH_2CMe_2NH)_2Ti$ and $(C_5Me_5)_2Ti(N$=$CMe_2)$, **597**, 146
Syntheses of titanium μ-arylimido and μ-pyridylimido complexes bearing (un)substituted cyclopentadienyl ligand, **598**, 339
Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of $Ti(\eta^5$-$C_5H_4PPh_2)Cl_3$, **593–594**, 202
Synthesis and properties of unsolvated bis(cyclopentadienyl)titanium alumohydride. Structure of $\{[(\eta^5$-$C_5H_5)_2Ti(\mu$-$H)]_2[(\eta^5$-$C_5H_5)Ti(\mu$-$H)_2]Al_2(\mu$-$H_4)(H)\}_2 \cdot C_6H_6$, a 12-nuclear titanium aluminum hydride complex with a short Al–Al bond length, and refined structure of $LiAlEt_4$, **603**, 167
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5$-$C_5H_4)SiMe_2OSiMe_2(\eta^5$-$C_5H_4)\}Cl_2$ and $Zr(\eta^5$-1,3-^{t}Bu$_2$-$C_5H_3)(\eta^5$-$C_5H_4SiMe_2$-η-N^{t}Bu)Cl, **604**, 103
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, **599**, 107
Titanium imido complexes containing 1,3,5-triazacyclohexane ligands, **600**, 71
Titanium bisamido dichloride complex
Formation of elastomeric polypropylene promoted by the dynamic complexes $[TiCl_2\{N(PPh_2)_2\}_2]$ and $[Zr(NPhPPh_2)_4]$, **604**, 116
Titanium complexes
Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, **605**, 55
New paradigms for synthetic pathways inspired by bioorganometallic chemistry, **600**, 23
Novel η^3-allyl complexes of titanium, **593–594**, 1
Silane dendrimers containing titanium complexes on their periphery, **602**, 208
Titanium(IV)
Heterobimetallische Komplexe von Titan(IV)–Quecksilber(II) und Platin(II)–Quecksilber(II), **602**, 91
Titanium tetrachloride
Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, **611**, 4557
Titanocene
Synthesis and characterisation of Group 4 metallocene alkoxide complexes. X-ray crystal structure of $Cp^*_2ZrCl(OCH_2CH_2SPh)$, **606**, 156
Synthesis and structural studies of Ti–Ru polymetallic systems, **605**, 151
Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η^2-alkynyl) transition-metal complexes. The molecular structure of $[(\eta^5$-$C_5H_4SiMe_3)_2Ti(C$≡$CFc)_2]CuBr$, **601**, 93
Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, **605**, 45
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), **601**, 226
Titanocene–amide complexes
Reactions of methyl-substituted titanocene–bis(trimethylsilyl)-acetylene complexes with acetone azine: crystal structures of $(\eta^5$:η^1-$C_5HMe_3CH_2CMe_2NH)_2Ti$ and $(C_5Me_5)_2Ti(N$=$CMe_2)$, **597**, 146
Titanocene–bis(trimethylsilyl)acetylene complexes
Reactions of methyl-substituted titanocene–bis(trimethylsilyl)-acetylene complexes with acetone azine: crystal structures of $(\eta^5$:η^1-$C_5HMe_3CH_2CMe_2NH)_2Ti$ and $(C_5Me_5)_2Ti(N$=$CMe_2)$, **597**, 146

Titanocene dichloride
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, **604**, 12
Titanocenes
A mononuclear alkyne-stabilized $Mo^{(IV)}O_2$ moiety, **602**, 72
Transannular interaction
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, **611**, 116
Trans-chelating chiral ligand
Asymmetric aldol reaction of 2-cyanopropionates catalyzed by a trans-chelating chiral diphosphine–rhodium(I) complex: highly enantioselective construction of quaternary chiral carbon centers at α-positions of nitriles, **603**, 18
Trans-*cis* isomerization
Organometallic color chemistry: studies on [FcCH=$CHC_5H_4NCH_2C_6H_4(^tBu)$]X (X = BPh_4^-, ClO_4^-), **608**, 146
Trans coordination
Coordination chemistry of 1,1′-bis(diphenylselenophosphoryl)-ferrocene (dpspf) towards Group 11 elements. Crystal structures of [Ag(dpspf){$(SPPh_2)_2CH_2$}]OTf and [Au(dpspf)]-[$AuCl_2$], **613**, 50
trans Influence of olefin and nitrile ligands
Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4-1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1−)], **610**, 112
σ–σ* Transition
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, **611**, 85
Transition metal
Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, **601**, 237
Transition metal–boryl bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Transition metal catalyst
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, **611**, 463
Transition-metal complexes
N-Heterocyclic carbenes: state of the art in transition-metal-complex synthesis, **600**, 12
Transition metal complexes
Transition metal complexes of 2,2,2-trifluoroethyl isocyanide and 1H,1H-perfluorooctyl isocyanide, **612**, 96
Transition metal dendrimers
A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, **610**, 42
Transition metal–germyl bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Transition metal halides
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), **601**, 226
Transition metal hydrides
Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with C_{60} and C_{70}: syntheses and electrochemical properties, **599**, 87
Transition metal hydrides carbonyls
Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics, **609**, 66
Transition metal–silyl bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
Transition metal–stannyl bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, **611**, 288
trans-Metallation
Bromination and nitration reactions of metallated (Ru and Os) multiaromatic ligands and crystal structures of selected products, **598**, 262
Transmetallations
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, **613**, 236
TREN
Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, **606**, 141
Trialkylgallium
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, **605**, 234
Trialkyltin arylselenide
New approaches to the synthesis of unsymmetrical diaryl selenides, **605**, 96
Triarylphosphite
New insight into role of *ortho*-metallation in rhodium triphenylphosphite complexes. Hydrogen mobility in hydrogenation and isomerization of unsaturated substrates, **597**, 69
Triazacyclohexane
Titanium imido complexes containing 1,3,5-triazacyclohexane ligands, **600**, 71
Triazenido complexes
X-ray structure and fluxional behaviour of *N*,*N*′-di-*p*-fluorophenyltriazenido complex of nickel(II), **597**, 164
Triazenido ligand
Reaction of [Et_3NH][(μ-RE)(μ-CO)$Fe_2(CO)_6$] (E = S, Se) with azides. Synthesis of (μ-RE)(μ-p-$R^1C_6H_4N_3H$)$Fe_2(CO)_6$ and crystal structure of (μ-Bu^{t}S)(μ-PhN_3H)$Fe_2(CO)_6$, **601**, 87
Tributylstannylferrocene
Conversion of tributylstannylferrocene to a variety of heteroaryl ferrocenes, **598**, 348
Tricarbonylchromium arenes
Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes, **593–594**, 380
Tricarbonylchromium complexes
Synthesis and structure of mono- and bis(tricarbonylchromium)complexes of 1,2;5,6-dibenzocyclooctа-1,5-diene, **608**, 6
Trichalcogena hypervalent dication
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, **611**, 116
Trichlorostannate
Pentacoordinated diolefinic rhodium(I) organocomplexes with α-diimine ligands. Crystal structures of [Rh(Nbd)(LL)-(PPh_3)]ClO_4 (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), **601**, 311
Tricyclohexanes
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, **605**, 89
Tridentate chiral ligand
Synthesis of a novel chiral ruthenium complex and its crystal structure, **605**, 134
Tridentate phosphine
Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of [(C_5H_5)Ru(μ-$CO)_2${μ-$Ph_2PN(H)PPh_2$}$IrCl_2$], **605**, 1

Tridentate podand ligand
A novel heterobimetallic complex composed of the imide-bridged [3]ferrocenophane and the tridentate palladium(II) complex, **599**, 135
Trien
Synthesis of dioxazaborocines from *N,N'*-alkylbridged-bis(bis(2-hydroxybenzyl)aminomethyl)amines, **595**, 215
Triethylborane
Catalyzed reaction of triethylborane with pyrazole, **597**, 190
Triflate
Synthesis and structural characterisation of bis(trimethylsilyl)-amidotin(II) triflate $[\{Sn(NR_2)(\mu\text{-}\eta^2\text{-}OTf)_2\}]$, (R = $SiMe_3$, $^-OTf = {}^-OSO_2CF_3$), **601**, 142
Trifluoroacetate
Studies of tetrakis(trifluoroacetate) dirhodium: Part 4. Solventless synthesis of $Rh_2(O_2CCF_3)_2(CO)_4$ combined with $Rh_2(O_2CCF_3)_4$, a compound with infinite chains of rhodium atoms, **596**, 130
Trifluoromethyl group
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B{\cdot}NHMe_2$ and $(HOOC)(F_3C)_2B{\cdot}NHMe_2$, **604**, 43
Trihydride
Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-}H)_2Os_3(CO)_{10}$, **593–594**, 135
The effect of ancillary ligands on intramolecular proton–hydride (NH···HIr) bonding in complexes of iridium(III), **609**, 110
Trimer
Preparation of $[Et_2InSb(SiMe_3)_2]_3$: a trimeric single-source precursor to indium antimonide, **598**, 182
Reactivity studies of $[Pd_2(\mu\text{-}X)_2(PBu^t_3)_2]$ (X = Br, I) with CNR (R = 2,6-dimethylphenyl), H_2 and alkynes, **600**, 198
Trimesitylgermylcarbodiimide
Bis(trimesitylgermylcarbodiimido)germylene, trimesitylgermylcyanamide and trimesitylgermylcarbodiimide, **595**, 153
Trimesitylgermylcyanamide
Bis(trimesitylgermylcarbodiimido)germylene, trimesitylgermylcyanamide and trimesitylgermylcarbodiimide, **595**, 153
Trimethylacetylenes
On the in situ trimethylsilylation of zinc acetylides, **601**, 341
Trimethylindium
Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, **605**, 234
Trimethyl(phenyl)stannane
Rhodium-catalyzed phenylation of *N*-arylsulfonyl aldimines with sodium tetraphenylborate or trimethyl(phenyl)stannane, **595**, 31
Trimethylsilylacetate
FTIR study of thermally induced transformations of trimethylsilylmethyl acetate in the temperature range 623–813 K, **599**, 185
Trimethylsilyl derivatives
Benzhydroximic acids — NMR study of trimethylsilyl derivatives, **597**, 200
3-Trimethylsilyl-3-silacyclopentenes
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, **604**, 141
Trinuclear complexes
Cyanide bridged trinuclear complexes with Fe–CN–MCl_2–NC–Fe backbones (M = Ni, Cu, Zn), **593–594**, 44
Oligonuclear cyanide complexes from silver containing building blocks, **614–615**, 131
Triosmium
Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-}H)_2Os_3(CO)_{10}$, **593–594**, 135
Reactivity of $[(\mu\text{-}H)Os_3(CO)_9\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with organic heterothiols; X-ray structures of $[H(\mu\text{-}H)Os_3(CO)_9(\eta^2\text{-}pyS)\{Ph_2PCH_2P(Ph)C_6H_4\}]$ and $[Os_3(CO)_9(\mu\text{-}\eta^2\text{-}pyS)\text{-}\{Ph_2PCH_2P(Ph)C_6H_4\}]$, **616**, 157
Triosmium carbonyl cluster
Fluxional processes and structural characterization of $\mu_3\text{-}\eta^2,\eta^2,\eta^2\text{-}C_{60}$ triosmium cluster complexes, $Os_3(CO)_{9-n}(PMe_3)_n(\mu_3\text{-}\eta^2,\eta^2,\eta^2\text{-}C_{60})$ (n = 1, 2, 3), **599**, 49
Triosmium complexes
Conformational constraints and σ–π-vinyl interchange in $\mu_3\text{-}\eta^3$-5,6-dihydroquinoline triosmium complexes, **593–594**, 226
2,3,5-Triphenylfulvene
Cyclotrimerization of phenylethynes to fulvene: reactivity of *cis*-dichloro(1,1'-bis(diphenylphosphino)ferrocene)palladium(II), **616**, 67
Triphenylsilane
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, **604**, 208
Triphenylstannyl-acetylide
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, **616**, 89
Triphenylstannyl radical
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, **616**, 89
Triphosgene
Two convenient new syntheses of ferrocenoyl chloride by triphosgene, **604**, 287
Triphosphole
Ligating similarities between the novel five-electron-donor $\eta^4\text{-}P_3C_2Bu^t_2(R)H$ ring system, (R = $CH(SiMe_3)_2$) and the η^5-cyclopentadienyl ring. Syntheses, crystal and molecular structures of $[Co_2(CO)_5(\mu\text{-}P_3C_2Bu^t_2CH(SiMe_3)_2)]$ and $[Co(CO)_2(\eta^4\text{-}P_3C_2Bu^t_2H(CH(SiMe_3)_2)]$, **601**, 335
Triple bonds
Triple bonds between heavier Group 14 elements. A theoretical approach, **611**, 264
Triple-decker complexes
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η^5-pentamethylcyclopentdienyl)ruthenium(μ,η^5 - 1,3 - diborolyl)-rhodiumcarbaboranyl] complexes, **614–615**, 125
Tris(pentafluorophenyl)borane
Interaction of bis(trimethylsilyl)acetylene complex of titanocene with tris(pentafluorophenyl)borane. Synthesis and structure of a new type of *zwitterionic* metallocene $(\eta^5\text{-}C_5H_4)\{\eta^5\text{-}[C_5H_4B(C_6F_5)_3]\}Ti$, **598**, 243
Tris(pyrazolyl)borate
The synthesis and structural characterization of phenyl tris(3-*t*-butylpyrazolyl)borato alkyl complexes of magnesium and zinc, $[PhTp^{Bu^t}]MgR$ (R = Me, Et) and $[PhTp^{Bu^t}]ZnMe$, **596**, 22
Trispyrazolylborates
Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand $Tp^{p\text{-}An}$. Intramolecular C–H bond activation and dehydro-chlorination processes, **605**, 117
Tris(pyrazolyl)methane ligands
Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)-methane]$Mn(CO)_3$}SO_3CF_3 complexes: comparison of ligand donor properties, **607**, 120
Tris(trimethylsilyl)silyl (= sisyl)
The first structurally characterised oligosilylmagnesium compound, **603**, 185
Trisyl
Direct displacement of chlorine or iodine in reactions of $(Me_3Si)_3CSiRR'X$ with metal salts, **598**, 222
Tropilium compounds
Polyhedral-based nonlinear optical materials. Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, **614–615**, 309

Tungsten
Chelated η^5-cyclopentadienyl-η-ethyl complexes of molybdenum and tungsten: molecular structure of $W(\eta^5\text{-}C_5H_4CH_2\text{-}\eta\text{-}CH_2)(CO)_3$, **604**, 126
Chiral molybdenum(VI) and tungsten(VI) 2′-pyridinyl alcoholate complexes. Synthesis, structure and catalytic properties in asymmetric olefin epoxidation, **603**, 69
Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, **601**, 78
Halogenation and oxygenation of the metal and oxidation of phosphorus in complexes of the type M(dppe)-(N$_2$)$_2$ (M = Mo, W) by reaction with thionylhalides, **602**, 24
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, **599**, 238
Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), **593–594**, 27
Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, **607**, 137
Reactions of [Pt$_3$(μ_3-S)$_2$(PPh$_3$)$_3$] with Group 6 and 7 metal carbonyls; crystal structure of the apparently unsaturated heterometallic complex [Pt$_2$Re(μ_3-S)$_2$(PPh$_3$)$_3$(CO)$_3$]$^+$, **595**, 276
Ring closing alkyne metathesis: stereoselective synthesis of civetone, **606**, 75
Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral W$_2$Fe(μ_3-S) cluster cores [W$_2$Fe(μ_3-S)(CO)$_9$][η^5-C$_5$H$_4$CH$_2$(CH$_2$OCH$_2$)$_n$CH$_2$C$_5$H$_4$-η^5] (n = 1–3). Crystal structures of [W$_2$Fe(μ_3-S)(CO)$_9$][η^5-C$_5$H$_4$CH$_2$(CH$_2$OCH$_2$)$_2$-CH$_2$C$_5$H$_4$-η^5] (n = 2,3), **616**, 140
Synthesis and molecular structures of Co$_2$(CO)$_{6-n}$(PPh$_3$)$_n$[μ-C$_2$(CH$_2$R)$_2$] (R = CH$_2$OH or CH$_2$SCMe$_3$) derivatives containing chelated [CpFe(CO)$_2$]$_2$Sn or W(CO)$_4$ fragments, **597**, 196
Synthesis and structure of [(η^5-C$_5$Me$_5$)WCl$_2$(μ-H)]$_2$. A dinuclear tungsten hydride with a double bond formed from the reaction of BH$_3$·THF with (η^5-C$_5$Me$_5$)WCl$_4$, **609**, 77
Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyridyl azo ligands, **596**, 36
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, **613**, 56
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, (Pr$_4$N)$_2$[W$_2$(μ-S)$_2$(S$_2$C$_2$(CO$_2$Et)$_2$)$_4$], **611**, 370
2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of [MoI(CO)(terpy)(η^3-PhC$_3$Ph)]I and [WI(terpy)(η^3-PhC$_3$Ph)$_2$]I·CDCl$_3$, **604**, 191
Tungsten hexacarbonyl
Aldol-type condensation reactions of cyclic ketones by the W(CO)$_6$/CCl$_4$/UV system, **603**, 252
Alkyne metathesis with in situ catalysts: W(CO)$_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, **606**, 13
Tungsten(II)
Cis- and *trans*-bis(diphenylphosphino)ethene seven-coordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of [MI$_2$(CO)$_3$(*cis*-dppen)] {M = Mo or W; dppen = bis(diphenylphosphino)ethene}, [WI(CO)$_2$(*cis*-dppen)$_2$]I, [MI$_2$(CO)$_2$(P(OR)$_3$)(*cis*-dppen)] (M = Mo, R = Me; M = W, R = Et or Ph), **602**, 115
Tunnel structure
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, **611**, 547
Two-phase hydroformylation
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, **616**, 37
Ultrafast spectroscopy
Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, **596**, 183
Umbrella arrangement
Pd(II) and Rh(I) chelate complexes of the bidentate phosphino–thiourea ligand PhNHC(S)NHCH$_2$CH$_2$PPh$_2$: structural properties and activity in homogeneous and hybrid catalysis, **593–594**, 431
Undecamethylcyclohexasilanyl potassium
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, **605**, 22
Undecamethylcyclohexasilanylstannanes
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, **605**, 22
Unsaturated
Solution and solid–gas reactivity of unsaturated [RuCp(tmeda)]$^+$ (tmeda = Me$_2$NC$_2$H$_4$NMe$_2$), **593–594**, 342
Unsaturated alcohols
Use of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)Pt(II) as a chiral derivatizing agent for the determination by ^{195}Pt-NMR of the enantiomeric composition of unsaturated ethers or alcohols having a quaternary chiral carbon atom, **598**, 174
Unsaturated cyclic compound
Unsaturated cyclic compounds possessing disulfide linkage, **611**, 106
Unsaturated ethers
On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by ^{195}Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]-platinum(II), **605**, 68
Use of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)Pt(II) as a chiral derivatizing agent for the determination by ^{195}Pt-NMR of the enantiomeric composition of unsaturated ethers or alcohols having a quaternary chiral carbon atom, **598**, 174
Unsaturated ligand
Convenient routes to mono- and dinuclear (C_5Me_5)iron(II) complexes bearing acyl, alkynyl, aryl and thienyl ligands, **595**, 81
Unsubstituted phosphorus compounds
Adducts of cyclotriphosphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts [{(triphos)Co}(P$_3$){M(CO)$_5$}$_2$] [triphos = MeC(CH$_2$PPh$_2$)$_3$; M = Cr, Mo, W], **593–594**, 127
Unsymmetrical cleavage
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, **614–615**, 5
1,1′-Unsymmetrical diheteroaryl-ferrocene
A novel synthesis of 1,1′-unsymmetrical disubstituted heteroaryl-ferrocene, **612**, 172
Uranium
Dehydrocoupling reactions of amines with silanes catalyzed by [(Et$_2$N)$_3$U][BPh$_4$], **610**, 49
Synthesis and crystal structure of [U(η-C$_9$H$_8$)$_2$][μ-η^4:η^4-HN(CH$_2$)$_3$N(CH$_2$)$_2$N(CH$_2$)$_3$NH], a dinuclear compound with a bridging tetra-amide ligand, **598**, 313
UV spectrum
New type of polysilanes: poly(1,1-silole)s, **611**, 5
UV–vis
Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η^5-alkynyl) transition-metal complexes. The molecular structure of [(η^5-C$_5$H$_4$SiMe$_3$)$_2$Ti(C≡CFc)$_2$]CuBr, **601**, 93
UV–vis spectra
Stable cyclic and acyclic persilyldisilenes, **611**, 236

UV–vis spectrometry
Synthesis and properties of some novel ferrocene macrocyclic dioxopolyamines, **598**, 42
UV–vis-spectroscopy
Synthesis, structure and spectroscopic properties of branched oligosilanes, **613**, 208

Vanadium
Monoorganotin–polyoxometal compounds: Part 1. Synthesis and crystal structure of $[(^iPrSn)_{11}(V^{IV}O)O_{14}(OH)_6]Cl\cdot 2DMF\cdot H_2O$. The first example in a series of monoorganotin–polyoxometal compounds with icosahedral metal arrangement and various contents of tin and vanadium, **598**, 381
Vibrational spectroscopy
The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, **613**, 86
vic-Disulfoxide
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', **611**, 127
Vidicon
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, **611**, 525
Vinylcarbenes
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, **605**, 89
Vinyl carbenoid
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, **610**, 88
Vinyl cation
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, **611**, 494
Vinylidene
Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, **607**, 72
Reactivity of $[Re(\eta^5\text{-}H_2)(CO)_2P_2]^+$ cations with alkynes: preparation of vinylidene and propadienylidene complexes, **609**, 10
Solution and solid–gas reactivity of unsaturated $[RuCp(tmeda)]^+$ (tmeda = $Me_2NC_2H_4NMe_2$), **593–594**, 342
Vinylidene complexes
Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, **606**, 16
Vibrational spectroscopy studies and density functional theory calculations on square-planar vinylidene, carbonyl and ethylene rhodium(I) complexes, **612**, 125
Vinyldenes
Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D_2O, **593–594**, 485
Vinyl interchange
Conformational constraints and σ–π-vinyl interchange in μ_3-η^3-5,6-dihydroquinoline triosmium complexes, **593–594**, 226
Vinyliodane
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, **611**, 494
Vinylpyridines
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, **599**, 298
Vinylsilanes
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, **604**, 141
Vinylsiloxane complexes
A convenient route to vinylsiloxane-tertiary phosphine-nickel(0) complexes; the molecular structure of $[(Ni\{P(C_6H_4Me\text{-}4)_3\})_2\{\mu\text{-}(L''L'')_2\}]$ $\{(L''L'')_2 = [CH_2{=}CH(Me)Si(\mu\text{-}O)]_4\}$, **605**, 221
Vinyltetrahydrothiophene
Coordinations of vinyltetrahydrothiophene to a trirhenium cluster, **596**, 102
Voltammetry
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, **611**, 136

Water solubility
Catalytic activity of cationic diphospalladium(II) complexes in the alkene/CO copolymerization in organic solvents and water in dependence on the length of the alkyl chain at the phosphine ligands, **602**, 173
Results and perspectives in the chemistry of side-chain-functionalized cyclopentadienyl compounds, **600**, 127
Water-soluble phosphite
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, **616**, 37
Wavepacket dynamics
Photodissociation and electronic spectroscopy of transition metal hydrides carbonyls: quantum chemistry and wave packet dynamics, **609**, 66
$W(CO)_6$
Studies on the nature of active species in $W(CO)_6$/CCl_4/*hν* system as applied to metathesis polymerisation reactions, **601**, 16
Weakly co-ordinating
Rhodium cyclooctadiene complexes of the weakly co-ordinating carborane anion [*closo*-$CB_{11}H_{12}^-$]. Isolation and crystal structures of $[(COD)Rh(\eta^2\text{-}CB_{11}H_{12})]$ and $[(COD)Rh(THF)_2][CB_{11}H_{12}]$, **614–615**, 113
W_2Se_2 clusters
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans anti* and *trans syn*-$[(\eta^5\text{-}RC_5H_4)_2M_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$ (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ with dibenzyl diselenide. Crystal structures of a pair of isomers *trans anti*- and *trans syn*-$[(\eta^5\text{-}EtO_2CC_5H_4)_2Mo_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$, **613**, 42
Wurtz-type coupling reaction
New type of polysilanes: poly(1,1-silole)s, **611**, 5

XPS
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, **607**, 93
X-ray
Antiferromagnetic complexes with metal–metal bonds: Part XXIX. Synthesis and molecular structures of heterochalcogenide binuclear complex $[\pi\text{-}(CH_3C_5H_4)Cr(\mu\text{-}SPh)]_2Se$ and trinuclear mixed-metal cluster $[\pi\text{-}(CH_3C_5H_4)_2Cr_2(\mu\text{-}SPh)](\mu_3\text{-}S)(\mu_3\text{-}Se)Co(CO)_2$, **612**, 9
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, **614–615**, 57
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os halfsandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, **604**, 170
New zwitterionic heterocycles derived from 1-chloro(dimethyl)-silyl-1-borylalkenes and 2-lithio-1-methylimidazole and 1-lithio-indazole, **602**, 45
Reactions of $[(CO)_3(P\text{-}P)Mn]_2$ with primary alcohols, where, P-P is dppe $\{Ph_2P(CH_2)_2PPh_2\}$, dppp $\{Ph_2P(CH_2)_3PPh_2\}$, dppb $\{Ph_2P(CH_2)_4PPh_2\}$, dpppe $\{Ph_2P(CH_2)_5PPh_2\}$, dtpe $\{(p\text{-tol})_2P(CH_2)_2P(p\text{-tol})_2\}$, or dcpe $\{(^c\text{hex})_2P(CH_2)_2P(^c\text{hex})_2\}$. Synthesis of *fac*-$(CO)_3$(P-P)MnH and the X-ray structure of *fac*-$(CO)_3$(dtpe)MnH, **613**, 13

Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, **604**, 229
Structural and energetic aspects of hydrogen bonding and proton transfer to $ReH_5(CO)(NO)(PR_3)_2$ and $ReHCl(CO)(NO)(PMe_3)_2$ by IR and X-ray studies, **610**, 58
Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η^2-alkynyl) transition-metal complexes. The molecular structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CFc)_2]CuBr$, **601**, 93
Synthesis of the diphenylacetylene-based, tetra-amine ligand 1,2-bis(3,5-bis[(dimethylamino)methyl]phenyl)acetylene by palladium-catalysed cross-coupling: isolation and crystal structure of the catalyst *trans*-(3,5-bis[(dimethylamino)methyl]-phenyl)bis(triphenylphosphine)palladium(II) iodide, **598**, 24
Synthesis, structure, and reactivity of osmium π-thiophene complexes, **596**, 46
Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, **616**, 10
The 16-electron dithiolene complexes (*p-cymene*)$M[S_2C_2(B_{10}H_{10})]$ (M = Ru, Os) containing both η^6-(*p-cymene*) and η^2-(*ortho*-carborane-dithiolate): adduct formation with Lewis bases, and X-ray crystal structures of (*p-cymene*)$Ru[S_2C_2(B_{10}H_{10})](L)$ (L = PPh_3) and $\{(p\text{-}cymene)Ru[S_2C_2(B_{10}H_{10})]\}_2(\mu\text{-}LL)$ (LL = $Ph_2PCH_2CH_2PPh_2$ and N_2H_4), **598**, 142

X-ray analysis
Complexation of hydrophosphoranes: possible mechanism and coordination activity, **613**, 148
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, **611**, 146
Synthesis and molecular structures of $Co_2(CO)_{6-n}(PPh_3)_n[\mu\text{-}C_2(CH_2R)_2]$ (R = CH_2OH or CH_2SCMe_3) derivatives containing chelated $[CpFe(CO)_2]_2Sn$ or $W(CO)_4$ fragments, **597**, 196
Synthesis of a novel chiral ruthenium complex and its crystal structure, **605**, 134
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, **611**, 200

X-ray crystal analysis
Syntheses and crystal structures of ferrocene substituted indenyl complexes, **616**, 29

X-ray crystallographic analysis
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, **611**, 172
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, **611**, 178
Small ring compounds containing highly coordinate Group 14 elements, **611**, 256
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, **611**, 89
The structures of $[Ph_2XS{-}N{-}SPh_2NH]^+$ cations (X=NH, O), **611**, 272

X-ray crystallography
Chiral sandwich compounds of ruthenium(II) and (IV): X-ray crystal structure of $[Ru\{\eta^5\text{-}C_5H_4(neomenthyl)\}_2I]I_3$, **606**, 188
Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, **605**, 22
Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of (η^6-arene)$Ru(DMPP)Cl_2$ complexes with dieneophilic ligands, **613**, 177
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, **611**, 577
The X-ray crystallographic study of the reaction of bis(2-thienyl)ditelluride with tetrakis(triphenylphosphine)platinum or -palladium, **595**, 232

X-ray crystal structure
Adducts of cyclotriphosphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts $[\{(triphos)Co\}(P_3)\{M(CO)_5\}_2]$ [triphos = $MeC(CH_2PPh_2)_3$; M = Cr, Mo, W], **593–594**, 127
Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4-1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1 −)], **610**, 112
Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, **601**, 246
Reaction of $[Os_3H_2(CO)_{10}]$ with the diyne $Me_3SiC_2C_2SiMe_3$ and the reactivity of the products towards $[Co_2(CO)_8]$: the X-ray structures of $[Os_3(\mu\text{-}H)(CO)_{10}\{\mu\text{-}\eta^1\text{-}\eta^2\text{-}HC_2(SiMe_3)C_2(SiMe_3)\}]$, $[Os_3(\mu\text{-}CO)(CO)_9\{\mu_3\text{-}\eta^2\text{-}Me_3SiC_2C_2SiMe_3\}]$ and $[Os_3(\mu\text{-}H)(CO)_9\{\mu_3\text{-}\eta^1{:}\eta^2\text{-};\mu\text{-}\eta^2\text{-}Me_3SiC_2C_2[Co_2(CO)_6]\}]$, **609**, 169
Structurally characterised silyls, **608**, 164
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]{\cdot}28H_2O$, **607**, 146

X-ray crystal structure determination
Tetrameric thienylcopper and pentanuclear thienylcuprate, **595**, 102

X-ray crystal structures
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, **611**, 136

X-ray determination
Bithienylsilanes: unexpected structure and reactivity, **610**, 8

X-ray diffraction
CFC replacement HCFC-133a (CF_3CH_2Cl) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, **616**, 96
Coordination chemistry of 1,1′-bis(diphenylselenophosphoryl)-ferrocene (dpspf) towards Group 11 elements. Crystal structures of $[Ag(dpspf)\{(SPPh_2)_2CH_2\}]OTf$ and $[Au(dpspf)][AuCl_2]$, **613**, 50
Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl(tris(trimethylsilyl)stibine)chromium, **608**, 60
Molecular structure and packing of organopolysilanes, **611**, 36
Monomeric organoaluminium complexes $RAl(OR^*)_2$ and R_2AlOR^* with an optically active amino alkoxide ligand, **595**, 21
Synthesis, characterization and decomposition behavior of novel acyl(hydrido)platinum(IV) complexes, **597**, 10
Synthesis, reactions and structure of bromo(η^5-diphenylphosphinylcyclopentadienyl)nickel(II) dimer, **593–594**, 142
Titanium imido complexes containing 1,3,5-triazacyclohexane ligands, **600**, 71

X-ray single crystal structure
Synthesis and structure of adduct stabilized Group III metal transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, **606**, 132

X-ray structural analysis
Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, **605**, 89
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates $[(RCSS)_xMPh_{4-x}$, M = Ge, Sn, Pb; $x = 1$–$3]$: affinity between thiocarbonyl sulfur and Group 14 elements, **611**, 190

X-ray structure
1-Azadienes as bridging ligands in nickel(0) complexes of the type $[(1\text{-}aza\text{-}1.3\text{-}diene)Ni(L)]_2$ (L = 1-aza-1.3-diene, alkyne, triphenylphosphine), **597**, 116

Bidentate ferrocenylphosphines and their palladium(II)dichloride complexes — X-ray structural and NMR spectroscopic investigations and first results of their characteristics in the Pd-catalysed cooligomerisation of 1,3-butadiene with CO_2, **597**, 139

Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, **606**, 141

Crystal and molecular structure of di-*tert*-butylhydridosilanol, **602**, 170

Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_3Zr–OCCo_3(CO)_9]$, **604**, 68

Development of a T-joint for covalent molecular construction based on 2,2'-bipyridine and phenanthroline isocyanide metal complexes, **598**, 55

Formation and characterization of cyclic and polycyclic silthianes containing Si–Si bonds, **602**, 193

Heteroleptic diphenylamido complexes of ytterbium: syntheses and molecular structures of $(MeC_5H_4)_2YbNPh_2(THF)$ and $(C_5Me_5)_2YbNPh_2$, **598**, 359

Interaction of bis(trimethylsilyl)acetylene complex of titanocene with tris(pentafluorophenyl)borane. Synthesis and structure of a new type of zwitterionic metallocene $(\eta^5\text{-}C_5H_5)\{\eta^5\text{-}[C_5H_4B(C_6F_5)_3]\}Ti$, **598**, 243

New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_3[Ni_{10}Rh(CO)_{19}]\cdot C_2H_5CN$, $[NMe_3CH_2Ph]_3[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_3[Ni_9Rh_3(CO)_{22}]$, **614–615**, 294

On some reactions of undecamethylcyclohexasilanyl-substituted silanes, **598**, 202

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4'-$HC{\equiv}CC_6H_4N{=}NC_6H_4NO_2$, **605**, 193

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, **605**, 184

Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5\text{-}Cp)(\eta^6\text{-}p\text{-}MeC_6H_4NHN{=}CMe_2)]^+PF_6^-$, **608**, 126

Reactivity of the mixed-metal cluster $[Os_6(CO)_{17}(Au_2dppm)]$ towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), **614–615**, 231

Stable cyclic and acyclic persilyldisilenes, **611**, 236

Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, **605**, 82

Synthesis and crystal structure of $[H_2B(3\text{-}Phpz)_2]_2Zn$, **614–615**, 305

Synthesis and crystal structures of the monomeric organotellurium(IV) trihalides: *trans*-2-ethoxy-cyclohexyl-tellurium(IV) trichloride, trichloro(2-chlorobicyclo[2.2.1]hept-7-yl)-λ^4-tellurane, and mesityltellurium(IV) tribromide, **598**, 49

Synthesis and molecular structure of $[RuCl\{C(=CHPh)OC(=O)CH_2CH_3\}(CO)(PPh_3)_2]$: a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, **601**, 69

Synthesis and X-ray structures of manganese(I) and rhenium(I) formato complexes, *fac*-$(CO)_3$(dpppp)M–OC(H)O, **599**, 308

Synthesis, characterization and X-ray structure of stannocanes substituted with a cyclic dithiophosphate ligand $X(CH_2CH_2S)_2Sn^nBu$ $[S_2P(OCH_2C(Et)_2CH_2O)]$, (X = O, S): a study about the conformational tendencies and the relationship with the anomeric effect of the stannocane rings, **598**, 160

Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, **611**, 370

Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[Os_6(CO)_{17}(Au_2dppm)]$ and $[Os_6(CO)_{17}(Au_2dppm)\{Ru(\eta^5\text{-}C_5H_5)\}_2]$ (dppm = $Ph_2PCH_2PPh_2$), **596**, 204

The mutual influence of the imine substituents of terephthal-bis-imines concerning their reactivity towards $Fe_2(CO)_9$, **610**, 102

The reaction of $[Ru_3(CO)_{12}]$ with bis(diphenylphosphino)amine. The crystal and molecular structure of $[Ru_3(CO)_{10}(dppa)]$ and $[Ru_3(CO)_8(dppa)_2]$, **599**, 313

Water-soluble phosphines: Part XII. Pd catalyzed P–C coupling reactions: a novel synthetic route to cationic phosphines with *para*- and *meta*-guanidiniumphenyl moieties, **602**, 158

X-ray structure and fluxional behaviour of *N,N'*-di-*p*-fluorophenyltriazenido complex of nickel(II), **597**, 164

X-ray structure analyses

Disupersilyldisilane $R^*X_2Si\text{–}SiX_2R^*$: Darstellung, Charakterisierung und Strukturen; sterische Effekte der Substituenten, **612**, 141

X-ray structure analysis

Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, **613**, 60

Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(Diphenylphosphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von $[Rh(PPh_3)_2(2\text{-}Ph_2PC_6H_4NH\text{-}\kappa N,\kappa P)]$ und $[Ir(CO)(PPh_3)(2\text{-}Ph_2PC_6H_4NH\text{-}\kappa N,\kappa P)]$, **616**, 19

P,N-Heterodifunctional ligands by selective Staüdinger reaction of β-substituted vinylazides with (*Z*)-1,2-bis(diphenylphosphanyl)ethene and formation of cyclometalled complexes of palladium(II) of these ligands — crystal and molecular structure of a new chiral cyclometallaphosphoraniminophosphane of palladium(II), **598**, 329

Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, **611**, 314

X-ray structures

An experimental and theoretical study of the electronic and molecular structure of $[Zn_4(\mu_4\text{-}S)\{\mu\text{-}S_2P(OC_2H_5)_2\}_6]$: the first molecular model of ZnS, **593–594**, 307

Bromination and nitration reactions of metallated (Ru and Os) multiaromatic ligands and crystal structures of selected products, **598**, 262

Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η^3-propenyl- and η^3-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, **605**, 28

Fluoroalkylated *N*-heterocyclic carbene complexes of palladium, **598**, 409

New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), **613**, 159

Organonickel chemistry in the catalytic hydrodechlorination of polychlorobiphenyls (PCBs): ligand steric effects and molecular structure of reaction intermediates, **600**, 63

para-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, **601**, 114

Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), **593–594**, 27

Reactions of binuclear ruthenium–platinum μ-allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $L(PPh_3)Pt(\mu\text{-}\eta^1{:}\eta^2_{2,3}\text{-}C(Ph){=}C{=}CH_2)Ru(CO)Cp$ (L = PPh_3, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, **593–594**, 465

The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, **611**, 332

Water soluble phosphines: Part XIII. Chiral phosphine ligands with amino acid moieties, **598**, 116

X-ray study
Direct *ortho*-palladation of 2-phenyl-2-oxazoline: Crystal structure of $Cl_2Pd(OCH_2CH_2N{=}C{-}Ph)_2$ and $Cl(PPh_3)Pd(OCH_2CH_2N{=}C{-}C_6H_4)$, **603**, 86
Synthesis, crystal and molecular structure of $[\{C_5Me_4FeC_5Me_4CH_2\}^+B\{C_6H_3(CF_3)_2\}_4^-]$, the first example of a structurally characterized primary ferrocenylcarbocation, **616**, 106

Ylide complexes
Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, **599**, 112
4-Yn-1-ols
Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation, **593–594**, 409
Ytterbium
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, **611**, 509
Syntheses and crystal structures of two ytterbocene complexes $[Yb(\eta\text{-}Cp'')_2I(THF)]$ and $[Yb(\eta\text{-}Cp'')_2(\mu\text{-}Cl)_2Li(THF)_2]$ ($Cp'' = C_5H_3(SiMe_3)_2$-1,3), **613**, 105
Ytterbium(II)
Mixed pyrazolylborate cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of $(Tp^{Bu,Me})Yb(C_5H_4R)$ (R = H, $SiMe_3$), **596**, 95
Ytterbocene amides
Heteroleptic diphenylamido complexes of ytterbium: syntheses and molecular structures of $(MeC_5H_4)_2YbNPh_2(THF)$ and $(C_5Me_5)_2YbNPh_2$, **598**, 359
Yttrium trichlorides
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, **604**, 260

(*Z*)-1,2-bis(Diphenylphosphanyl)ethene
P,N-Heterodifunctional ligands by selective Staüdinger reaction of β-substituted vinylazides with (*Z*)-1,2-bis(diphenylphosphanyl)ethene and formation of cyclometalled complexes of palladium(II) of these ligands — crystal and molecular structure of a new chiral cyclometallaphosphoraniminophosphane of palladium(II), **598**, 329
Zeolite supported palladium
First heterogeneously palladium catalysed π-arylation of diethyl malonate, **606**, 101
Zerovalent complexes
Activation of a coordinated alkyne by electron transfer: crystal-structures of $[Pd\{PPh_2CH{-}C(Bu^t){=}NN{-}C(Bu^t){=}CH_2PPh_2\}\{C(CO_2Me){-}CH(CO_2Me)\}]$ and $[Pd\{(Z,Z)PPh_2CH_2C(Bu^t){=}NN{-}C(Bu^t){=}CH_2PPh_2\}\{C(CO_2Me){=}C(CO_2Me)\}]$, **598**, 318
Ziegler catalyst
Organotransition-metal chemistry: past development and future outlook, **600**, 159
Zinc
An experimental and theoretical study of the electronic and molecular structure of $[Zn4(\eta4\text{-}S)\{\mu\text{-}S_2P(OC_2H_5)_2\}_6]$: the first molecular model of ZnS, **593–594**, 307
Synthesis and crystal structure of $[H_2B(3\text{-}Phpz)_2]_2Zn$, **614–615**, 305
Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, **601**, 237
The synthesis and structural characterization of phenyl tris(3-*t*-butylpyrazolyl)borato alkyl complexes of magnesium and zinc, $[PhTp^{Bu'}]MgR$ (R = Me, Et) and $[PhTp^{Bu'}]ZnMe$, **596**, 22
Zinc powder
On the in situ trimethylsilylation of zinc acetylides, **601**, 341
Zirconacyclopentadienes
Convenient route for the preparation of unsymmetrical phospholes via zirconacyclopentadienes, **595**, 261
Zirconium
Biscyclopentadienylzirconium(IV) η^3-propargyl/allenyl complexes, **597**, 125
Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, **593–594**, 19
Carbonyl insertion into zirconium–nitrogen bonds: synthesis and X-ray structure of a carbene complex composed of $[Zr(NMe_2)_4]_2$ and three $Fe(CO)_4$ units containing $Fe\rightarrow Zr$ donor–acceptor interactions, **598**, 403
Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, **606**, 141
ω-Phenylalkyl-substituted zirconocene dichloride complexes as catalyst precursors for homogeneous ethylene polymerization, **599**, 275
Reactivity of vinyl and alkynyl zirconium complexes with the di-*ansa*-[1,1',2,2'-bis(dimethylsilanediyl) dicyclopentadienyl] ligand, **593–594**, 147
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, **599**, 304
Synthesis and characterization of Group 4 metallocene complexes with two disiloxanediyl bridges, **595**, 147
Synthesis and characterization of organozirconium complexes bearing a new trianionic multidentate cyclopentadienyl ligand by use of amine elimination, **603**, 213
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}{}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, **604**, 103
Titanium imido complexes containing 1,3,5-triazacyclohexane ligands, **600**, 71
Zirconium bis-indenyl compounds. Synthesis and X-ray crystallography study of 1- and 2-substituted bis(R-indenyl)-zirconium dichloride metallocenes, **616**, 112
Zirconium–iron interaction
Carbonyl insertion into zirconium–nitrogen bonds: synthesis and X-ray structure of a carbene complex composed of $[Zr(NMe_2)_4]_2$ and three $Fe(CO)_4$ units containing $Fe\rightarrow Zr$ donor–acceptor interactions, **598**, 403
Zirconium–silene complex
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, **611**, 304
Zirconocene
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, **613**, 68
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, **611**, 299
Synthesis and characterisation of Group 4 metallocene alkoxide complexes. X-ray crystal structure of $Cp_2^*ZrCl(OCH_2CH_2SPh)$, **606**, 156
Synthesis and coordination behavior of a zirconocene bis(borylphosphane), **611**, 99
Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, **605**, 45
Zirconocene complex
P–H functionalised phosphinoalkoxides as ligands: synthesis and catalytic properties of $[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\text{-}C_6H_{10})]$ (Tipp = 2,4,6-$Pr^i_3C_6H_2$), $[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\{Mo(CO)_5\}\text{-}C_6H_{10})]$ and $[Cp_2Zr(BH_4)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Mes)(BH_3)\text{-}C_6H_{10})]$ (Mes = 2,4,6-$Me_3C_6H_2$), and molecular structure of $(R_C,R_C,R_P,S_C,S_C,S_P)$-$[Cp_2Zr(Me)(cyclo\text{-}1\text{-}O\text{-}2\text{-}PH(Tipp)\text{-}C_6H_{10})]$, **595**, 126

Zirconocene complexes
Oligomerization and simultaneous cyclization of ethylene to methylenecyclopentane catalyzed by zirconocene complexes, **599**, 143
Synthesis, characterization and catalytic properties of metallacyclic zirconocene complexes, **599**, 261
Zirconocene dichloride
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, **604**, 12
Zirconocene phosphanido complexes
Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of [$Cp^{\circ}_2ZrCl(PHCy)$] ($Cp^{\circ} = \eta^5$-C_5EtMe_4, Cy = cyclohexyl) and [$Cp'_2ZrCl(PHTipp)$] ($Cp' = \eta^5$-C_5H_4Me, Tipp = 2,4,6-$Pr^i_3C_6H_2$). Molecular structures of [$Cp^{\circ}_2ZrCl\{\eta^2$-NCyC(PHCy)$\}$] and [$Cp'_2Zr(Cl)\{\eta^2$-NCyC(PHTipp)$\}$], **608**, 21
Zirconocenes
Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, **606**, 203
(*Z*)-α-Stannyl-1-alkenyl sulfoxide
Stereoselective preparation of (*Z*)-α-stannyl-1-alkenyl sulfoxides via hydrozirconation of acetylenic stannanes, **603**, 249
Zwitterionic metallocenes
Interaction of bis(trimethylsilyl)acetylene complex of titanocene with tris(pentafluorophenyl)borane. Synthesis and structure of a new type of zwitterionic metallocene (η^5-C_5H_5)$\{\eta^5$-$[C_5H_4B(C_6F_5)_3]\}$Ti, **598**, 243



Hardbound, 1257 pages
ISBN: 0-444-82550-9
NLG1,095.00 (euro 496.89) / USD573.50

CONTENTS Direct

Sign up today for ***ContentsDirect***, the free e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC. Register online at:

http://www.elsevier.nl/locate/contentsdirect

ELSEVIER
An imprint of Elsevier Science

PHOSPHORUS 2000

Chemistry, Biochemistry & Technology

by **D.E.C. Corbridge**, Harrogate, UK

A resource which provides an up-to-date, extensive overview of the wide ranging areas of chemistry, biochemistry and technology

PHOSPHORUS 2000 *Chemistry, Biochemistry & Technology* offers a unique coverage of the whole field of phosphorus chemistry, summarising the state of the subject as at the start of the twenty-first century.

Adapted from the 5th edition, *"Phosphorus: An Outline of its Chemistry, Biochemistry & Technology"* (1995), this book updates the subject and incorporates fundamental aspects, modern theories and recent developments along with the major applications.

Phosphorus chemistry is treated here as a major branch of science in its own right, displacing the outmoded and frequently inappropriate concepts of 'organic' and 'inorganic' branches of chemistry which have been inherited from earlier centuries.

Chapters include:

- Introduction & Historical Background
- Distribution & Environment
- Atomic & Molecular Properties
- Phosphides of Non-metals
- Oxyphosphorus Compounds
- Carbonphosphorus Compounds
- Azaphosphorus Compounds
- Metallophosphorus Compounds
- Compounds With p-Block Elements
- Biopolymers
- Biophosphorus Chemistry
- Applications of Phosphorous Compounds
- Special Topics
- Analysis & Characterisation

The book will provide a useful **starting point** for those new to the field and will also act as a **reference text** and guide for experienced practitioners.

Visit the book's homepage at:
www.elsevier.com/locate/isbn/0444825509

☐ Please send me ____ copy(ies) of ***Phosphorus Chemistry 2000***
(ISBN: 0-444-82550-9) at NLG1,095.00 (euro 496.89) / USD573.50 plus VAT or my country's equivalent.

Name (please print) _____
Position _____
Department _____
Organisation _____
Address _____
Region/State _____
Post/Zip Code _____
Country _____
Tel _____ Fax _____
E-mail _____

NLG (Dutch Guilder) apply to customers in Europe and Japan
USD prices apply to customers in all other countries
Prices and publication dates are subject to change without prior notice

PAYMENT DETAILS

☐ Please send a pro forma invoice.
☐ Cheque / MONEY ORDER / UNESCO coupon enclosed made payable to Elsevier Science.
☐ I wish to pay by credit card (accepted up to a maximum value of USD5,000.00 / NLG10,000.00). Your credit card will be debited including VAT when applicable.
☐ VISA ☐ American Express ☐ MasterCard
Issuing Bank (MasterCard only) _____
Card No. _____
Exp. Date _____
Signature _____
Date _____
Order value subtotal NLG / USD _____
Non-UK EU (European Union) residents must either:
State VAT number here _____
or add VAT (for your country's equivalent) @ _____%
Total NLG / USD _____

SEND YOUR ORDER TO:

For customers in the Americas:
Elsevier Science
P.O. Box 882
New York, NY 10059-0882, USA
Tel: (+1) 212-633-3730 • Fax: (+1) 212-633-3680
Toll-free for customers in the USA and Canada:
1-888-437-4636
E-mail: usinfo-f@elsevier.com

For customers in other locations:
Elsevier Science
Customer Service Dept.
P.O. Box 211
1000 AE Amsterdam
The Netherlands
Tel: (+31) 20-485-3757 • Fax: (+31) 20-485-3432
E-mail: nlinfo-f@elsevier.nl

☐ If you don't wish to receive information regarding our other publications, please tick this box.
☐ If you don't wish to receive information from other companies or third parties please tick this box.

In all correspondence please quote reference 0302130



Second Supplements to the 2nd Edition of Rodd's Chemistry of Carbon Compounds

Volume IV, *Heterocyclic Compounds*, Part I/J

Six-membered Heterocyclic Compounds with Two Hetero-Atoms from Group V of the Periodic Table: the Pyridazine and Pyramidine Groups, the Pyrazine Group, Phenoxazine, Phenothiazine, Phenazine and Sulphur Dyes. Six-membered Heterocyclic Compounds with Three or More Hetero-Atoms

Edited by **M. Sainsbury**, *School of Chemistry, The University of Bath, UK*

Hardbound, 308 pages
ISBN: 0-444-82980-6
NLG350.00 (euro 158.82) / USD183.50

This volume contains updates on subjects previously covered by highly experienced practitioners in the field of heterocyclic chemistry. Compounds such as **pyridazines** and **cinnoline** as well as **pyrimidines**, **quinazolines** and **pyrazines** have been updated. In addition to this, the recent progress made in the chemistry of dyes such as **phenazine**, **oxazine** and **thiazine sulphur dyes** is covered.

The volume is completed with a timely review of six-membered rings with three or more hetero-atoms: **triazines**, **tetrazines**, **pentazines** and **hexazines**.

For each group of compounds, the authors present:

Methods of Synthesis; Reactions; Physical Properties and *Analytical and Environmental Aspects.*

This volume is a valuable addition to previous editions of the *Rodd's Chemistry of Carbon Compounds* series. It provides a concise, yet complete survey of a major subject area of heterocyclic chemistry.

To order your copy, simply complete and return the order form below to the Elsevier Science office nearest to you.

Forthcoming in 2000...

VOLUME V

Contains a cumulative index to the complete work and Topical Volumes.

ELSEVIER
An imprint of Elsevier Science

For a complete contents listing for this and previous volumes in the series, visit:
http://www.elsevier.com/locate/isbn/0444829806

☐ Please send me ____ copy(ies) of ***Heterocyclic Compounds, Part I/J*** (ISBN: 0-444-82980-6) at NLG350.00 (euro 158.82) / USD183.50 plus VAT or my country's equivalent.

Name (please print) _____
Position _____
Department _____
Organization _____
Address _____
Region/State _____
Post/Zip Code _____
Country _____
Tel _____ Fax _____
E-mail _____

NLG (Dutch Guilder) prices apply to customers in Europe and Japan. USD prices apply to customers in all other countries.
Prices and publication dates are subject to change without prior notice.

PAYMENT DETAILS

☐ Please send a pro forma invoice.
☐ Cheque / money order / UNESCO coupon enclosed made payable to Elsevier Science.
☐ I wish to pay by credit card (accepted up to a maximum value of USD5,000.00 / NLG10,000.00). Your credit card will be debited including VAT when applicable.
☐ VISA ☐ American Express ☐ MasterCard
Issuing Bank (MasterCard only) _____
Card No. _____
Exp. Date _____
Signature _____
Date _____
Order value subtotal NLG / USD _____
Non-UK EC (European Union) residents must either:
State VAT number here _____
or add VAT (or your country's equivalent) @ _____%
Total NLG / USD _____

SEND YOUR ORDER TO:

For customers in the Americas:
Elsevier Science
P.O. Box 882
New York, NY 10059-0882, USA
Tel: (+1) 212-633-3730 • Fax: (+1) 212-633-3680
Toll-free for customers in the USA and Canada:
1-888-437-4636
E-mail: usinfo-f@elsevier.com

For customers in other locations:
Elsevier Science
Customer Service Dept.
P.O. Box 211
1000 AE Amsterdam
The Netherlands
Tel: (+31) 20-485-3757 • Fax: (+31) 20-485-3432
E-mail: nlinfo-f@elsevier.nl

☐ If you don't wish to receive information regarding our other publications, please tick this box.
☐ If you don't wish to receive information from other companies or third parties please tick this box.

In all correspondence please quote reference: 0301026A

Guide for Authors

Submission of papers

Authors of Regular Papers, Preliminary Communications and Priority Communications should submit a **disk** together with **four** copies of their manuscripts (complete in all respects) to one of the Regional Editors. Subject Reviews are published upon invitation by the Subject Reviews Editor.

Regional Editors

Professor R.D. Adams, Department of Chemistry and Biochemistry, University of South Carolina, Columbia, SC 29208, USA.

Professor G. Bertrand, Université Paul Sabatier, Hétéro-Chimie Fondamentale et Appliquée, 118, Route de Narbonne, F-31062 Toulouse Cedex 04, France.

Professor W.A. Herrmann, Institut für Anorganische Chemie, Technische Universität München, Lichtenbergstrasse 4, D-85747 Garching, Germany.

Professor D.M.P. Mingos, F.R.S., The Principal's Lodgings, St. Edmund Hall, Queens Lane, Oxford OX1 4AR, UK.

Professor K. Tamao, Institute for Chemical Research, Kyoto University, Uji, Kyoto 611-0011, Japan.

Subject Reviews Editor

Professor G. van Koten, Department of Organic (Metal-Mediated) Synthesis, Utrecht University, Transitorium 3, Padualaan 8, NL-3584 CH Utrecht, The Netherlands.

Book Reviews Editor

Professor G.J. Leigh, Department of Chemistry, Physics and Environmental Science, University of Sussex, Brighton BN1 9QJ, UK.

Contributions are accepted on the understanding that authors have obtained the necessary authority for publication. Submission of an article must be accompanied by a statement that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the Journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Disk preparation

The files should be saved in the native format of the word processing program used. Most popular word processor file formats are acceptable, though we cannot guarantee the usability of all formats. The disk format, word-processor format, file name(s) and the title and authors of the article should be indicated on the disk. The content of the disk must correspond exactly to the hard copy version of the paper.

For specific enquiries on the preparation of electronic artwork, consult http://www.elsevier.com/locate/authorartwork/

Manuscript Preparation

Language. Papers will primarily be published in English. Papers in French or German can also be published, and should have an Abstract in English as well as the Résumé or Zusammenfassung. Authors in Japan please note that upon request, Elsevier Science K.K. will provide a list of people who can check and improve the English of their paper *(before submission)*. Please contact our Tokyo office: Elsevier Science K.K., Editorial Service, 1–9–15 Higashi Azabu, Minato-ku, Tokyo 106, Japan; Tel. +81-3-5561-5032; Fax: +81-3-5561-5045; E-mail: info@elsevier.co.jp. Some flexibility of presentation will be allowed, but authors are urged to arrange the subject matter clearly under such headings as *Introduction, Experimental, Results, Discussion*, etc. All contributions should include a concise, informative *Abstract*, and a maximum of six *Keywords*. References should be numbered consecutively throughout the text and should be collected together in a reference list (headed *References*) at the end of the paper. All *equations*, *tables* and *legends* should be numbered consecutively and separately throughout the paper.

Illustrations. Line drawings should be in a form suitable for reproduction. Illustrations can be printed in colour when they are judged by the Editor to be essential to the presentation. The publisher and the author will each bear part of the extra costs involved. Further information concerning colour illustrations and the costs to the author can be obtained from the publisher.

Proofs

Authors will receive proofs by e-mail (pdf attachment) or fax and are requested to send their corrections as soon as possible. No new material may be inserted in the text at the time of proof-reading. *A Note added in proof* must be dated and the author must have requested and received the Editor's approval.

All articles must indicate the name and full postal address (including **E-mail, telephone** and **fax** numbers) of the author to whom proofs should be sent.

Offprints

Fifty offprints of each paper will be supplied free of charge to the author(s). Additional offprints (minimum 50) may be ordered at prices shown on the offprint order form.

There are no page charges.

Other enquiries

For enquiries relating to the status of accepted articles through our Online Article Status Information System (OASIS), author Frequently Asked Questions and any other enquiries relating to Elsevier Science, please consult http://www.elsevier.com/locate/authors/

Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

Elsevier Science on the Internet

Your comprehensive and easy-to-use guide to the world-wide range of Elsevier Science products and services.



Visit Elsevier Science on the Internet and access a unique repository of information covering the entire scientific spectrum. Our time-saving search facilities will lead you to our frequent updates in seconds.

Main features include:

- Alerting and awareness facilities for new and forthcoming publications.
- Fast, time-saving search facilities.
- Frequent updates.

http://www.elsevier.com
http://www.elsevier.nl

ELSEVIER
PERGAMON
NORTH-HOLLAND
EXCERPTA MEDICA

0022-328X(20010315)622:3001;1-I


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0